## Org-mode Latex Export Example

## Derek Feichtinger

January 8, 2017

## Contents

1	Ver	sion in	formation	1
2	Deb	ougging	g	2
3	Ma	jor doc	cument elements	2
	3.1	•	ions	2
	3.2	Figure		3
		3.2.1	inclusion of SVG graphics	5
	3.3	Tables		5
		3.3.1	nicer table formatting using booktab style	5
		3.3.2	Math in tables	5
		3.3.3	Table font size	6
		3.3.4	Sidewaystable	6
		3.3.5	Table over multiple pages with long text wrapped to cell	Ü
		0.0.0	width	8
4	Tex	t featu	res	9
	4.1	Text fo	ont size	9
	4.2	Footno	otes and margin notes	10
	4.3		nces to sections, figures, tables, equations	10
	4.4		Cootnotes	10
5	som	ne inter	resting links	10
6	Ind	ex crea	ation	11
7	Ref	erences	S	11

## 1 Version information

Emacs version: GNU Emacs 25.1.1 (x86\_64-unknown-linux-gnu, GTK+ Version 3.18.9)

of 2016-09-20 org version: 9.0.3

## 2 Debugging

Org removes some of the intermediate files if the variable org-latex-remove-logfiles is set to true. So, for debugging, it makes sense to set it to nil.

## 3 Major document elements

## 3.1 Equations

• Nice link for mathematical symbols on wikipedia:

This is an example for an equation

$$cores_{extrapol} = cores_{intern2013} \cdot offl\% \cdot \frac{gf \cdot (volume_{user} + volume_{intern})}{volume_{intern}}$$

This is an example for an equation embedded in the text  $cores_{extrapol} = cores_{intern2013} \cdot offl\% \cdot \frac{gf \cdot (volume_{user} + volume_{intern})}{volume_{intern}}$  The text continues after the formula.

Here follows a numbered equation that also can be referenced like in the following parentheses (eq 1). Note that we have to rely here on standard latex syntax, since org mode does not offer equations as a native element that we can mark up with #+NAME tags, etc.

$$cores_{extrapol} = cores_{intern2013} \cdot offl\% \cdot \frac{gf \cdot (volume_{user} + volume_{intern})}{volume_{intern}} \quad (1)$$

from an article by Stefaan Lippens on on using textnormal for including normal text correctly in a math environment.

$$\int_{1}^{9} x dx \qquad \text{this is textrm}$$
 
$$\sum_{1}^{9} y \qquad \text{this is textsf}$$
 
$$\prod_{1}^{9} z \qquad \text{this is textnormal}$$

Only textnormal will guarantee that the text appears in the default font of the document.


## 3.2 Figures

I can reference the figure like this: Fig. 1.

Note

- there must be no empty line between the picture's link and the meta definitions for name, caption, etc.
- The figure must have a caption.
- The OPTION tex:t must be set for references to work.

Specifier	Permission
h	Place the float here, i.e., approximately at the same point it occurs in the
	source text (however, not exactly at the spot)
$\mathbf{t}$	Position at the top of the page.
b	Position at the bottom of the page.
p	Put on a special page for floats only.
\!	Override internal parameters LATEX uses for determining "good" float positions.
${ m H}$	Places the float at precisely the location in the LATEX code. Requires the
	float package, e.g., float. This is somewhat equivalent to h!.



 $Figure \ 1: \quad A \ simple \ graph$ 




Figure 2: A simple graph at half the width




Figure 3: A simple graph rotated  $270^{\circ}$ 

A pdf can be included the same way, e.g. by specifying

#+ATTR\_LATEX: :options page=10 :width 10cm
[[file:myfig.pdf]]

### 3.2.1 inclusion of SVG graphics

q.v. my my plantuml example documentation.

#### 3.3 Tables

- Documentation
  - Very nice overview: https://en.wikibooks.org/wiki/LaTeX/Tables

#### 3.3.1 nicer table formatting using booktab style

Some interesting tips for booktab style tables by M. Püschel.

Booktabs can be turned on by default for all tables by setting this variable for the document or globally:

### org-latex-tables-booktabs: t

Whether table captions appear above or below the table can be configured using this variable setting:

org-latex-table-caption-above: nil

Column 1	Table 1: d Column 2	efault table Column 3	Column 4
1	10	100	1000
2	11	101	1001
3	12	102	1002
4	13	103	1003
5	14	104	1004
15	60	510	5010

Table 2: table using booktabs style

		8	
Column 1	Column 2	Column 3	Column 4
1	10	100	1000
2	11	101	1001
3	12	102	1002
4	13	103	1003
5	14	104	1004
15	60	510	5010

#### 3.3.2 Math in tables

Use math or inline math together with array environment.

Here we use the simple math mode

 $\begin{array}{ccc} Column1 & Column2 \\ \sin(x) & \tan(x) \end{array}$ 

This uses the  ${\tt inline-math}$  mode

Column1 Column2 sin(x) tan(x)

#### 3.3.3 Table font size

The font size is determined by the :font switch in the #+ATTR\_LATEX line.

Column 1	Column 2
Some text	Some other text
10	20

### Sidenote:

- When a caption is used, the latex export uses a table environment.
- The previous captionless table generates a tabular environment.

Table 3:	Table small size
Column 1	Column 2
Some text	Some other text
10	20

Table 4: Ta	ble footnotesize
Column 1	Column 2
Some text	Some other text
10	20

## 3.3.4 Sidewaystable

Using the sidewaystable together with a :placement [H] specifier requires that one uses the rotfloat environment.

This text comes after the sideway stable (we want to check whether the placement modifier was observed).

Even though in the info documentation it reads: "Note: :placement is ignored for :float sideways tables.", the modifier [H] is observed, as can be confirmed in the resulting PDF.

#### 3.3.5 Table over multiple pages with long text wrapped to cell width

Use the tabularx environment and make sure that you have loaded the ltablex package.

Note: If I set a caption either with the #+CAPTION: markup or the :caption header argument, the table will no longer correctly wrap to the next page, but it will overflow over the page.

- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla

- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 103 repetition ahead
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 101 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 102 bla bla
- 100 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 98 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 96 bla bla
- 94 repetition ahead
- 92 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 90 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 88 bla bla
- 86 repetition ahead
- 84 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 82 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 80 bla bla
- 78 repetition ahead
- 76 Some extremely long sentence which surely needs a linebreak if I add some additional words like these
- 74 Some other extremely long sentence which surely needs a linebreak if I add some additional words like these
- 72 bla bla

## 4 Text features

#### 4.1 Text font size

# Text Example Text Example Text Ex-

ample Text Example Text Example (default) Text Example Text Example Text Example (default)

## 4.2 Footnotes and margin notes

This is a text with a footnote <sup>1</sup>. The footnote will be displayed on the bottom of the current page. One can also place all footnotes in a separate chapter called *footnotes* at the end of the org file<sup>2</sup>.

Margin notes one can set by directly inlining the LATEX command as demonstrated here. By default the margin notes are justified. This often looks awkward. Using this stackexchange answer, I define a macro which yields:

I like the margin notes to be left aligned instead of being justified.

 $a \qquad default \\ margin \ note$ 

a left aligned margin note that looks nicer

## 4.3 References to sections, figures, tables, equations

Here, we show the usage of links to the text sections: Examples for References to figures are also found in chapter 3.2, to tables in chapter 3.3, and to equations in chapter 3.1.

Other references

- Figures can be referenced like this: Fig. 1.
- These are references to table 1 and table 2.
- And an example of an equation reference: eq 1. This reference requires latex syntax and a latex label as target. All the other links work based on org link syntax can use the name given to the elements via a leading #+NAME: line.

#### 4.4 Text Footnotes

Examples for footnotes.

## 5 some interesting links

- Org LATEX exports
  - Subfigures in an org document for exporting to LATEX: gmane.emacs.orgmode/92821
- Hyperlink formatting
  - described in the LATEX hyperref manual.
  - This is an example of how to get links that are not framed by red rectangles, but just have a blue font color

#+LaTeX\_HEADER: \hypersetup{colorlinks=true, linkcolor=blue}

- Building a LATEX Document Class
  - http://tutex.tug.org/pracjourn/2005-4/hefferon/hefferon.pdf

<sup>&</sup>lt;sup>1</sup>This is the footnote text

 $<sup>^2{\</sup>rm this}$  is a footnote from the end of the org document

## 6 Index creation

Must be solved by including IATEX source commands:

- Requires in the preamble
  - \usepackage{makeidx}
  - \makeindex
- Mark up words by \index{word}
- At the location where the index should apear, use \printindex
- to render the document, a call to the makeindex binary needs to be added in the build command. I use the following definition in my init.el.

## 7 References

Some important org references that also display that citations directly following each other will be combined [3, 1]. And another single reference [2].

The ##BIBLIOGRAPHY: command inserts the reference list at the location where it is placed. It requires the name of the bib-file (without .bib extension) and the name of a style (e.g. plain).

For HTML exports one can also pass options to the bibtex2html binary (look at the comments section of ox-bibtex.el and also the bibtex2html man page).

Table 8: bibtex2html options

option	functionality
-d	sort by date
-a	sort as BibTeX (usually by author) default
-u	unsorted i.e. same order as in .bib file
-r	reverse the sort
-t	limit to entries cited in document

Multiple options can be combined as follows:

```
option:-d option:-r
```

To get the citations correctly processed rendered, one needs to add a bibtex invocation to the LaTeX command chain:

To just produce a bibliography of all items in the bib file, on can use the following LATEX snippet. The \nocite{\*} command includes an item that has not been cited in the document; a star matches all documents, so all get included (q.v. this link).

```
#+BEGIN_LATEX
  \documentstyle{amsart}
  \begin{document}
  \nocite{*}
  \bibliographystyle{amsplain}
  \bibliography{bib-filename}
  \end{document}
#+END_LATEX
```

## References

- [1] Dominik, C. The Org Mode 7 Reference Manual-Organize your life with GNU Emacs. Network Theory Ltd., 2010.
- [2] FEICHTINGER, D., AND PLATTNER, D. A. Direct proof for  $o = mn^V$  (salen) complexes. Angewandte Chemie International Edition in English 36, 16 (1997), 1718–1719.
- [3] Schulte, E., Davison, D., Dye, T., and Dominik, C. A multi-language computing environment for literate programming and reproducible research. Journal of Statistical Software 46, 3 (2012), 1–24.

## List of Tables

1	default table
2	table using booktabs style
3	Table small size
4	Table footnotesize
5	Table tiny size
6	A sidewaystable
8	bibtex2html options

## $\mathbf{Index}$

```
booktab style tables, 5 footnote, 10 footnotes, 10 ltablex, 8 Margin notes, 10 tabularx, 8
```

Emacs 25.1.1 (Org mode 9.0.3)