TCGA-BH-A0BT-01A-11R-A12O-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 10.6 60 50 %features 40 30 3.5 20 10 0 Y\_RNA snoRNA snRNA piRNA rRNA IncRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A0BT-11A-21R-A12O-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 9.5 60 50 %features 6.3 40 30 3.2 20 10 0 snRNA -Y\_RNA snoRNA -IncRNA rRNA piRNA miRNA tRNA scRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A18L-01A-32R-A12C-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 60 50 %features 40 30 3.9 20 10 0 snoRNA -Y\_RNA snRNA piRNA rRNA miRNA scRNA IncRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A18L-11A-42R-A12C-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 10.2 60 50 %features 6.8 40 30 3.4 20 10 0 Y\_RNA snoRNA snRNA rRNA IncRNA piRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A1FC-01A-11R-A13P-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 60 50 %features 40 30 3.8 20 10 0 snRNA -Y\_RNA snoRNA piRNA rRNA IncRNA miRNA tRNA scRNA misc\_RNA other precursor\_RNA vault\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A1FC-11A-32R-A13P-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 60 50 %features 6.7 40 30 3.3 20 10 0 Y\_RNA snoRNA snRNA rRNA IncRNA piRNA miRNA scRNA tRNA misc\_RNA other precursor\_RNA vault\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme


TCGA-BH-A1FG-01A-11R-A13P-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 14.6 60 50 %features 9.7 40 30 20 10 0 snoRNA -Y\_RNA snRNA piRNA miRNA rRNA scRNA IncRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A1FG-11B-12R-A13P-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 10.6 60 50 %features 40 30 3.5 20 10 0 Y\_RNA snoRNA snRNA rRNA IncRNA piRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-BH-A1FU-01A-11R-A14C-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 10.4 60 50 %features 6.9 40 30 3.5 20 10 0 Y\_RNA snRNA snoRNA piRNA rRNA IncRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme


TCGA-BH-A1FU-11A-23R-A14C-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 9.5 60 50 %features 6.3 40 30 3.2 20 10 0 snRNA -Y\_RNA snoRNA rRNA IncRNA piRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme


TCGA-E9-A1N4-01A-11R-A14L-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 12.9 60 50 %features 8.6 40 30 20 10 0 snRNA -Y\_RNA snoRNA piRNA rRNA IncRNA miRNA tRNA scRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme




TCGA-E9-A1N5-01A-11R-A14C-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 1.1 60 50 %features 40 30 3.7 20 10 0 snRNA -Y\_RNA snoRNA rRNA IncRNA piRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme

TCGA-E9-A1N5-11A-41R-A14C-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 10.6 60 50 %features 40 30 3.5 20 10 0 snRNA snoRNA -Y\_RNA rRNA IncRNA piRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme







TCGA-GI-A2C9-11A-22R-A21U-13\_mirna\_gdc\_realn % in genome 70 detected % in sample 9.2 60 50 %features 6.1 40 30 3.1 20 10 0 snRNA -Y\_RNA snoRNA piRNA rRNA IncRNA miRNA scRNA tRNA misc\_RNA other vault\_RNA precursor\_RNA antisense\_RNA hammerhead\_ribozyme ribozyme