CPSC 2150 Project 3 Report

Jacob Colson, Warren Wasden, Steven Cabezas

Requirements Analysis

Functional Requirements:

- 1. As a player I need to be able to drop my token on a particular column so that I can progress the game.
- 2. As a player I want to be able to select a number of Rows and Columns that allow up to a 100x100 board, so that I can customize my game.
- 3. As a player, I want the game to allow for a minimum of 3 Rows or Columns so that the games can be played faster.
- 4. As a player, I want the game to allow for a fast GameBoard implementation, so the game performance is very quick.
- 5. As a player, I want the game to allow for a memory efficient GameBoard implementation, so the game does not use a large amount of memory.
- 6. As a player, I want to be able to choose my own character to represent my token, so that I can personalize the game and know when it is my turn.
- 7. As a player I want to drop my token in a specific place so that I can block the other player from getting the required number of tokens in a row to win.
- 8. As a player, I want to choose how many tokens it takes to win, so I can make the game shorter or longer.
- As a player, I need the game to allow for a minimum of 3 tokens to win, so that the game is playable.
- 10. As a player I want to be able to drop the required number of tokens in a diagonal line in order to win the game.
- 11. As a player I want to be able to drop the required number of tokens in a horizontal line in order to win the game.
- 12. As a player I want to be able to drop the required number of tokens in a vertical line so that I can win the game.
- 13. As a player I need to be able to select another column if a previously chosen column does not exist so that I can continue my turn.

- 14. As a player I need to be able to select another column if the column I chose first is full so that I can continue my turn.
- 15. As a player I want to be able to input a column number to place a token in so that I can use my turn.
- 16. As a player I want to be able to choose whether or not I would like to play again so that I can continue playing.
- 17. As a player I want to be able to know whose turn it is so that we don't lose track of whose turn it is.
- 18. As a player, I want the game to allow for a minimum of 2 players so that I have someone to play against.
- 19. As a player I want the game to allow for a maximum of 10 players so that we can play as a group.
- 20. As a player I want to be able to interact and be informed by a command line interface generated by the game.
- 21. As a player I want the game to alternate between player tokens so that each player gets a fair turn.
- 22. As a player I want the game to display the board after each turn so that I can determine where to place my token.
- 23. As a player I want the game board to update each time I place a token so I don't lose track of where my tokens are.
- 24. As a player I want the game to display the winner at the end so that we know who won.
- 25. As a player I want the columns to be numbered so I can easily tell which column is which.

Non-Functional Requirements

- 1. The game must be written in Java.
- 2. The game will allow for a maximum of 10 players and alternate between the players.
- 3. The game must allow for a minimum of 2 players.
- 4. Players will be able to play on a customizable board of a maximum of 100x100.
- 5. The minimum number of rows or columns must be 3.
- 6. The game must determine if a specific space is available or already occupied.
- 7. Game must check if the player has won after each token is placed.
- 8. The game must check for a tie if neither player has won the game, then ask if they want to play again.

- 9. If a specific space is unavailable, the user must be asked if they would like to select another position.
- 10. The fast GameBoard implementation must use a 2-D character array.
- 11. The memory efficient GameBoard implementation must use a HashMap.
- 12. Players must be informed of which player won the game, then ask if they want to play again.
- 13. The game must run with a command line interface for user interaction.
- 14. Players need to be informed of when a selected row is full.
- 15. The game must inform the player if a selected column does not exist.
- 16. The game must allow each player to select their desired token at the beginning of the game.

System Design

GameScreen:

GameScreen

- playerBoard: IGameBoard
- winningChar: char
- + maxPlayers: int
- + minPlayers; int
- + maxRowsCol: int
- + minRowsCol: int
- + printBoard(): void
- + printWinner(): void
- + askPlayerForColumn(): int
- + main(String[] args): void

BoardPosition:

BoardPosition

- Row: int
- Column: int
- + BoardPosition(int aRow, int aColumn)
- + getRow(): int
- + getColumn(): int
- + equals(Object obj): boolean
- + toString(): String

IGameBoard, GameBoard, GameBoardMem, and AbsGameBoard:

