

Newton's Laws

Newton's First Law

A body continues to be in its state of rest or of uniform motion along a straight line, unless it is acted upon by some external force to change the state.

(1) If no net force acts on a body, then the velocity of the body cannot change *i.e.* the body cannot accelerate.

(2) Newton's first law defines inertia and is rightly called the law of inertia. Inertia are of three types :

Inertia of rest, Inertia of motion and Inertia of direction.

(3) **Inertia of rest** : It is the inability of a body to change by itself, its state of rest. This means a body at rest remains at rest and cannot start moving by its own.


Example : (i) A person who is standing freely in bus, thrown backward, when bus starts suddenly.

When a bus suddenly starts, the force responsible for bringing bus in motion is also transmitted to lower part of body, so this part of the body comes in motion along with the bus. While the upper half of body (say above the waist) receives no force to overcome inertia of rest and so it stays in its original position. Thus there is a relative displacement between the two parts of the body and it appears as if the upper part of the body has been thrown backward.

(i) If the motion of the bus is slow, the inertia of motion will be transmitted to the body of the person uniformly and so the entire body of the person will come in motion with the bus and the person will not experience any jerk.

(ii) When a horse starts suddenly, the rider tends to fall backward on account of inertia of rest of upper part of the body as explained above.

(iii) A bullet fired on a window pane makes a clean hole through it, while a ball breaks the whole window. The bullet has a speed much greater than the ball. So its time of contact with glass is small. So in case of bullet the motion is transmitted only to a small portion of the glass in that small time. Hence a clear hole is created in the glass window, while in case of ball, the time and the area of contact is large. During this time the motion is transmitted to the entire window, thus creating the cracks in the entire window.



(iv) In the arrangement shown in the figure :

(a) If the string B is pulled with a sudden jerk then it will experience tension while due to inertia of rest of mass M this force will not be transmitted to the string A and so the string B will break.

(b) If the string B is pulled steadily the force applied to it will be transmitted from string B to A through the mass M and as tension in A will be greater than in B by Mg (weight of mass M), the string A will break.




Fig : 4.5

(v) If we place a coin on smooth piece of card board covering a glass and strike the card board piece suddenly with a finger. The cardboard slips away and the coin falls into the glass due to inertia of rest.

(vi) The dust particles in a carpet falls off when it is beaten with a stick. This is because the beating sets the carpet in motion whereas the dust particles tend to remain at rest and hence separate.

(4) **Inertia of motion** : It is the inability of a body to change by itself its state of uniform motion *i.e.*, a body in uniform motion can neither accelerate nor retard by its own.

Example : (i) When a bus or train stops suddenly, a passenger sitting inside tends to fall forward. This is because the lower part of his body comes to rest with the bus or train but the upper part tends to continue its motion due to inertia of motion.

(ii) A person jumping out of a moving train may fall forward.

(iii) An athlete runs a certain distance before taking a long jump. This is because velocity acquired by running is added to velocity of the athlete at the time of jump. Hence he can jump over a longer distance.

(5) **Inertia of direction** : It is the inability of a body to change by itself it's direction of motion.

Example : (i) When a stone tied to one end of a string is whirled and the string breaks suddenly, the stone flies off along the tangent to the circle. This is because the pull in the string was forcing the stone to move in a circle. As soon as the string breaks, the pull vanishes. The stone in a bid to move along the straight line flies off tangentially.

(ii) The rotating wheel of any vehicle throw out mud, if any, tangentially, due to directional inertia.

(iii) When a car goes round a curve suddenly, the person sitting inside is thrown outwards.

Newton's Second Law

The rate of change of linear momentum of a body is directly proportional to the external force applied on the body and this change takes place always in the direction of the applied force.

If a body of mass m , moves with velocity \vec{v} then its linear momentum can be given by $\vec{p} = m\vec{v}$ and if force \vec{F} is applied on a body, then

$$\vec{F} \propto \frac{\Delta \vec{p}}{\Delta t} \Rightarrow F = K \frac{\Delta \vec{p}}{\Delta t}$$

$$\text{or} \quad \vec{F} = \frac{\Delta \vec{p}}{\Delta t} \quad (K = 1 \text{ in C.G.S. and S.I. units})$$

$$\text{or} \quad \vec{F} = \frac{\Delta}{\Delta t}(m\vec{v}) = m \frac{\Delta \vec{v}}{\Delta t} = m\vec{a}$$

(As $a = \frac{\Delta \vec{v}}{\Delta t}$ = acceleration produced in the body)

$$\therefore \vec{F} = m\vec{a}$$

Force = mass \times acceleration

Newton's Third Law

To every action, there is always an equal (in magnitude) and opposite (in direction) reaction.

- * When a body exerts a force on any other body, the second body also exerts an equal and opposite force on the first.

- * Forces in nature always occurs in pairs. A single isolated force is not possible.


- * Any agent, applying a force also experiences a force of equal magnitude but in opposite direction. The force applied by the agent is called '*Action*' and the counter force experienced by it is called '*Reaction*'.

- * Action and reaction never act on the same body. If it were so, the total force on a body would have always been zero *i.e.* the body will always remain in equilibrium.

- * If \vec{F}_{AB} = force exerted on body A by body B (Action) and \vec{F}_{BA} = force exerted on body B by body A (Reaction)

Then according to Newton's third law of motion $\vec{F}_{AB} = -\vec{F}_{BA}$

Example : (i) A book lying on a table exerts a force on the table which is equal to the weight of the book. This is the force of action.



The table supports the book, by exerting an equal force on the book. This is the force of reaction.

As the system is at rest, net force on it is zero. Therefore force of action and reaction must be equal and opposite.

(ii) Swimming is explained using third law of motion.

(iii) When a gun is fired, the bullet moves forward (action). The gun recoils backward (reaction)

(iv) Rebounding of rubber ball takes place due to third law of motion.

(v) While walking a person presses the ground in the backward direction (action) by his feet. The ground pushes the person in forward direction with an equal force (reaction). The component of reaction in horizontal direction makes the person move forward.

(vi) It is difficult to walk on sand or ice.

(vii) Driving a nail into a wooden block without holding the block is difficult.