

FIXED PERIMETER CONNECTION
PRIMARY 'C' CHANNEL
OPTION 1: SHADOWLINE

FLOATING PERIMETER CONNECTION
PRIMARY 'C' CHANNEL
OPTION 1: SHADOWLINE

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

NOTES:

1. SUSPENSION WIRE
PLACEMENT TO BE IN
ACCORDANCE WITH GRID

2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC

MANUFACTURER'S SPEC

3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS

4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY

5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

DESIGNER:

Brevity

Victoria Park Market, Unit 72B, 210 Victoria Street West Auckland 1010

+64 9 216 7104 www.teambrevity.com

Tolerances (unless	1-100	<1000	>1000
specified)	± 2	± 10	± 70

All dim.



Rev		Description	
Α	FOR	CONSENT	
Desi	gned	BREVITY LTD	16/01/23
Drav	v n	BREVITY LTD	16/01/23

USG SCREWFIX PERIMETER CONNECTIONS

Do not Scale

DRG No. Sheet 1 OF 4




TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

PRIMARY 'C' CHANNEL

OPTION 2: SOUARE STOP

FLOATING PERIMETER CONNECTION PRIMARY 'C' CHANNEL **OPTION 2: SQUARE STOP**

NOTES: 1. SUSPENSION WIRE PLACEMENT TO BE IN

> ACCORDANCE WITH GRID MANUFACTURER'S SPEC

- 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
- 3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS
- 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
- 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE **CONFIRMED BY OTHERS**

DESIGNER:

Brevity

Victoria Park Market, Unit 72B, 210 Victoria Street West Auckland 1010

+64 9 216 7104 www.teambrevity.com

Tolerances (unless	1-100	<1000	>1000
specified)	± 2	± 10	± 70

All dim. in mm




	1100		Booomption			
	Α	FOR CONSENT				
	Designed					
			BREVITY LTD	16/01/23		
	Drawn		BREVITY LTD	16/01/23		

USG SCREWFIX PERIMETER CONNECTIONS

Do not Scale

DRG No 2 OF 4 050-11A



FIXED PERIMETER CONNECTION FURRING CHANNEL OPTION 1: SHADOWLINE

FLOATING PERIMETER CONNECTION FURRING CHANNEL OPTION 1: SHADOWLINE

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

NOTES:

- 1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
- 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
- 3. REPRESENTATIVE ONLY. SEE BREVITY FOR **DETAILS**
- 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
- 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE **CONFIRMED BY OTHERS**

DESIGNER:

Brevity

Victoria Park Market, Unit 72B, 210 Victoria Street West Auckland 1010

+64 9 216 7104 www.teambrevity.com

Tolerances (unless	1-100	<1000	>1000
specified)	± 2	± 10	± 70

All dim. in mm




Rev		Description	
Α	FOR	CONSENT	
Desi	gned	BREVITY LTD	16/01/23
Drav	v n	BREVITY LTD	16/01/23

USG SCREWFIX PERIMETER CONNECTIONS

Do not Scale

DRG No

3 OF 4 050-11A



FIXED PERIMETER CONNECTION FURRING CHANNEL OPTION 2: SOUARE STOP

FLOATING PERIMETER CONNECTION FURRING CHANNEL OPTION 2: SQUARE STOP

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

NOTES:

- 1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
- 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
- 3. REPRESENTATIVE ONLY. SEE BREVITY FOR **DETAILS**
- 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
- 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE **CONFIRMED BY OTHERS**

DESIGNER:

Brevity

Victoria Park Market, Unit 72B, 210 Victoria Street West Auckland 1010

+64 9 216 7104 www.teambrevity.com

Tolerances (unless	1-100	<1000	>1000
specified)	± 2	± 10	± 70

All dim. in mm



	101				
	Α	FOR	R CONSENT		
	Designed				
			BREVITY LTD	16/01/23	
	Draw		BREVITY LTD	16/01/22	

USG SCREWFIX PERIMETER CONNECTIONS

Do not Scale

DRG No

4 OF 4 050-11A