

# Carryover effects in free recall reveal how prior experiences influence memories of new experiences

Jeremy R. Manning<sup>1,\*</sup>, Andrew C. Heusser<sup>1,2</sup>, Kirsten Ziman<sup>1,3</sup>,  
Emily Whitaker<sup>1</sup>, and Paxton C. Fitzpatrick<sup>1</sup>

<sup>1</sup>Dartmouth College

<sup>2</sup>Akili Interactive

<sup>3</sup>Princeton University

\*Corresponding author: [jeremy.r.manning@dartmouth.edu](mailto:jeremy.r.manning@dartmouth.edu)

## Abstract

We perceive, interpret, and remember ongoing experiences through the lens of our prior experiences. Inferring that we are in one type of situation versus another can lead us to interpret the same physical experience differently. In turn, this can affect how we focus our attention, form expectations of what will happen next, remember what is happening now, draw on our prior related experiences, and so on. To study these phenomena, we asked participants to perform simple word list learning tasks. Across different experimental conditions, we held the set of to-be-learned words constant, but we manipulated the orders in which the words were studied. We found that these order manipulations affected not only how the participants recalled the ordered lists, but also how they recalled later randomly ordered lists. Our work shows how structure in our ongoing experiences can exert influence on how we remember unrelated subsequent experiences.

## 17 Introduction

18 Experience is subjective: different people who encounter identical physical experiences  
19 can take away very different meanings and memories. One reason is that our subjective ex-  
20 periences in the moment are shaped in part the idiosyncratic prior experiences, memories,  
21 goals, thoughts, expectations, and emotions that we bring with us into the present moment.  
22 These factors collectively define a *context* for our experiences<sup>13</sup>. situation models: forming  
23 expectations, predicting ambiguous future experiences The contexts we encounter help us  
24 to construct *situation models*<sup>15,24</sup> or *schemas*<sup>2,18</sup> that describe how experiences are likely to  
25 unfold based on our prior experiences with similar contextual cues. For example, when  
26 we enter a sit-down restaurant, we might expect to be seated at a table, given a menu,  
27 and served food. Priming someone to expect a particular situation or context can also  
28 influence how they resolve potential ambiguities in their ongoing experiences, including  
29 ambiguous movies and narratives<sup>32</sup>.

30 Our understanding of how we form situation models and schemas, and how they in-  
31 teract with our subjective experiences and memories, is constrained in part by substantial  
32 differences in how we study these processes. Situation models and schemas are most often  
33 studied using “naturalistic” stimuli such as narratives and movies<sup>20,33,34</sup>. In contrast, our  
34 understanding of how we organize our memories has been most widely studied using  
35 more traditional paradigms like free recall of random word lists<sup>11</sup>. In free recall, partici-  
36 pants study lists of items and are instructed to recall the items in any order they choose.  
37 The orders in which words come to mind can provide insights into how participants have  
38 organized their memories of the studied words. Because random word lists are unstruc-  
39 tured by design, it is not clear if or how non-trivial situation models might apply to these  
40 stimuli. Nevertheless, there are *some* commonalities between memory for word lists and  
41 memory for real-world experiences.


42 Like remembering real-world experiences, remembering words on a studied list re-  
43 quires distinguishing the current list from the rest of one's experience. To model this  
44 fundamental memory capability, cognitive scientists have posited the existence of a spe-  
45 cial representation, called *context*, that is associated with each list. According to early  
46 theories e.g.<sup>1,6</sup> context representations are composed of many features which fluctuate  
47 from moment to moment, slowly drifting through a multidimensional feature space. Dur-  
48 ing recall, this representation forms part of the retrieval cue, enabling us to distinguish  
49 list items from non-list items. Understanding the role of context in memory processes is  
50 particularly important in self-cued memory tasks, such as *free recall*, where the retrieval  
51 cue is "context" itself.

52 Over the past half-century, context-based models have enjoyed impressive success at  
53 explaining many stereotyped behaviors observed during free recall and other list-learning  
54 tasks<sup>6-8,12,21-23,27-29</sup>. These phenomena include the well-known recency and primacy  
55 effects (superior recall of items from the end and, to a lesser extent, from the beginning of  
56 the study list), as well as semantic and temporal clustering effects<sup>7</sup>. The contiguity effect  
57 is an example of temporal clustering, which is perhaps the dominant form of organization  
58 in free recall. This effect can be seen in the tendency for people to successively recall items  
59 that occupied neighboring positions in the study list. For example, if a list contained the  
60 sub-sequence "ABSENCE HOLLOW PUPIL" and the participant recalls the word "HOLLOW", it is  
61 far more likely that the next response will be either "PUPIL" or "ABSENCE" than some other  
62 list item<sup>10</sup>. In addition, there is a strong forward bias in the contiguity effect: subjects  
63 make forward transitions (i.e., "HOLLOW" followed by "PUPIL") about twice as often as  
64 they make backward transitions, despite an overall tendency to begin recall at the end of  
65 the list. There are also striking effects of semantic clustering<sup>3,4,9,14,25</sup>, whereby the recall  
66 of a given item is more likely to be followed by recall of a similar or related item than

67 a dissimilar or unrelated one. In general, people organize memories for words along a  
68 wide variety of stimulus dimensions. As captured by models like the *Context Maintenance*  
69 *and Retrieval Model*<sup>22</sup>, the stimulus features associated with each word (e.g. the word's  
70 meaning, font size, font color, location on the screen, size of the object the word represents,  
71 etc.) are incorporated into the participant's mental context representation<sup>13,15–17,30</sup>. During  
72 a memory test, any of these features may serve as a memory cue, which in turn leads the  
73 participant to recall in succession words that share stimulus features.

74 A key mystery is whether the sorts of situation models and schemas that people use to  
75 organize their memories of real-world experiences might map onto the clustering effects  
76 that reflect how people organize their memories for word lists. On one hand, situation  
77 models and clustering effects both reflect statistical regularities in ongoing experience.  
78 Our memory systems exploit these regularities when generating inferences about the  
79 unobserved past and yet-to-be-experienced future<sup>5,19,24,26,31</sup>. On the other hand, the rich  
80 structure of real-world experiences and other naturalistic stimuli that enable people to  
81 form deep and meaningful situation models and schemas have no obvious analog in  
82 simple word lists. Often lists in free recall studies are explicitly *designed* to be devoid of  
83 exploitable temporal structure, for example by sorting the words in a random order<sup>11</sup>.

84 We designed an experimental paradigm to explore how people organize their mem-  
85 ories for simple stimuli (word lists) whose temporal properties change across different  
86 "situations," analogous to how the content of real-world experiences change across dif-  
87 ferent real-world situations. We asked participants to study and freely recall a series  
88 of word lists (Fig. 1). Across the different conditions in the experiment, we varied the  
89 lists' presentation orders in different ways across lists. The studied items (words) were  
90 designed to vary along three general dimensions: semantic (word *category*, and physical  
91 *size* of the referent), lexicographic (word *length* and *first letter*), and visual (font *color* and




**Figure 1: Feature-rich free recall.** After studying lists comprised of words that vary along several feature dimensions, participants verbally recall words in any order (microphone icon).


the onscreen *location* of each word). In our main manipulation conditions, we asked participants to study and recall eight lists whose items were sorted by a target feature (e.g., word category). Next, we asked them to study and recall an additional eight lists whose items had the same features, but that were sorted in a random temporal order. We were interested in how these order manipulations affected participants' recall behaviors on early (sorted) lists, as well as how order manipulations on early lists affected recall behaviors on later (unsorted) lists. We used a series of control conditions as a baseline; in these control conditions all of the lists were sorted randomly, but we manipulated the presence or absence of the visual features. Finally, in an *adaptive* experimental condition we used participants' recall behaviors on early lists to manipulate, in real-time, the presentation orders of subsequent lists. In this adaptive condition, we sought to identify potential commonalities within and across participants in how people organized their memories and how those organizational tendencies affect overall performance.

## Results

Figure S3.




**Figure 2: Recall dynamics in feature rich free recall (order manipulation conditions).** **Left panels.** The probabilities of initiating recall with each word are plotted as a function of presentation position. **Middle panels.** The conditional probabilities of recalling each word are plotted as a function of the relative position (Lag) to the words recalled just-prior. **Right panels.** The overall probabilities of recalling each word are plotted as a function of presentation position. **All panels.** Error ribbons denote bootstrap-estimated 95% confidence intervals (calculated across participants). Top panels display the recall dynamics for early (order manipulation) lists in each condition (color). Bottom panels display the recall dynamics for late (randomly ordered) lists. See Figures S1 and S2 for analogous plots for the random (control) and adaptive conditions.



**Figure 3: Memory “fingerprints” (order manipulation conditions).** The across-participant distributions of clustering scores for each feature type ( $x$ -coordinate) are displayed for each experimental condition (color), separately for order manipulation (early, top) and randomly ordered (late, bottom) lists. See Figures S5 and S6 for analogous plots for the random (control) and adaptive conditions.


107 Figure S7.

108 Figure S4.




**Figure 4: Interactions between feature clustering, recall probability, and contiguity.** A. Recall probability versus feature clustering scores for order manipulation (early) lists. B. Recall probability versus feature clustering for randomly ordered (late) lists. C. Recall probability on late lists versus feature clustering on early lists. D. Recall probability on early lists versus feature clustering on late lists. E. Temporal clustering scores (contiguity) versus feature clustering scores on early lists. F. Temporal clustering scores versus feature clustering scores on late lists. G. Temporal clustering scores on late lists versus feature clustering scores on early lists. H. Temporal clustering scores on early lists versus feature clustering scores on late lists. **All panels.** Each dot in the main scatterplots denotes the average scores for one participant. The colored regression lines are computed across participants. The inset displays condition-averaged results, where each dot reflects a single condition and the regression line is computed across experimental conditions. All error ribbons denote bootstrap-estimated 95% confidence intervals.





**Figure 5: Memory fingerprint dynamics (order manipulation conditions).** **A.** Each column (and color) reflects an experimental condition. In the top panels, each marker displays a 2D projection of the (across-participant) average memory fingerprint for one list. Order manipulation (early) lists are denoted by circles and randomly ordered (late) lists are denoted by stars. All of the fingerprints (across all conditions and lists) are projected into a common space. The bar plots in the bottom panels display the Euclidean distances of the per-list memory fingerprints to the list 0 fingerprint, for each condition. Error bars denote bootstrap-estimated 95% confidence intervals. The dotted vertical lines denote the boundaries between early and late lists. **B.** In this panel, the fingerprints for early (circle) and late (star) lists are averaged across lists and participants before projecting the fingerprints into a (new) 2D space. See Figure S8 for analogous plots for the random (control) conditions.



**Figure 6: Feature clustering carryover effects.** **A.** Feature clustering scores for order manipulation (early) versus randomly ordered (late) lists. **B.** Accuracy differences (on early versus late lists) versus feature clustering “carryover” (defined as the differences between the average clustering scores on early and late lists). **C.** Temporal clustering differences (on early versus late lists) versus feature clustering carryover. **All panels.** Each dot in the main scatterplots denotes the average scores for one participant. The colored regression lines are computed across participants. The inset displays condition-averaged results, where each dot reflects a single condition and the regression line is computed across experimental conditions. All error ribbons denote bootstrap-estimated 95% confidence intervals.

## 109 Discussion

## 110 Materials and methods

## 111 Participants

## 112 Experimental design

## 113 Analysis

## 114 References

- 115 [1] Anderson, J. R. and Bower, G. H. (1972). Recognition and retrieval processes in free  
116 recall. *Psychological Review*, 79(2):97–123.
- 117 [2] Baldassano, C., Hasson, U., and Norman, K. A. (2018). Representation of real-world  
118 event schemas during narrative perception. *The Journal of Neuroscience*, 38(45):9689–  
119 9699.
- 120 [3] Bousfield, W. A. (1953). The occurrence of clustering in the recall of randomly arranged  
121 associates. *Journal of General Psychology*, 49:229–240.
- 122 [4] Bousfield, W. A., Sedgewick, C. H., and Cohen, B. H. (1954). Certain temporal charac-  
123 teristics of the recall of verbal associates. *American Journal of Psychology*, 67:111–118.
- 124 [5] Bower, G. H., Black, J. B., and Turner, T. J. (1979). Scripts in memory for text. *Cognitive*  
125 *Psychology*, 11(2):177–220.
- 126 [6] Estes, W. K. (1955). Statistical theory of spontaneous recovery and regression. *Psycho-*  
127 *logical Review*, 62:145–154.

- 128 [7] Glenberg, A. M., Bradley, M. M., Kraus, T. A., and Renzaglia, G. J. (1983). Studies of  
129 the long-term recency effect: support for a contextually guided retrieval theory. *Journal*  
130 *of Experimental Psychology: Learning, Memory, and Cognition*, 12:413–418.
- 131 [8] Howard, M. W. and Kahana, M. J. (2002). A distributed representation of temporal  
132 context. *Journal of Mathematical Psychology*, 46:269–299.
- 133 [9] Jenkins, J. J. and Russell, W. A. (1952). Associative clustering during recall. *Journal of*  
134 *Abnormal and Social Psychology*, 47:818–821.
- 135 [10] Kahana, M. J. (1996). Associative retrieval processes in free recall. *Memory and*  
136 *Cognition*, 24:103–109.
- 137 [11] Kahana, M. J. (2012). *Foundations of human memory*. Oxford University Press, New  
138 York, NY.
- 139 [12] Kimball, D. R., Smith, T. A., and Kahana, M. J. (2007). The fSAM model of false recall.  
140 *Psychological Review*, 114(4):954–993.
- 141 [13] Manning, J. R. (2020). Context reinstatement. In Kahana, M. J. and Wagner, A. D.,  
142 editors, *Handbook of Human Memory*. Oxford University Press.
- 143 [14] Manning, J. R. and Kahana, M. J. (2012). Interpreting semantic clustering effects in  
144 free recall. *Memory*, 20(5):511–517.
- 145 [15] Manning, J. R., Norman, K. A., and Kahana, M. J. (2015). The role of context in  
146 episodic memory. In Gazzaniga, M., editor, *The Cognitive Neurosciences*, pages 557–566.  
147 MIT Press.
- 148 [16] Manning, J. R., Polyn, S. M., Baltuch, G., Litt, B., and Kahana, M. J. (2011). Oscil-

- latory patterns in temporal lobe reveal context reinstatement during memory search.  
*Proceedings of the National Academy of Sciences, USA*, 108(31):12893–12897.
- [17] Manning, J. R., Sperling, M. R., Sharan, A., Rosenberg, E. A., and Kahana, M. J. (2012). Spontaneously reactivated patterns in frontal and temporal lobe predict semantic clustering during memory search. *The Journal of Neuroscience*, 32(26):8871–8878.
- [18] Masís-Obando, R., Norman, K. A., and Baldassano, C. (2022). Scheme representations in distinct brain networks support narrative memory during encoding and retrieval. *eLife*, 11:e70445.
- [19] Momennejad, I., Russek, E. M., Cheong, J. H., Botvinick, M. M., Daw, N. D., and Gershman, S. J. (2017). The successor representation in human reinforcement learning. *Nature Human Behavior*, 1:680–692.
- [20] Nastase, S. A., Goldstein, A., and Hasson, U. (2020). Keep it real: rethinking the primacy of experimental control in cognitive neuroscience. *NeuroImage*, 15(222):117254–117261.
- [21] Polyn, S. M. and Kahana, M. J. (2008). Memory search and the neural representation of context. *Trends in Cognitive Sciences*, 12:24–30.
- [22] Polyn, S. M., Norman, K. A., and Kahana, M. J. (2009). Task context and organization in free recall. *Neuropsychologia*, 47:2158–2163.
- [23] Raaijmakers, J. G. W. and Shiffrin, R. M. (1980). SAM: A theory of probabilistic search of associative memory. In Bower, G. H., editor, *The Psychology of Learning and Motivation: Advances in Research and Theory*, volume 14, pages 207–262. Academic Press, New York, NY.

- 171 [24] Ranganath, C. and Ritchey, M. (2012). Two cortical systems for memory-guided  
172 behavior. *Nature Reviews Neuroscience*, 13:713–726.
- 173 [25] Romney, A. K., Brewer, D. D., and Batchelder, W. H. (1993). Predicting clustering  
174 from semantic structure. *Psychological Science*, 4:28–34.
- 175 [26] Schapiro, A. and Turk-Browne, N. (2015). Statistical learning. *Brain Mapping: An*  
176 *Encyclopedic Reference*, 3:501–506.
- 177 [27] Sederberg, P. B., Howard, M. W., and Kahana, M. J. (2008). A context-based theory of  
178 recency and contiguity in free recall. *Psychological Review*, 115(4):893–912.
- 179 [28] Shankar, K. H. and Howard, M. W. (2012). A scale-invariant internal representation  
180 of time. *Neural Computation*, 24:134–193.
- 181 [29] Sirotin, Y. B., Kimball, D. R., and Kahana, M. J. (2005). Going beyond a single list:  
182 modeling the effects of prior experience on episodic free recall. *Psychonomic Bulletin and*  
183 *Review*, 12(5):787–805.
- 184 [30] Smith, S. M. and Vela, E. (2001). Environmental context-dependent memory: a review  
185 and meta-analysis. *Psychonomic Bulletin and Review*, 8(2):203–220.
- 186 [31] Xu, X., Zhu, Z., and Manning, J. R. (2022). The psychological arrow of time drives  
187 temporal asymmetries in retrodicting versus predicting narrative events. *PsyArXiv*,  
188 page doi.org/10.31234/osf.io/yp2qu.
- 189 [32] Yeshurun, Y., Swanson, S., Simony, E., Chen, J., Lazaridi, C., Honey, C. J., and  
190 Hasson, U. (2017). Same story, different story: the neural representation of interpretive  
191 frameworks. *Psychological Science*, 28(3):307–319.

- 192 [33] Zwaan, R. A., Langston, M. C., and Graesser, A. C. (1995). The construction of  
193 situation models in narrative comprehension: an event-indexing model. *Psychological*  
194 *Science*, 6(5):292–297.
- 195 [34] Zwaan, R. A. and Radvansky, G. A. (1998). Situation models in language compre-  
196 hension and memory. *Psychological Bulletin*, 123(2):162–185.