

¹ *Supplementary materials for: Fitness tracking reveals
task-specific associations between memory, mental
health, and exercise*

⁴ Jeremy R. Manning^{1,*}, Gina M. Notaro^{1,2}, Esme Chen¹, and Paxton C. Fitzpatrick¹

⁵ ¹Dartmouth College, Hanover, NH

⁶ ²Lockheed Martin, Bethesda, MD

⁷ *Address correspondence to jeremy.r.manning@dartmouth.edu

⁸ October 20, 2021




Figure S1: **Fitbit devices.** The bars indicate the numbers of participants whose fitness tracking data came from each model of Fitbit device. “MobileTrack” refers to participants who used smartphone accelerometer information to track their activity via the Fitbit smartphone app. “Unknown” denotes participants whose device information was not available from their available Fitbit data.




Figure S2: Free recall behavioral results. a–e. Immediate free recall. a. Probability of first recall. Probability of recalling each studied word first, as a function of its presentation position. b. Lag Conditional Response Probability. Probability of recalling the word presented at position $i + \text{Lag}$ following the recall of the word presented at position i . c. Clustering scores. Each score denotes participants' tendencies to successively recall (cluster) words according to the given feature dimension (Polyn et al., 2009); word length, starting letter, (semantic) category, size (large or small), or presentation position (temporal). d. Serial position curve. Probability of recalling each word as a function of its presentation position. e. Recall accuracy. Distribution of the average proportions of recalled words, across all lists studied by each participant. f–j. Delayed free recall. These panels are in the same formats as Panels a – e, but they reflect performance on the delayed free recall memory tests. All panels; error bars and error ribbons denote bootstrap-estimated 95% confidence intervals. Shading (saturation) denotes results for different subsets of participants, according to the average proportion of words they remembered (group boundaries are indicated by the colored lines in Panels e and j).




Figure S3: Naturalistic recall behavioral results. **a. Identified topics.** Applying a topic model to a series of sliding windows of the video’s transcript (Heusser et al., 2021) revealed a set of 13 unique (non-trivial) topics. The Panel displays the 5 top-weighted words from each topic. **b. Topic timecourse of the video.** Each row displays the topic weights for a single moment of the video. **c. Topic correlation matrix.** The correlations between the topic vectors for each pair of moments from the video reveals an event-like block diagonal structure. **d. Video topic trajectory.** The topic video’s topic timecourse (Panel b) has been projected onto 2-dimensions using Uniform Manifold Approximation and Projection (UMAP; McInnes et al., 2018). Each colored dot reflects an event, identified by applying a Hidden Markov Model to the video’s topic timecourse (Baldassano et al., 2017; Heusser et al., 2021). Red dots denote earlier timepoints in the video and blue dots denote later timepoints. **e. Immediate recall trajectory.** The black curve displays the average topic timecourse (projected into 2D using UMAP), obtained by applying the topic model shown in Panel A to the participants’ written transcripts from the immediate recall test. The arrows denote agreement across participants in the directions of their topic trajectories, for participants whose trajectories intersected the corresponding region of topic space. Blue arrows denote reliable agreement across participants ($p < 0.05$, corrected). **f. Delayed recall trajectory.** This panel is in the same format as Panel e, but displays the trajectory for participants’ delayed recall of the video. **g. Immediate recall precision.** Distribution of average recall precision, across all of the events each participant recalled during the immediate recall test. Precision is defined as the correlation between the topic vector for a given recalled event and the best-matching (most highly correlated) video event’s topic vector (Heusser et al., 2021). **h. Delayed recall precision.** This panel is in the same format as Panel g, but displays the average precision values for the delayed memory test.




Figure S4: Foreign language vocabulary learning behavioral results. **a. Immediate recall.** Average proportions of correctly identified Gaelic-English word pairs from *early* (first 3) and *late* (last 3) study positions, or aggregated over *all* study positions. **b. Distribution of proportion of correctly recalled pairs on the immediate memory test.** The colored lines indicate quartile boundaries, and correspond to the coloring in Panel a. Note that the right-most edge of the third quartile overlaps with the top quartile, since over 25% of the participants correctly recalled 90% of the word pairs correctly, but no participant achieved 100% accuracy. **c-d. Delayed recall.** These panels are in the same formats as Panels a and b, but reflect performance on the delayed recall test. The error bars in Panels a and c denote bootstrap-estimated 95% confidence intervals.




Figure S5: Spatial learning behavioral results. **a–b. Estimation error.** Estimation error is defined as the Euclidean distance between each shape's studied and recalled positions. The bars show the average estimation error (across all shapes for each memory test) versus the number of memorized shapes. **a. Slope.** Estimation errors are broken down by the slopes of regression lines fit to each participant's estimation errors as a function of the number of memorized shapes. Shallower slopes (i.e., smaller decreases in performance associated with memorizing more shapes) are reflected by more saturated coloring. Error bars denote bootstrap-estimated 95% confidence intervals. **b. Intercept.** Bars are in the same format as Panel a, but here estimation errors are broken down by the intercepts of the same regressions used in Panel a. Smaller intercepts (i.e., smaller baseline errors) are reflected by more saturated coloring. **c. Distribution of slopes.** Across-participant distribution of regression slopes. The lines denote quartile boundaries (colors are matched to Panel a). The slopes are multiplied by -1 and normalized to be within the [0, 1] interval such that (adjusted) slopes closer to 1 reflect better performance and slopes closer to 0 reflect worse performance. **d. Distribution of intercepts.** Across-participant distribution of regression intercept terms. The lines denote quartile boundaries (colors are matched to Panel b). The intercepts are multiplied by -1 and normalized to be within the [0, 1] interval such that (adjusted) intercepts closer to 1 reflect better performance and intercepts closer to 0 reflect worse performance.

Abbreviation	Description	Units
Resting HR	Average daily resting heart rate	beats per minute (BPM)
HR variability	Heart rate variability (average daily variation between heartbeats)	milliseconds (ms)
Steps	Number of steps taken each day	steps (count)
Distance	Estimated distance traveled each day	kilometers (km)
Elevation	Estimated daily elevation gain	feet (ft)
Floors climbed	Estimated number of daily floors climbed	floors (count)
Light activity	Number of estimated daily minutes spent doing low-intensity activity	minutes (min)
Fair activity	Number of estimated daily minutes spent doing moderate-intensity activity	minutes (min)
High intensity activity	Number of estimated daily minutes spent doing high-intensity activity	minutes (min)
Excess calories	Number of estimated daily calories burned minus estimated calorie intake	calories (cal)
Out-of-range HR	Number of daily minutes spent with a heart rate lower than the "fat burn" heart rate zone (50% of the maximum heart rate); maximum heart rate is defined as 220 minus age, in years	minutes (min)
Fat burn HR	Number of daily minutes spent with a heart rate between 50% and 69% of the maximum heart rate	minutes (min)
Cardio HR	Number of daily minutes spent with a heart rate between 70% and 84% of the maximum heart rate	minutes (min)
Peak HR	Number of daily minutes spent with a heart rate between 85% and 100% of the maximum heart rate	minutes (min)
Sleep duration	Estimated number of hours slept during the prior 24 hour period	hours (hr)
BMI	Body mass index, calculated as the individual's weight (in kg) divided by their height (in m) squared	kilograms per meter squared (kg/m^2)
Body fat	Estimated percentage of body fat (as a proportion of the individual's total weight)	percentage (%)
Weight	Logged or measured weight	kilograms (kg)
Water intake	Self-reported water intake	8 ounce cups (count)
Coffee intake	Self-reported coffee intake	8 ounce cups (count)

Table S1: **Abbreviations of fitness-related measures.** The abbreviations and descriptions provided in the table apply to the main text and supplement.




Figure S6: Distributions of fitness measures. All abbreviations and measures are described in Table S1. **a. Recent measures.** Daily values of each measure, averaged over the week prior to each participant's test day. **b. Baselined measures.** Daily values of each measure, averaged over the week prior to each participant's test day and divided by the average taken over the preceding 30 days. **c. Static measures.** For each measure, only the most recently logged values are considered. All panels: note that not all measures were captured for all participants. Only participants whose Fitbit records logged each given measure are included in the distribution(s) for that measure.



Figure S7: Distributions of fitness measures, broken down by immediate task performance. The distributions of recent (Panel a), baselined (Panel b), and static (Panel c) fitness measures (Tab. S1) are broken down by participants' performance on each immediate recall test (Figs. 2, S2, S3, S4, and S5)




Figure S8: Scatterplots of fitness measures versus immediate task performance measures. The scatterplots of recent (Panel a), baselined (Panel b), and static (Panel c) fitness measures (Tab. S1) are plotted against participants' performance on each immediate recall test (Figs. 2, S2, S3, S4, and S5)




Figure S9: Distributions of fitness measures, broken down by delayed task performance. The distributions of recent (Panel a), baselined (Panel b), and static (Panel c) fitness measures (Tab. S1) are broken down by participants' performance on each delayed recall test (Figs. 3, S2, S3, and S4)




Figure S10: Scatterplots of fitness measures versus delayed task performance measures. The scatterplots of recent (Panel a), baseline (Panel b), and static (Panel c) fitness measures (Tab. S1) are plotted against participants' performance on each delayed recall test (Figs. 3, S2, S3, and S4).




Figure S11: Bootstrap-estimated reliable correlations between behavioral measures. The measures are described and summarized in the distributions shown in Figures S2, S3, S4, and S5. The reported values denote the correlation coefficient between the given row and column. Only statistically reliable correlations are displayed ($p < 0.05$, corrected; see *Exploratory correlation analysis*, main text).




Figure S12: Bootstrap-estimated reliable correlations between fitness measures. Fitness measures are described in summarized in Table S1. The reported values denote the correlation coefficient between the given row and column. Only statistically reliable correlations are displayed ($p < 0.05$, corrected; see *Exploratory correlation analysis*, main text).

	Age	0.11	0.27	0.22	0.26	0.20	0.19	0.17	0.16	0.20	0.07	0.05	0.15	0.22	0.14	0.17	0.16	
Gender female		-0.06	0.17															
Gender male		-0.08		0.18														
Gender prefer not to answer		-0.05	-0.01	0.24	0.03	0.10	0.23	0.17	0.20	0.21	0.02	0.01	0.03	0.05	0.07	0.11	-0.03	0.04
Race american indian or native alaskan		-0.05	-0.05	0.03	0.00	0.05	0.05	0.07	0.07	0.05	0.05	0.03	0.03	0.05	0.05	0.05	0.05	0.05
Race exist		-0.05	0.05	0.01	0.01	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race black or african american		0.05	0.05	0.01	0.01	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race other		0.02	0.07	0.07	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race prefer not to answer		0.21	0.21	0.02	0.03	0.04	0.06	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.05	0.27	0.27
Race white		0.07	0.15	0.11	0.08	0.07	0.09	0.06	0.06	0.06	0.07	0.07	0.07	0.07	0.07	0.07	0.21	0.21
Degree associate's degree		0.05	-0.04	0.08	0.14	0.06	0.13	0.07	0.15	0.08	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Degree college graduate		0.12	0.23	0.36	0.36	0.33	0.17	0.13	0.08	0.10	0.05	0.05	0.05	0.05	0.05	0.05	0.23	0.23
Degree dichotomous		0.04	0.07	0.01	0.07	0.02	0.11	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Degree high school graduate		0.03	0.08	0.14	0.14	0.14	0.08	0.08	0.08	0.08	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Degree no degree		0.11	0.24	0.09	0.09	0.09	0.09	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.20	0.20
Degree postgraduate/professional		0.10	0.10	0.09	0.04	0.04	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.12	0.12
Degree some college		0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.22	0.22
Degree same graduate		0.07	0.02	0.06	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.13	0.13
Number fluent languages		0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.11	0.11
Color vision		0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Vision impaired		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.17	0.17
Health and wellness activity		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.12	0.12
Health and wellness diet		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.11
Health and wellness exercise		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Health and wellness mental health		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Health and wellness medications		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Health and wellness recent head injury		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Current stress		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.17	0.17
Typical stress		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.12	0.12
Current typical stress		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.11	0.11
Alertness		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Water intake		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Coffee intake		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Location large city		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Location rural		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Location small city		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Location small town		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Location suburban		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Occupation active		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Reported exercise today		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Accurate exercise report		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Plan to exercise		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Reported exercise frequency		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Reported exercise motivation		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Exercise motivation intrinsic		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Exercise motivation extrinsic		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Tracker motivation intrinsic		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify fitness value		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify the recall (immediate)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify the recall (delayed)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify visual learning (immediate)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify visual learning (delayed)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify spatial learning (immediate)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Clarify spatial learning (delayed)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Difficulty natural recall (immediate)		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Feedback number of items		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Feedback sentiment		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Age		0.11	0.27	0.22	0.26	0.20	0.19	0.17	0.16	0.20	0.07	0.05	0.15	0.22	0.14	0.17	0.16	0.16
Gender female		0.05	0.17															
Gender male		-0.08		0.18														
Gender prefer not to answer		-0.05	-0.05	0.24	0.03	0.10	0.23	0.17	0.20	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.21	0.21
Race american indian or native alaskan		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race exist		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race black or african american		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race other		0.02	0.07	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Race white		0.05	0.15	0.11	0.08	0.07	0.09	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.21	0.21
Degree associate's degree		0.05	-0.04	0.08	0.05	0.13	0.07	0.15	0.05	0.05	0.05	0.05						




Figure S14: Bootstrap-estimated reliable correlations between behavioral measures and fitness or demographic measures.
 All measures and abbreviations in this figure use the same notations as Figures S11, S12, and S13. Only statistically reliable correlations are displayed ($p < 0.05$, corrected; see *Exploratory correlation analysis*, main text).




Figure S15: History of fitness activity levels weighted by behavioral performance. This figure is in the same format as Figure 6a and b, but shows additional fitness-related measures (Tab. S1).




Figure S16: History of cardiovascular activity weighted by behavioral performance. This figure is in the same format as Figure 6a and b, but shows additional fitness-related measures (Tab. S1).




Figure S17: History of sleep efficiency and duration weighted by behavioral performance. This figure is in the same format as Figure 6a and b, but shows additional fitness-related measures (Tab. S1).




Figure S18: History of fitness activity levels weighted by mental health factors. This figure is in the same format as Figure 6c, but shows additional fitness-related measures (Tab. S1).




Figure S19: History of cardiovascular activity weighted by mental health factors. This figure is in the same format as Figure 6c, but shows additional fitness-related measures (Tab. S1).




Figure S20: History of sleep efficiency and duration weighted by mental health factors. This figure is in the same format as Figure 6c, but shows additional fitness-related measures (Tab. S1).

⁹ References

- ¹⁰ Baldassano, C., Chen, J., Zadbood, A., Pillow, J. W., Hasson, U., and Norman, K. A. (2017).
¹¹ Discovering event structure in continuous narrative perception and memory. *Neuron*, 95(3):709–
¹² 721.
- ¹³ Heusser, A. C., Fitzpatrick, P. C., and Manning, J. R. (2021). Geometric models reveal behavioral
¹⁴ and neural signatures of transforming naturalistic experiences into episodic memories. *Nature Human Behavior*, 5:905–919.
- ¹⁶ McInnes, L., Healy, J., and Melville, J. (2018). UMAP: uniform manifold approximation and
¹⁷ projection for dimension reduction. *arXiv*, 1802(03426).
- ¹⁸ Polyn, S. M., Norman, K. A., and Kahana, M. J. (2009). Task context and organization in free recall.
¹⁹ *Neuropsychologia*, 47:2158–2163.