

Security Assessment

HM

Verified on 07/31/2023



SUMMARY

| Project | | CHA | | | METHODOLOG | |
|---------------|------------------|----------|---|--------|--|--|
| НМ | | Bina | ince Smart Chain | | Manual & Autom | latic Analysis |
| FILES | | DEL | IVERY | | TYPE | |
| Single | | 07/3 | 1/2023 | | Standard Audit | |
| | 0 | 0 | 0 | 0 | 1 | 0 |
| | U | U | U | U | | O |
| | Total Findings (| Critical | Major | Medium | Minor | Informational |
| 0 Critical | 0 Pending | | | | An exposure that functions in sever disrupt the contra | can affect the contract al events that can risk and ct |
| 0 Major | 0 Pending | | An exposure that can affect the outcome when using the contract that can serve as an opening in manipulating the contract in an unwanted manner | | ontract that can serve as ipulating the contract in | |
| 0 Medium | 0 Pending | | | | An opening that consituation | ould affect the outcome in tract in a specific |
| 1 Minor | 1 Pending | | | | An opening but do the functionality o | pesn't have an impact on f the contract |
| 0 Information | al 0 Pending | | | | An opening that co | onsists information but ect the contract |
| STATUS | √ AUDI | Γ PASS | ED | | | |



TABLE OF CONTENTS HM

Summary

Project Summary Findings Summary Disclaimer Scope of Work Auditing Approach

Project Information

Token/Project Details Inheritance Graph Call Graph

Findings

Issues
SWC Attacks
CW Assessment
Fixes & Recommendation
Audit Comments



DISCLAIMER HM

<u>ContractWolf</u> audits and reports should not be considered as a form of project's "Advertisement" and does not cover any interaction and assessment from "Project Contract" to "External Contracts" such as PancakeSwap, UniSwap, SushiSwap or similar.

ContractWolf does not provide any <u>warranty</u> on its released report and should not be used as a <u>decision</u> to invest into audited projects.

ContractWolf provides a transparent report to all its "Clients" and to its "Clients Participants" and will not claim any guarantee of bug-free code within its **SMART CONTRACT**.

ContractWolf's presence is to analyze, audit and assess the Client's Smart Contract to find any underlying risk and to eliminate any logic and flow errors within its code.

Each company or project should be liable to its security flaws and functionalities.



SCOPE OF WORK HM

HM team has agreed and provided us with the files that need to be tested (*Github, BSCscan, Etherscan, Local files etc*). The scope of audit is the main contract.

The goal of this engagement is to identify if there is a possibility of security flaws in the implementation of smart contract and its systems.

ContractWolf will be focusing on contract issues and functionalities along with the project claims from smart contract to their website, whitepaper, repository which has been provided by **HM**.



AUDITING APPROACH HM

Every line of code along with its functionalities will undergo manual review to check for security issues, quality of logic and contract scope of inheritance. The manual review will be done by our team that will document any issues that they discovered.

METHODOLOGY

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
- Review of the specifications, sources and instructions provided to ContractWolf to make sure we understand the size, scope and functionality of the smart contract.
- Manual review of code. Our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities, underlying and hidden security flaws.
- 2. Testing and automated analysis that includes:
- Testing the smart contract function with common test cases and scenarios to ensure that it returns the expected results.
- 3. Best practices and ethical review. The team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security and control within the smart contract.
- 4. Recommendations to help the project take steps to eliminate or minimize threats and secure the smart contract.



TOKEN DETAILS HM



HM (Black Horse) is a vibrant and innovative community coin. It is named after the word "dark horse" and symbolizes a token with great potential and a promising future.

| Token Name | Symbol | Decimal | Total Supply | Chain |
|------------|--------|---------|--------------|------------------------|
| НМ | НМ | 18 | 8,454 | Binance Smart Chain |

SOURCE


Source

0xc82d1641bd0350d4f0298513f251cded2ad00031



INHERITANCE GRAPH HM


Inheritance Graph of Contract Functions





CALL GRAPH HM

Call Graph of Contract Functions





FINDINGS HM



This report has been prepared to state the issues and vulnerabilities for HM through this audit. The goal of this report findings is to identify specifically and fix any underlying issues and errors

| ID | Title | File & Line # | Severity | Status |
|---------|--------------------------------|--|----------|---------------------------|
| SWC-104 | Unchecked Call Return Value | HM.sol, L: 617, 957, 617, 621, 626, 741, 829, 957 | Minor | Pending |



SWC ATTACKS HM

Smart Contract Weakness Classification and Test Cases

| ID | Description | Status |
|---------|---|--------------------------------|
| SWC-100 | Function Default Visibility | Passed |
| SWC-101 | Integer Overflow and Underflow | Passed |
| SWC-102 | Outdated Compiler Version | Passed |
| SWC-103 | Floating Pragma | Passed |
| SWC-104 | Unchecked Call Return Value | Not Passed |
| SWC-105 | Unprotected Ether Withdrawal | Passed |
| SWC-106 | Unprotected SELF DESTRUCT Instruction | Passed |
| SWC-107 | Reentrancy | Passed |
| SWC-108 | State Variable Default Visibility | Passed |
| SWC-109 | Uninitialized Storage Pointer | Passed |
| SWC-110 | Assert Violation | Passed |
| SWC-111 | Use of Deprecated Solidity Functions | Passed |
| SWC-112 | Delegatecall to Untrusted Callee | Passed |
| SWC-113 | DoS with Failed Call | Passed |
| SWC-114 | Transaction Order Dependence | Passed |
| SWC-115 | Authorization through tx.origin | Passed |
| SWC-116 | Block values as a proxy for time | Passed |
| SWC-117 | Signature Malleability | Passed |
| SWC-118 | Incorrect Constructor Name | Passed |
| SWC-119 | Shadowing State Variables | Passed |
| SWC-120 | Weak Sources of Randomness from Chain Attributes | Passed |
| SWC-121 | Missing Protection against Signature Replay Attacks | Passed |
| SWC-122 | Lack of Proper Signature Verification | Passed |



| ID | Description | Status |
|---------|--|----------------------------|
| SWC-123 | Requirement Violation | Passed |
| SWC-124 | Write to Arbitrary Storage Location | Passed |
| SWC-125 | Incorrect Inheritance Order | Passed |
| SWC-126 | Insufficient Gas Griefing | Passed |
| SWC-127 | Arbitrary Jump with Function Type Variable | Passed |
| SWC-128 | DoS With Block Gas Limit | Passed |
| SWC-129 | Typographical Error | Passed |
| SWC-130 | Right-To-Left-Override control character(U+202E) | Passed |
| SWC-131 | Presence of unused variables | Passed |
| SWC-132 | Unexpected Ether balance | Passed |
| SWC-133 | Hash Collisions With Multiple Variable Arguments | Passed |
| SWC-134 | Message call with hardcoded gas amount | Passed |
| SWC-135 | Code With No Effects | Passed |
| SWC-136 | Unencrypted Private Data On-Chain | Passed |



CW ASSESSMENT HM

ContractWolf Vulnerability and Security Tests

| ID | Name | Description | Status |
|--------|--------------------------|--|----------|
| CW-001 | Multiple Version | Presence of multiple compiler version across all contracts | V |
| CW-002 | Incorrect Access Control | Additional checks for critical logic and flow | V |
| CW-003 | Payable Contract | A function to withdraw ether should exist otherwise the ether will be trapped | V |
| CW-004 | Custom Modifier | major recheck for custom modifier logic | V |
| CW-005 | Divide Before Multiply | Performing multiplication before division is generally better to avoid loss of precision | V |
| CW-006 | Multiple Calls | Functions with multiple internal calls | V |
| CW-007 | Deprecated Keywords | Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions | V |
| CW-008 | Unused Contract | Presence of an unused, unimported or uncalled contract | V |
| CW-009 | Assembly Usage | Use of EVM assembly is error-prone and should be avoided or double-checked for correctness | V |
| CW-010 | Similar Variable Names | Variables with similar names could be confused for each other and therefore should be avoided | V |
| CW-011 | Commented Code | Removal of commented/unused code lines | V |
| CW-012 | SafeMath Override | SafeMath is no longer needed starting Solidity v0.8+. The compiler now has Built in overflow checking. | V |



FIXES & RECOMMENDATION

SWC-104 Unchecked Call Return Value

USDT.transferFrom(sender, shareHolder, amount);

The return value of a message call is not checked. Execution will resume even if the called contract throws an exception. If the call fails accidentally or an attacker forces the call to fail, this may cause unexpected behaviour in the subsequent program logic.





AUDIT COMMENTS HM

Smart Contract audit comment for a non-technical perspective

- Owner can update total buy and total sell fees with an indefinite amount
- Fund address or owner can pause trading through wallet amount and transaction amount
- Owner can renounce and transfer ownership
- Owner can update NFT address
- Owner can exclude/include addresses from blacklist
- Fund address#1 or owner can update fund address#1 and fund address#2
- Fund address#1 or owner can update receiver address
- Fund address or owner can turn on trading
- Fund address or owner can exclude/include addresses from whitelist
- Fund address or owner can exclude/include addresses from swap pair.
- Fund address or owner can update minimum token for rewards required
- Fund address or owner can update minimum total for burning
- Fund address or owner can update amount for swap tokens for fundings.
- Fund address or owner can exclude/include addresses from holders
- Fund address or owner can update progress reward timestamp
- Fund address or owner can liquidity pool fee receiver
- Fund address or owner can update liquidity pool amount per address.
- Fund address or owner can initialize addresses for liquidity pool
- Fund address or owner can update gas for rewards between 200,000 and 2,000,000
- Fund address or owner can update minimum NFT rewards required
- Fund address or owner can update exclude/include addresses from NFT Holders
- Fund address or owner can update NFT progress reward timestamp
- Fund address or owner can update wallet and transaction amount with an indefinite amount
- Owner cannot mint after initial deployment
- Owner cannot burn



CONTRACTWOLF

Blockchain Security - Smart Contract Audits