

Security Assessment

# ChewySwap DEX

Verified on 08/28/2023



### **SUMMARY**

Project		CHA	IN		METHODOLOG	Υ
ChewySwap DEX		Shiba	arium		Manual & Autom	atic Analysis
FILES Single			VERY 8/2023		TYPE Standard Audit	
	0	0	0	3	0	0
				<u> </u>		
	Total Findings	Critical	Major	Medium	Minor	Informational
0 Critical						can affect the contract al events that can risk and ct
0 Major					when using the co	can affect the outcome ontract that can serve as nipulating the contract in ner
3 Medium					An opening that con executing the con situation	ould affect the outcome in tract in a specific
0 Minor					An opening but do the functionality o	pesn't have an impact on f the contract
0 Information	al				An opening that or will not risk or affe	onsists information but ect the contract
STATUS	<b>√</b> AUE	OIT PASSI	ED			



# TABLE OF CONTENTS ChewySwap DEX

### Summary

Project Summary Findings Summary Disclaimer Scope of Work Auditing Approach

### **Project Information**

Token/Project Details Inheritance Graph

### Findings

Issues
SWC Attacks
CW Assessment
Fixes & Recommendation
Audit Comments



## DISCLAIMER ChewySwap DEX

<u>ContractWolf</u> audits and reports should not be considered as a form of project's "Advertisement" and does not cover any interaction and assessment from "Project Contract" to "External Contracts" such as PancakeSwap, UniSwap, SushiSwap or similar.

**ContractWolf** does not provide any <u>warranty</u> on its released report and should not be used as a <u>decision</u> to invest into audited projects.

**ContractWolf** provides a transparent report to all its "Clients" and to its "Clients Participants" and will not claim any guarantee of bug-free code within its **SMART CONTRACT**.

**ContractWolf**'s presence is to analyze, audit and assess the Client's Smart Contract to find any underlying risk and to eliminate any logic and flow errors within its code.

Each company or project should be liable to its security flaws and functionalities.



# SCOPE OF WORK | ChewySwap DEX

**ChewySwap DEX** team has agreed and provided us with the files that need to be tested (*Github, BSCscan, Etherscan, Local files etc*). The scope of audit is the main contract.

The goal of this engagement is to identify if there is a possibility of security flaws in the implementation of smart contract and its systems.

ContractWolf will be focusing on contract issues and functionalities along with the project claims from smart contract to their website, whitepaper, repository which has been provided by **ChewySwap DEX**.



### AUDITING APPROACH ChewySwap DEX

Every line of code along with its functionalities will undergo manual review to check for security issues, quality of logic and contract scope of inheritance. The manual review will be done by our team that will document any issues that they discovered.

#### **METHODOLOGY**

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
- Review of the specifications, sources and instructions provided to ContractWolf to make sure we understand the size, scope and functionality of the smart contract.
- Manual review of code. Our team will have a process of reading the code line-by-line with the intention of identifying potential vulnerabilities, underlying and hidden security flaws.
- 2. Testing and automated analysis that includes:
- Testing the smart contract function with common test cases and scenarios to ensure that it returns the expected results.
- 3. Best practices and ethical review. The team will review the contract with the aim to improve efficiency, effectiveness, clarifications, maintainability, security and control within the smart contract.
- 4. Recommendations to help the project take steps to eliminate or minimize threats and secure the smart contract.



# TOKEN DETAILS ChewySwap Router



ChewySwap exchange was created to help bring together the two amazing communities of Shiba Inu and Doge

Token Name	Symbol	Decimal	Total Supply	Chain
ChewySwap	CHEWY	-	-	Shibarium

### SOURCE

Source Sent via GitHub




### INHERITANCE GRAPH ChewySwap DEX

Inheritance Graph of Contract Functions


### ChewyRouter



### ChewyChef



### ChewyFactory







This report has been prepared to state the issues and vulnerabilities for ChewySwap DEX through this audit. The goal of this report findings is to identify specifically and fix any underlying issues and errors

ID	Title	File & Line #	Severity	Status
SWC-102	Outdated Compiler Version	ChewyRouter.sol	Medium	<ul><li>Pending</li></ul>
SWC-102	Outdated Compiler Version	ChewyChef.sol	Medium	<ul><li>Pending</li></ul>
SWC-102	Outdated Compiler Version	ChewyFactory.sol	Medium	<ul><li>Pending</li></ul>



ID	Description	Status
SWC-100	Function Default Visibility	<ul><li>Passed</li></ul>
SWC-101	Integer Overflow and Underflow	<ul><li>Passed</li></ul>
SWC-102	Outdated Compiler Version	<ul> <li>Not Passed</li> </ul>
SWC-103	Floating Pragma	<ul> <li>Passed</li> </ul>
SWC-104	Unchecked Call Return Value	<ul><li>Passed</li></ul>
SWC-105	Unprotected Ether Withdrawal	<ul><li>Passed</li></ul>
SWC-106	Unprotected SELF DESTRUCT Instruction	<ul><li>Passed</li></ul>
SWC-107	Reentrancy	<ul><li>Passed</li></ul>
SWC-108	State Variable Default Visibility	<ul> <li>Passed</li> </ul>
SWC-109	Uninitialized Storage Pointer	<ul> <li>Passed</li> </ul>
SWC-110	Assert Violation	<ul><li>Passed</li></ul>
SWC-111	Use of Deprecated Solidity Functions	<ul> <li>Passed</li> </ul>
SWC-112	Delegatecall to Untrusted Callee	<ul> <li>Passed</li> </ul>
SWC-113	DoS with Failed Call	<ul><li>Passed</li></ul>
SWC-114	Transaction Order Dependence	<ul><li>Passed</li></ul>
SWC-115	Authorization through tx.origin	<ul><li>Passed</li></ul>
SWC-116	Block values as a proxy for time	<ul><li>Passed</li></ul>
SWC-117	Signature Malleability	<ul><li>Passed</li></ul>
SWC-118	Incorrect Constructor Name	<ul> <li>Passed</li> </ul>
SWC-119	Shadowing State Variables	<ul> <li>Passed</li> </ul>
SWC-120	Weak Sources of Randomness from Chain Attributes	<ul> <li>Passed</li> </ul>
SWC-121	Missing Protection against Signature Replay Attacks	<ul><li>Passed</li></ul>
SWC-122	Lack of Proper Signature Verification	<ul> <li>Passed</li> </ul>

ID	Description	Status
SWC-123	Requirement Violation	<ul> <li>Passed</li> </ul>



SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character(U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed



CW-001 Multiple Version Presence of multiple compiler version across all contracts  CW-002 Incorrect Access Control Additional checks for critical logic and flow  CW-003 Payable Contract A function to withdraw ether should exist otherwise the ether will be trapped  CW-004 Custom Modifier major recheck for custom modifier logic  CW-005 Divide Before Multiply Performing multiplication before division is generally better to avoid loss of precision  CW-006 Multiple Calls Functions with multiple internal calls  CW-007 Deprecated Keywords  Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
CW-003 Payable Contract  A function to withdraw ether should exist otherwise the ether will be trapped  CW-004 Custom Modifier  major recheck for custom modifier logic  CW-005 Divide Before Multiply  Performing multiplication before division is generally better to avoid loss of precision  CW-006 Multiple Calls  Functions with multiple internal calls  Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
trapped  CW-004 Custom Modifier major recheck for custom modifier logic  CW-005 Divide Before Multiply Performing multiplication before division is generally better to avoid loss of precision  CW-006 Multiple Calls Functions with multiple internal calls  Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
CW-005 Divide Before Multiply Performing multiplication before division is generally better to avoid loss of precision  CW-006 Multiple Calls Functions with multiple internal calls  Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
CW-006 Multiple Calls Functions with multiple internal calls  Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
Use of deprecated functions/operators such as block.blockhash() for blockhash(), msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
CW-007 Deprecated Keywords msg.gas for gasleft(), throw for revert(), sha3() for keccak256(), callcode() for delegatecall(), suicide() for selfdestruct(), constant for view or var for actual type name should be avoided to prevent unintended errors with newer compiler versions
CW 000 Liquid Contract Process of an unused unimported or uncelled centract
CW-008 Unused Contract Presence of an unused, unimported or uncalled contract
CW-009 Assembly Usage Use of EVM assembly is error-prone and should be avoided or double-checked for correctness
CW-010 Similar Variable Names Variables with similar names could be confused for each other and therefore should be avoided
CW-011 Commented Code Removal of commented/unused code lines
CW-012 SafeMath Override SafeMath is no longer needed starting Solidity v0.8+. The compiler now has Built in overflow checking.

### FIXES & RECOMMENDATION

**SWC-102** Outdated Compiler Version

Using an outdated compiler version can be problematic especially if there are publicly



disclosed bugs and issues that affect the current compiler version.

### pragma solidity =0.5.16;

### Suggestion

It is recommended to use a recent version of the Solidity compiler.



AUDIT COMMENTS ChewySwap DEX

Smart Contract audit comment for a non-technical perspective



#### ChewyRouter

- Owner cannot renounce and transfer ownership
- Owner cannot burn tokens
- Owner cannot mint after initial deployment
- Owner cannot set max transaction limit
- Owner cannot block users

### ChewyChef

- Owner can mint tokens after initial deployment
- Dev Address can change dev receiver
- Fee Address can change fee receiver
- Owner can transfer and renounce ownership
- Owner can add/update liquidity pool
- Owner can update emission rate
- Owner can update start time/block f or farm
- Owner cannot block users
- Owner cannot pause contract
- Owner cannot burn

### ChewyFactory

- Factory address can initialize the contract
- Contract can mint liquidity tokens
- Contract can burn liquidity tokens
- Contract can swap tokens
- Contract can force balances of token0 and token1 to match reserves and vice versa
- Contract can create pairs
- Contract can change fee receiver and fee setter address
- Owner cannot block users
- Owner cannot pause contract



# CONTRACTWOLF

**Blockchain Security - Smart Contract Audits**