






NAME	DATE	TIME (HRS)



4X RELLENAR DE SOLDADURA

2 PIEZAS IZQUIERDAS Y 2 PIEZAS DERECHAS


QUALITY	
AUTHORIZE	TALLER

NOTES: Pieza libre de filos y rebabas.		TOTAL OF PIECES	4 Pza.
		ANG. PRO	
REV	DESCRIPTION	DATE	APPROVED
REVIEWS			

UNLESS OTHERWISE SPECIFIED		
TOLERANCES DIMENSIONS	ISO 2768-1 mK-E ASME Y14.5M-1994	
MM	INCHES	ANGLES
+1 -.1	+.004 -.004	+1° -1°
MATERIAL:	SS304	
SURFACE TREATMENT:	Pulido	
HARDNESS:	N.A.	

PAG. 1 de 3		ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.	
		JOYSON TECHNICAL CENTER	
MODEL NAME:		SERIES No	
MACHINE NAME:		PART NUMBER: TRO002-TRN-100-001-A (Handle bracket)	
DESIGNER LGG		DATE 22/02/2022	
REVIEW RVM		DATE 22/02/2022	
APPROVALS		DATE	
SIZE A		REV. A	
ESCALE		1:2	DRAWING IN MILLIMETERS

NAME	DATE	TIME (HRS)



TRO002-TRN-100-001-A-01





QUALITY	
AUTHORIZE	TALLER

NOTES: Pieza libre de filos y rebabas.		TOTAL OF PIECES	4 Pza.
		ANG. PRO	
REV	DESCRIPTION	DATE	APPROVED
REVIEWS			

UNLESS OTHERWISE SPECIFIED		
TOLERANCES DIMENSIONS	ISO 2768-1 mK-E ASME Y14.5M-1994	
MM	INCHES	ANGLES
+1 -1	+004 -004	+1° -1°
MATERIAL: SS304		
SURFACE TREATMENT: Pulido		
HARDNESS: N.A.		

PAG. 2 de 3		ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.	
MEDIDA ESPECIAL		JOYSON TECHNICAL CENTER	
		MODEL NAME:	SERIES No
		MACHINE NAME:	
		PART NUMBER: TRO002-TRN-100-001-A (Handle bracket)	
		SIZE	PART NAME
		A	A
		ESCALE	1:2
		DRAWING IN	MILLIMETERS

NAME	DATE	TIME (HRS)



Ø 4.20  $\nabla$  10.40  
M5x0.8 - 6H  $\nabla$  8.00

# TRO002-TRN-100-001-A-02

QUALITY	
AUTHORIZE	TALLER

NOTES: Pieza libre de filos y rebabas.		TOTAL OF PIECES	4 Pza.
		ANG. PRO	
REV	DESCRIPTION	DATE	APPROVED
REVIEWS			

UNLESS OTHERWISE SPECIFIED		
TOLERANCES DIMENSIONS	ISO 2768-1 mK-E ASME Y14.5M-1994	
MM	INCHES	ANGLES
+1 -1	+004 -004	+1° -1°
MATERIAL:	SS304	
SURFACE TREATMENT:	Pulido	
HARDNESS:	N.A.	

PAG. 3 de 3		ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.	
		<b>JOYSON TECHNICAL CENTER</b>	
MODEL NAME:		SERIES No	
MACHINE NAME:		PART NUMBER: TRO002-TRN-100-001-A (Handle bracket)	
DESIGNER LGG		DATE 22/02/2022	
REVIEW RVM		DATE 22/02/2022	
APPROVALS		DATE	
SIZE A		REV. A	
ESCALE		1:2 DRAWING IN MILLIMETERS	