



|      | 8 |      |            | 7   |         | 6      | 5                                       |                    | 4        |                                  | 3   |                   | 2          | 2           |   | 1                           |           |    |
|------|---|------|------------|-----|---------|--------|---|--------------------|----------|----------------------------------|---|-------------------|------------|-------------|---|-----------------------------|-----------|----|
| NAME |   | DATE | TIME (HRS) | TAG | X LOC   | Y LOC  | SIZE                                    | TAG                | X Lo     | C                                | Y LOC   |                   | SIZE       |             |   |                             |           |    |
|      |   |      |            | A1  | 13.98   | 12.70  |   | B11                | 1692     | 2.16                             | 283.37  |                   |            |             |   |                             |           |    |
|      |   |      |            | A2  | 13.98   | 152.40 |   | B12                | 1708     | 3.04                             | 283.37  |                   |            |             |   |                             |           |    |
| D    |   |      |            | A3  | 13.98   | 292.10 |   | B13                | 184      | 7.33                             | 283.37  |                   |            |             |   |                             |           |    |
|      |   |      |            | 7.0 | 10.70   | 272.10 |   | B14                | 1863     | 3.20                             | 283.37  |                   |            |             |   |                             |           |    |
|      |   |      |            | A4  | 520.70  | 12.70  |   | B15                | 207      |                                  | 283.37  |                   |            |             |   |                             |           |    |
|      |   |      |            | A5  | 520.70  | 292.10 | d 5 00 TUDU 111                         | B16                | 208      | 7.34                             | 283.37  |                   |            |             |   |                             |           |    |
|      |   |      |            | A18 | 1143    | 12.70  | $\phi$ 5.30 THRU ALL $\phi$ 10.40 X 90° |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | A19 | 1143    | 292.10 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | A20 | 1765.30 | 12.70  |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
| С    |   |      |            | A21 | 1765.30 | 292.10 |   |                    |          |                                  |   |                   |            |             |   |                             |           | C  |
|      |   |      |            | A22 | 2272.02 | 12.70  |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            |     |         |        |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | A23 | 2272.02 | 152.40 | <ul><li></li></ul>                      |                    |          |                                  |   |                   |            |             |   |                             |           | 4  |
|      |   |      |            | A24 | 2272.02 | 292.10 | V Ψ 10.40 X 90°                         |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | B1  | 198.66  | 283.37 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
| В    |   |      |            | B2  | 214.54  | 283.37 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
| В    |   |      |            | В3  | 422.80  | 283.37 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | B4  | 438.67  | 283.37 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | B5  | 577.96  | 283.37 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | В6  | 593.84  | 283.37 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | В7  | 911.49  | 288.74 |   |                    |          |                                  |   |                   |            |             |   |                             |           |    |
|      |   |      |            | В8  | 927.36  | 288.74 | Ø 3.20 THRU ALL                         |                    |          |                                  |   | MDM001-TRN-500-00 | 1          | ALL TECHI   | NICAL DATA DIS  | SCLOSED HERE                | IS        | _  |
|      |   |      |            | В9  | 1358.64 | 288.74 | ♥ 3.20 ITIKU ALL                        |                    |          |                                  |   | PAG. 3 de 3       |            | NOT BE US   | OF <b>TAKATA</b> SE<br>SED BY ANY OTH<br>EMENT OR DISCI | HER MANUFAC<br>LOSURE WITHO | TURER.    |    |
|      |   |      |            | B10 | 1374.51 | 288.74 |   |                    |          |                                  |   | <b>⊕</b> MEDID    | A ESPECIAL | PERMISSIC   | ON OF THE OWN   | IER                         |           |    |
| Α    |   |      |            |     | -       | NOTES: |   | TOTAL OF<br>PIECES | 1 Pza.   | TOLERANCI<br>DIMENSION           | HERWISE SPECIFIED  ES ISO 2768-1 mK-E NS ASME Y14.5M-1994 | TA                | KATA       | TAKAT       | A MONTERRE  | EY TECHNIC                  | AL CENTER |    |
|      |   |      |            |     |         |        |   | ANG. PROF          |          | DIMENSION                        | INCHES ANGLES   |                   | <b></b>    |             | E MDM001-TRN  | SERIES No                   | M2019-067 |    |
|      |   |      |            |     |         |        |   |                    |          | +.11                             | +.004004 +1" -1"  | APPROVALS         | DATE       |             | ME Doblador   |                             |           |    |
|      |   |      |            |     |         |        |   |                    |          | MATERIAL:                        | Polycarbonate   | DESIGNER LGG      | 06-Jun-19  | PART NUMBER |   | TRN-500-001<br>rt name      | REV       | 7. |
|      |   |      | LLER       |     | QUALITY | REV    | DESCRIPTION REVIEWS                     | DATE               | APPROVED | SURFACE<br>TREATMENT<br>HARDNESS | N.A.  | REVIEW JEC        | 06-Jun-19  | B           | MDM00   | 1-TRN-500-001               | В         |    |