

Г	1			2				3 4	5 6 7 8
	PART No.	Α	В	C	D	Ε	WARMAN CODE	REMARKS	
	E10026M								
A	EH3026M	M16x2,0	120	38	16	16	E62	1 THIN SELF LOCKING NUT	
	H14023M								
Ш	F144M	M12x1,75	85	30	12	12		1 THIN SELF LOCKING NUT (WITH STEPPED WASHER F080E62 WHEN SPECIFIED.)	
	F6026M	M16x2,0	100	38	16	16	E62	1 THIN SELF LOCKING NUT	
	F8026M	M20x2,5	95	45	20	20	E62	1 THIN SELF LOCKING NUT	
В	FG026M	M20x2,5	110	46	20	20	E62		
	GP10026M							1 THIN SELF LOCKING NUT	
	FH4026M	M20x2,5	160	56	20	20	E62	1 THIN SELF LOCKING NUT (WITH STEPPED WASHER F080-1E62 WHEN SPECIFIED.)	
	FS208M	M24x3,0	75	50	24	24	E62	1 HEXAGON NUT	
	FSH208M	M36x4,0	100	78	36	36	E62	1 HEXAGON NUT	
	FX026M	M20x2,5	135	52	20	20	E62	1 THIN SELF LOCKING NUT	
	G10023M	M12x1,75	45	30	12	12	E62	1 THIN SELF LOCKING NUT	
	G10026M	M20x2,5	75	46	20	20	E62	1 THIN SELF LOCKING NUT	
Ш	G12023M	M16x2,0	75	38	16	16	E62	1 THIN SELF LOCKING NUT	
	G16026M	G16026M			0.1	21	E(2) 1	4 TUBL CELE LOCKING NUT	
	U55026M	M24x3,0	180	60	24	24	E 62	1 THIN SELF LOCKING NUT	
	G20026M	M20x2,5	175	52	20	20	E62	1 THIN SELF LOCKING NUT	
"	G8026M	M20x2,5	65	46	20	20	E62	1 THIN SELF LOCKING NUT	
	GP12023M	M16x2,0	70	38	16	16	E62	4 TUIN CELE LOCKING NUT	
Н	T45023M						E02	1 THIN SELF LOCKING NUT	_
	GP12026M	M20x2,5	165	52	20	20	E62	1 THIN SELF LOCKING NUT	
	GP12084M	M20x2,5	70	46	20	20	E62	1 THIN SELF LOCKING NUT	
E	GS208M	M30x3,5 85 66 30 30 E62 1 HEXAGON NUT					E62	1 HEXAGON NUT	E
	GSH208M	M42x4 , 5	133	90	42	42	E62	1 HEXAGON NUT (SPECIAL)	FOR LIMITS OF UNTOLERANCED DIMENSIONS REFER TO DRG. A4-15895. PRODUCT WARMAN®
	H14026M	M24x3,0	90	55	24	24	E62	1 THIN SELF LOCKING NUT	I THE OF STREET
Н	H16026M	M24x3,0	120	54	24	24	E62	1 THIN SELF LOCKING NUT	Centrifugal Slurry Pumps Minerals TITLE
	H24026M	M36x4,0	220	97	36	36	E62	1 THIN SELF LOCKING NUT	Copyright © Weir Minerals Australia Ltd. 1972-1997 Weir Minerals Australia Ltd ("the Company") is the owner
	44								SCALL: - drawing. 113
F	43								APP: - The drawing must not be copied in whole or in part, in any form or by any means, and the information in it must not be disclosed to any person, or used for any purpose other than the specific purpose for which it has been provided, without the prior written consent of the Company.
$ \cdot $	· -	1 REVISED. 1 REVISED.						08MAR2017 EDR-MD17004 VR BP 30JUL2007 - RCH MCF	DRN: R.HEUSSLER SHEET SIZE DRAWING NO REVISION
	REV DESCRIPTION							DATE REF NO BY CHK	DATE: 21JAN1972 SHEET 2 OF 3 A3 ESY7486 42
	1			2				3 4	5 6 7 8

	1			2			3		4			5			6		7			8		
	PART No.	А	В	С	D	Е	WARMAN CODE		REMARKS													
	H26026M	M30x3,5	205	85	30	30	E62	1 THIN SELF	LOCKING NUT	Γ												١.
^	HG14084M	M24x3,0	140	60	24	24	E62	1 THIN SELF	LOCKING NUT	Γ										^		
	J20026M	M36x4,0	180	84	36	36	E62	1 THIN SELF	LOCKING NUT	Γ												
	R023M																					
	R026M M12x1,75		40	30	12	12	E62	1 THIN SELF	ו טכגואפ אווז	r												
В	R040M	111281,75	40	ا ٥د	12	12	LOZ	I IIIIN SLLI	LOCIVING INOT													
	R084M																					
	R079M	M12x1,75	40	30	12	12	C23	1 HEXAGON N	IUT													
	S30023M	M12x1,75	55	30	12	12	E62	1 THIN SELF	LOCKING NUT													
Н	S30026M																					-
	S30084M	S30084M M20x2,5 60 46					E62	1 THIN SELF	LOCKING NUT	Γ												
	S30274M																					
С	S35023M	M12x1,75	60	30	12	12	E62	1 THIN SELF	LOCKING NUT	Γ												c
	S35040M	M12x1,75	70	30	12	12	E62	1 THIN SELF	LOCKING NUT	Γ												
	T079M	M20x2,5	50	40	20	20	C23	1 HEXAGON N	IUT													
H	T40023M	M12x1,75	65	30	12	12	E62	1 THIN SELF	I UCKING NITI													\vdash
	T40040M	111271,73			12	"		- 111111 3221	LOCKING TO													
	T40274M	M20x2,5	65	46	20	20	E62	1 THIN SELF	LOCKING NUT	Γ												
D	T45026M	M24x3,0	105	54	24	24	E62	1 THIN SELF	LOCKING NUT	Γ												D
	T45040M	M16x2,0	75	38	16	16	E62	1 THIN SELF	LOCKING NUT	Γ												
	T45274M	M24x3,0	65	53	24	24	E62	1 THIN SELF	LOCKING NUT	Γ												
	U18026M	M30x3,5	190	72	30	30	E62	1 THIN SELF	LOCKING NUT	Γ												
	U55023M	M24x3,0	110	54	24	24	_{E62}	1 THIN SELF	LOCKING NUT	Γ												
	U55040M	•																				_
	U55274M	M24x3,0	85	54	24	24	E62	1 THIN SELF	LOCKING NUT	<u> </u>		FOR LIMIT	S OF LIN	TOLERANCED DIMEN	NSIONS REFER TO DRG. A4-	.15895 DR	RODUCT					╣
		U65023M M24x3,0		60	24	24	_{E62}	1 THIN SELF	LOCKING NUT	r (SPECI	AL)	TOK EII III	3 01 011	OFFICE OF OF	-			MAN®		WEIR		
	U65040M	-	125											ARTARMON			Centrifugal Slurry Pumps		umps	Minerals		
	U65026M M30x3,5 180 72 30 30 E62 U65274M M30x3,5 90 45 30 30 E62				├	1 THIN SELF LOCKING NUT				'		Copyright © Weir N	Minerals Australia Ltd. 1972-1997	TITL	LE					1		
	U65274M	M30x3,5	E62	1 THIN SELF LOCKING NUT (SPECIAL)			AL)	Copyright © Weir Minerals Australia Ltd. 1972-1997 Weir Minerals Australia Ltd ("the Company") is the owner of the copyright and all confidential information in this drawing.														
│ ॄ┡	44											APP:		The drawing must not be copied in whole or in part, in any form or by any means, and the information in it must not be disclosed to any person, or used for any purpose other than the specific purpose for which it has been provided, without the prior written consent of the Company.			WARMAN PUMP LINER STUDS					_
	43 42 SHEET 1	REVISED.			EDR-MD17004	VR	BP	CHK:	AP		cific purpose for which it has be be prior written consent of the C	en ompany.	et size Dra	WING No		<u> </u>	REVISION	 				
	41 SHEET 1 REVISED. 30 JUL 200' REV DESCRIPTION DATE							30JUL2007	- REF NO	RCH BY	MCF CHK	DRN: DATE:	+	USSLER N1972	SHEET 3 OF 3		i	SY74	.86		42	
L	TL V		DES	2	IUN		3		KET NU		CHN	1 DAIE:	LZIJA	1117/2	6 SHEET 3 UF 1	, <i>[]</i>	<u>、ノート</u> 7			8		J