
## 15 JUN 2023



### NOTES


 FIA FREQ 120.55 AVBL 3,500FT, FOR CIRCUIT AREA AND ON GROUND COM CONTACT BN CEN 120.95

Changes: CTAF+AFRU, AFRU+PAL.



## 13 JUN 2024

# KEMPSEY, NSW (YKMP)



| NM TO NEXT WPT                                       | KM2NM         | 1.2           | 1.6              | 2   | 3           | 4    | KM2NF       | 1         | 2    | 3                | 4                | KM2NI |            |
|--|---------------|---------------|------------------|-----|-------------|------|-------------|-----------|------|------------------|------------------|-------|------------|
| ALT (3° APCH PATH)                                   |               | 560           | 690              | 820 | 1140        | 1460 | 1770        | 2090      | 2410 | 2730             | 3050             | 3370  |            |
| MISSED APPROACH<br>TURN LEFT,<br>TRACK DCT TO KM2NH, | MAPt<br>KM2NN | 1             |                  | K   | FAF<br>M2NF |      |             | IF<br>KM2 | NI   |                  |                  | IAF   |            |
| THEN 060°.<br>CLIMB TO 3500ft.                       |               | MAHF<br>KM2NI | ⊣                |     |             |      | _           | 3° 3      | 370  |                  |                  | KM    | 00<br>2ND  |
|  |               | +0            | 60°              | 177 | ·0          |      | 222°        |           |      |                  |                  |       | 2NE<br>2NG |
| TCH 50FT   |               |               | 22'              | 2°— | -*-         | 1    | <u>1500</u> |           |      | <u>1600</u>      | <u>)</u>         |       |            |
| THR 22 ELEV 46                                       | MAPt          |               | MD               | PΑ  |             |      |             |           |      |                  |                  |       |            |
| NM TO KM2NM  | 0.3 0         |               | , and the second | Ť   | 5           |      | •           | 10        |      | , and the second | , and the second | 15    |            |

## **NOTES**

| CATEGORY  | A B                  |                      | С                      | D              | ] 1. MAX IAS:<br>  INITIAL : 210KT. |  |  |
|-----------|----------------------|----------------------|------------------------|----------------|-------------------------------------|--|--|
| LNAV/VNAV | <b>560</b> (514-2.9) |                      |                        |                | 2. PJE WI 5NM HJ.                   |  |  |
| LNAV      |                      | <b>690</b> (644-3.7) | NOT                    | 3. COLOUR: SEE |                                     |  |  |
| CIRCLING  | <b>950</b> (8        | 96-2.4)              | <b>1420</b> (1366-4.0) | APPLICABLE     | SPEC NOTICES                        |  |  |
| ALTERNATE | (1396                | 5-4.4)               | (1866-6.0)             |                |                                     |  |  |


Changes: CIRCLING MINIMA, ALTERNATE MINIMA.

KMPGN01-179



## 13 JUN 2024

# **KEMPSEY, NSW (YKMP)**



| NM TO NEXT WPT        | KM2SI | 3    | 2            | 1     | KM2SF                                  | 5    | 4     | 3     | 2    | 1.5 | KM2SM     |        |       |          |
|-----------------------|-------|------|--------------|-------|--|------|-------|-------|------|-----|-----------|--------|-------|----------|
| ALT( 3.5° APCH PATH ) | 4090  | 3720 | 3350         | 2980  | 2610                                   | 2240 | 1860  | 1490  | 1120 |     |           |        |       |          |
| IAF                   | IF    | :    |              | FAF   | -                                      |      |       | MAPt  |      | MAL | HE MISSE  | D API  | PRO   | ACH:     |
| <i>D</i> (1           | KM    |      |              | KM2SF | ;                                      |      |       | M2SM  |      | KM2 | CLI       | CK DCT | UKNF  | (IGHT, I |
| <u>5300</u> 📐         |       |      |              |       |  |      |       |       |      | - 1 | IIVA      | THEN 7 | TRACK | ( 042°.  |
| KM2SA                 | 4090  | 0.50 |              |       |  |      |       |       |      |     |           | CLIM   | Вто   | 3500ft.  |
| KM2SB                 | 7030  | _    |              |       |  |      |       |       |      |     |           |        |       |          |
| KM2SC                 |       | 70,  | 320          | _ 26  | 10                                     |      |       |       |      |     | 042°      |        |       |          |
| <u>3200</u>           |       |      |              | - +-° | 32° <u>1</u> 86                        | n    |       |       |      | i.  | 042       |        |       |          |
|                       |       | 2    | <u> 2500</u> |       | ************************************** | _    | 1120  |       |      |     |           |        |       |          |
|                       |       |      |              | 17    | 700                                    |      | _     | 1     |      |     |           |        |       |          |
|                       |       |      |              |       |  | - '  | MDA . |       | Pt   |     | THR 04 EL | _EV 47 |       |          |
| NM TO 15              | 10    | )    |              | 6     | 4                                      | 2    |       | 0 0.8 |      | 4   |           |        |       |          |
| KM2SM                 |       |      |              |       |  |      |       |       |      |     |           |        |       |          |

| NOTES                           |
|---------------------------------|
| 1. MAX IAS:<br>INITIAL : 210KT. |

| CATEGORY  | Α             | В                    | С                      | D          | 1. MAX IAS:<br>INITIAL : 210KT. |
|-----------|---------------|----------------------|------------------------|------------|---------------------------------|
| LNAV      |               | <b>950</b> (896-4.4) | )                      |            | 2. PJE WI 5NM HJ.               |
|           |               |                      |                        | NOT        | 3. COLOUR: SEE                  |
| CIRCLING  | <b>950</b> (8 | 96-2.4)              | <b>1420</b> (1366-4.0) | APPLICABLE | SPEC NOTICES                    |
| ALTERNATE | (1396         | 6-4.4)               | (1866-6.0)             |            |                                 |

Changes: LNAV MINIMA, VIS, CIRCLING MINIMA, ALTERNATE MINIMA, MOCA.

KMPGN02-179

