DATA ITEM DESCRIPTION

Title: Electromagnetic Interference Test Procedures (EMITP)

Number: DI-EMCS-80201B
Approval Date: 19990820
AMSC Number: F7355
Limitation:
DTIC Applicable:
GIDEP Applicable:
Office of Primary Responsibility: F-11
Applicable Forms:
Use/Relationships: The EMITP describes the measurement procedures that will be used to demonstrate that an equipment or subsystem complies with its contractual electromagnetic interference (EMI) requirements based on MIL-STD-461, including how the general test procedures in the standard will be applied to the specific equipment or subsystem.

This Data Item Description (DID) contains the format and content preparation instructions for the EMITP required by 5.1 of MIL-STD-461.

This DID is related to DI-EMCS-80199B, Electromagnetic Interference Control Procedures (EMICP), and DI-EMCS-80200B, Electromagnetic Interference Test Report (EMITR).

This DID supersedes DI-EMCS-80201A.

Requirements:

1. Format. Contractor format is acceptable.

2. Content. The EMITP shall contain the following:

2.1. Introduction. The introduction of the EMITP shall include the following:

   a. A table describing all the tests to be performed, the applicable section within the EMITP, and the corresponding test procedure from MIL-STD-461.

   b. Description of the Equipment Under Test (EUT), including its function, characteristics, intended installation, and power usage.

   c. Approved exceptions or deviations from contractual test requirements, if any.

2.2. Applicable documents. Applicable documents shall be listed as follows:

   a. Military (such as standards and specifications).

   b. Company (such as in-house documents used for calibration or quality assurance).

   c. Other Government or industry standards, specifications, and documents.

2.3. Test site. A description of the test site shall be provided covering the following:

   a. Test facility and shielded enclosure or anechoic chamber, including size, characteristics, and placement of radio frequency (RF) absorbers.

   b. Ground plane (size and type) and methods of grounding or bonding the EUT to the ground plane to simulate actual equipment installation.

   c. Implementation of test precautions required by 4.3.7 of MIL-STD-461.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

2.4. Test instrumentation. Test instrumentation to be used shall be described as follows:

a. Equipment nomenclature.

b. Characteristics of coupling transformers and band-reject filters.

c. Antenna factors of specified antennas, transfer impedances of current probes, and impedance of Line Impedance Stabilization Networks (LISN).

d. Description of the operations being directed by computer programs/software for computer-controlled receivers, the verification techniques used to demonstrate proper performance of the software, and the specific versions of the software to be used.

f. Bandwidth (resolution and video) and scanning speeds of measurement receivers.

2.5. EUT setup. A description of the EUT test setup for each test shall cover the following:

a. Physical layout of the cables and EUT.

b. Cable types, characteristics, and construction details (see 4.3.8.6 of MIL-STD-461)

c. Position of the line impedance stabilization networks on the ground plane.

d. Use of bond straps and loads.

e. Test simulation and monitoring equipment.

2.6. EUT operation. A description of the EUT operation shall cover the following:

a. Modes of operation for each test, including operating frequencies (where applicable), and rationale for selection.

b. Control settings on the EUT.

c. Control settings on any test stimulation and monitoring equipment and characteristics of input signals.

d. Operating frequencies (such as oscillator and clock frequencies) which may be expected to approach limits.

e. Performance checks initiated to designate the equipment as meeting minimal working standard requirements.

f. Enumeration of circuits, outputs, or displays to be monitored during susceptibility testing, as well as the criteria for determining degradation of performance.

2.7. Measurements. The following shall be described for each test.

a. Block diagram depicting test setup, including all pertinent dimensions.

b. Step-by-step procedures.

c. Test equipment used in performance of the test and the methods of grounding, bonding, or achieving electrical isolation of the measurement instrumentation.

d. Selection of measurement frequencies.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

e. Information to be recorded during the test, including frequency and units of recorded information. Sample data sheets, test logs and graphs, including test limits, may be shown.

f. Modulation characteristics and scan rates of the susceptibility test signals, if applicable.

3.0. End of DI-EMCS-80201B.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.