INCH - POUND

A-A-55151A
18 October 2012
SUPERSEDING
A-A-55151
7 December 1993

COMMERCIAL ITEM DESCRIPTION

CONNECTORS, ELECTRICAL, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, BAIL LOCKING HARDWARE KIT

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers the general requirements for bail locking hardware kits for polarized shell, plug, or receptacle, electrical digital interface bus connector. Connector hardware kits covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system which is included in the PIN as shown in the following example (see 7.1).



3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Connector hardware supplied to this CID shall be as specified herein (see figure 1).

3.1.1 Design, construction, and dimensions. Design, construction, and dimensions shall be as specified on figure 1.

3.1.2 Connector hardware materials.

Bail clip. Bail clip shall be passivated stainless steel.

Bail mounting bracket. Bail mounting bracket shall be zinc plated carbon steel.

Pan head screw. Pan head screw shall be zinc plated carbon steel.

Spring lock washer. Spring lock washer shall be zinc plated carbon steel.

3.2 Operating temperature. The operating temperature range shall be from -40°C to +75°C.

Beneficial comments, recommendations, additions, deletions, etc., and data that may improve this document should be sent to: DLA, Land and Maritime, ATTN: VAI, P.O. Box 3990, Columbus, OH 43218-3990, or email to RectangularConnector@dla.mi . Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.

3.3 Vibration. The hardware when assembled and locked to mating connectors, shall exhibit no evidence of breaking, cracking, or loosening of parts when subjected to vibration of 10-55-10 Hz traversed in 1 minute at 1.52 millimeter (.06 inch) total excursion for 2 hours in each of three mutually perpendicular planes.

3.4 Physical shock. The hardware when assembled and locked to the mating connectors, shall exhibit no evidence of breaking, cracking, or loosening of parts when subjected to 50 G's half-sine wave shock of 11 milliseconds duration, 3 shocks in each direction applied along the three mutually perpendicular planes for a total of 18 shocks.



NOTES:
1. Dimensions are in millimeters.
2. The US government preferred system of measurement is the metric SI system. However, since this item was originally designed using inch-pound units of measurement, in the event of conflict between the metric and inch-pound units, the inch-pound units shall take precedence.

FIGURE 1. Screw locking and mounting hardware.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.

3.5 Marking. Connector hardware supplied to this CID shall be marked with the manufacturer's (MFR's) standard commercial PIN. (NOTE: The part number marked on the unit pack shall be the CID PIN.)

3.6 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

3.7 Workmanship. Connectors shall be processed in such a manner as to be uniform in quality and shall be free from other defects that will affect life, serviceability, or appearance.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with 23.403 of the Federal Acquisition Regulation (FAR).

5. PR0DUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6 PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Environmentally preferable material. Environmentally preferable materials should be used to the maximum extent possible to meet the requirements of this specification. As of the dating of this document, the U.S. Environmentally Protection Agency (EPA) is focusing efforts on reducing 31 priority chemicals. The list of chemicals and additional information is available on their website http://www.epa.gov/osw/hazard/wastemin/priority.htm Included in the EPA list of 31 priority chemicals are cadmium, lead, and mercury. Use of these materials on the list should be minimized or eliminated unless needed to meet the requirements specified herein (see Section 3).

7.3 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of this hardware to DLA Land and Maritime under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.4 Source of documents

FEDERAL REGULATIONS

FAR - Federal Acquisition Regulations (FAR)

(Copies of this document are available online at http://www.acquisition.gov/comp/far/index.html from the U.S. Government Printing Office, 732 North Capital Street, NW, Washington D.C. 20401-0001.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.

7.5 Ordering data. The contractor order should specify the following:

a. CID document number, revision and CID PIN.

b. Product conformance provisions.

c. Packaging requirements.

7.6 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial product that would meet the requirements of the CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFR's CAGE number	MFR's name and address
00779	TE Connectivity/AMP, 2901 Fulling Mill Road Middleton, PA 17057-3163

7.7 Part number (P/N) supersession data. These CID PINs supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE I. PIN supersession data.

CID PIN A-A-55148-	Vendor commercial PIN 1/	Vendor CAGE number
01	5552561-3	00779

1/ The manufacturer's PIN shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown. For actual part marking requirements, see 3.5.

7.8 Government users. To acquire information on obtaining these connectors from the Government inventory system, contact DLA Land and Maritime, ATTN: Land and Maritime-FMV, P.O. Box 3990, Columbus, OH 43218-3990, or telephone (614) 692-7656.

7.8.1 National stock numbers (NSNs). The following is a list of NSN's assigned which correspond to this CID. The list is for information only and may not be indicative of all possible NSN's associated with the CID. For up to date information on assigned NSN's, please contact the aforementioned DLA Land and Maritime office (See 7.8).

Dash number (see table I) AA55155–	NSN
01	5935-01-216-85555

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.

7.9 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue, due to the extent of the changes.

MILITARY INTERESTS:

Custodian:
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA – 7FXE

Preparing activity:
DLA – CC

(Project 5935-2012-057)

NOTE: The activities listed above were interested in this document as the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.