[INCH-POUND]
A-A-59714B
5 October 2020
SUPERSEDING
A-A-59714A
14 July 2003

COMMERCIAL ITEM DESCRIPTION

RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSES) GENERAL REQUIREMENTS FOR

* The General Services Administration has authorized the use of this Commercial Item Description for all federal agencies.

* 1. SCOPE. This commercial item description (CID) covers the general requirements for a non-linear thermistor, commonly called resettable fuses. These thermistors are polymeric positive temperature coefficient devices that offer a wider voltage, current and temperature range. Requirements for specific thermistors are covered in the individual CID specification sheets. The thermistor covered by this CID is intended for commercial/industrial applications.

* 2. CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 7.1).

AA59714	01	-001
CID number	Applicable CID sheet (two digits)	Dash number (see applicable CID sheet)

3. SALIENT CHARACTERISTICS

* 3.1 Interface and physical dimensions. The thermistors supplied to this CID shall be as specified on the applicable CID specification sheet.

* 3.2 CID specification sheet. The family of thermistors shall be in accordance with the requirements specified herein and the applicable CID specification sheet. In the event of a conflict between this general CID and the applicable CID specification sheet, the latter shall govern.

* 3.3 Operating ambient temperature. The operating ambient temperature shall be as specified on the applicable CID specification sheet.

* 3.4 Marking. Thermistors supplied to this CID shall be marked with the manufacturer (MFR's) standard commercial PIN (NOTE: The part number marked on the unit pack shall be the CID PIN.

* 3.5 Recycled, recovered, environmentally preferable or biobased materials. Recycled, recovered, environmentally preferable or biobased materials should be used to the maximum extent possible, provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

* 3.6 Workmanship. Thermistors shall be processed in such a manner as to be uniform in quality and shall be free from other defects that will affect life, serviceability, or appearance.

Comments, suggestion, or questions on this document should be address to: DLA Land and Maritime, ATTN: VAT, Post Office Box 3990, Columbus, OH 432186-3990, emailed to Resistor@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A

FSC 5905

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

* 5.2 Market acceptance. The following market acceptance criteria are necessary to document the quality of the product to be provided under this CID:

a. The company producing the item must have been producing a product meeting the requirements of this CID for at least 2 years.

b. The company producing the item must have sold 1,000 units meeting this CID in the commercial marketplace over the past 2 years.

6. PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

* 7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these thermistors to DLA Land and Maritime under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

* 7.3 Source of documents.

FEDERAL REGULATIONS

FAR - Federal Acquisition Regulations (FAR)

* (Copies of these documents are available online at https://www.acquisition.gov/?q=browsefar.)

* 7.4 Ordering data. The contract or purchase order should specify the following:

a. CID document number, revision, and CID PIN.

b. Product conformance provisions.

c. Packaging requirements.

* 7.5 Government users. To acquire information on obtaining these varistors from the Government inventory system, contact DLA Land and Maritime, ATTN: CPB, Post Office Box 3990, Columbus, OH 43218-3990, or telephone (614) 692-7678.

* 7.6 Changes from previous issue. The margins of this CID are marked with an asterisk to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Navy - EC
DLA -CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA – FAS

Preparing Activity:

DLA - CC

Project 5905-2020-023

NOTE: The activities listed above were interested in this document as the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.