

---

## *Problem 2. A Graph Coloring Game*

---

Anatoly Kochenyuk, *⟨team name⟩*

July 2019

**Annotation**

*⟨annotation text⟩*

Contents

1	3
---	---

# Introduction

The main point of this problem is game theory.

In this case, game is played on an undirected graph with all vertices colored in white. Two payers, Bob and Riley, make alternating moves starting with Bob. On his first move, each player chooses any white vertex and colors it in his favourite color. On each consequent move, each player picks a white vertex connected with an edge to a vertex of his color (if there is no such vertex, the player skips his move). Then he colors it in his color. The game finishes when no white vertices remain.

**Definition 0.1.**  $G$  is an undirected Graph

Let  $B(G)$  be the maximal number of blue vertices, which Bob can guarantee at the end of the game.

Let  $R(G)$  be the maximal number of red vertices, which Riley can guarantee at the end of the game.

**Definition 0.2.**  $M_B(n) = \min_{G \in S(n)} B(G)$   $S(n)$  – set of all simple undirected connected graphs with  $n$  vertices.

**Definition 0.3.**  $|G|$ , where  $G$  is undirected graph, equals the amount of vertices in  $G$

## 1

Describe the optimal strategy for Bob and evaluate  $B(G)$  where:

a)  $G$  is a tree. Let's define weight for each vertex as following:

**Definition 1.1.** Let  $S$  be a set of maximal connected subtrees that don't include the vertex  $v \in G$ , where  $G$  is an undirected tree.

Weight of vertex  $v$  is  $w_v = \min_{s \in S} |s|$

Now, let's take a look at Bob's first move. By choosing one vertex to color, he divides the tree into several subtrees. For Riley it's only possible to color one of these subtrees, because once he chooses one of these subtrees he can't 'move' to another one, because it's a tree and the only way goes through the vertex chosen by Bob.

So Riley chooses the subtree with the maximal amount of vertices. And all the other subtrees goes to Bob.

Thus, for Bob, it's beneficial to choose the vertex with the least weight for first move.


Because Riley 'takes' the subtree with the maximal amount of vertices,

$$B(G) = |G| - \max_{s \in S} |s|$$


where  $S$  is the set of maximal connected subtrees that don't include the vertex chosen by Bob

b)  $G$  is a grid  $M \times K$ . Let  $M \leq K$ . Then let's take a look at two different case:

- $K$  is even. Then we can split the grid into two equal parts the following way:



**Definition 1.2.** Let center line be a line that is places in-between two edges of the grid, e.g. the following grid has four of them: both horizontal and highlighted vertical.



Here appears invisible line splitting the grid in half. Bob's first move must be some vertex on a center line, because either way Riley can border the grid like shown on the next pictures:

