

Address

 106-108 Fairbank Road
 Clayton South Victoria 3169

Phone

03-9551-4878

Email

mail@cfmairsystems.com.au

Website

cfmairsystems.com.au

To:	Disney Aircon	Date:	26/06/2019
Attention:	John Doe john@doe.com	From:	
Re:	Minnie's Restaurant, 123 McDuck Ave, Duckville, California, 90210, USA	Quote number:	Z01001

Thank you for contacting CFM Airsystems regarding fans for your project at **123 McDuck Ave, Duckville, California, 90210, USA**

Please find below a quotation for your project which includes:
 Prices, Specs, Datasheets, Fan list

Item	Quantity	Cost ex GST	GST	Cost Inc GST
Fans:	2	\$380.00	\$38.00	\$418.00
Ancillary and other items:	4	\$40.00	\$4.00	\$44.00
Freight:		\$100.00	\$10.00	\$110.00
Total:		\$520.00	\$52.00	\$572.00

All goods are ex warehouse in Clayton South.
 Estimated time to delivery: **10 business days**

Ancillary and other items:

Item	Unit Cost	Qty	Cost
OVEN- FEET	\$10	4	\$40

Comments:

» The oven fan requires 4 feet.

Address

106-108 Fairbank Road
Clayton South Victoria 3169

Phone

03-9551-4878

Email

mail@cfmairsystems.com.au

Website

cfmairsystems.com.au

Minnie's Restaurant, 123 McDuck Ave, Duckville, California, 90210, USA

on behalf of Disney Aircon , Attn: John Doe

Quote: Z01001

26/06/2019

Location description	Reference	Model number	Airflow	Static pressure	Hz63	Hz125	Hz250	Hz500	Hz1K	Hz2K	Hz4K	Hz8K	totalLwAtotal	SPL3m
Oven fan	OVEN	MX150-SILENT	200	10	0	0	0	0	0	0	0	0	0	31
Kitchen exhaust	KIT	WR200-4E	100	5	-1	36	43	45	45	44	36	28	51	30

Address

 106-108 Fairbank Road
 Clayton South Victoria 3169

Phone

03-9551-4878

Email

mail@cfmairsystems.com.au

Website

cfmairsystems.com.au

Minnie's Restaurant, 123 McDuck Ave, Duckville, California, 90210, USA

on behalf of **Disney Aircon**, Attn: **John Doe**

Quote: **Z01001**

26/06/2019

Location

Description:	Oven fan	Kitchen exhaust
Schedule Reference	OVEN	KIT

Fan

Model number	MX150-SILENT	WR200-4E
Model Name	-	WR Series

Physical characteristics

Nominal Diameter (mm)	-	250
Hub Size (mm)	-	100
Impeller	-	Axial
Fan Weight (kg)	-	4kg

Notes
Airflow characteristics

Volume (L/s)	200	100
Static Pressure (Pa)	10	5
ABS/LL Power (kW)	ABS/LL	ABS/LL
Fan Speed (r/min)	-	2750
Outlet Velocity (m/s)	-	Infinity
Sound Pressure (dB(A))	-	79

Motor characteristics

Motor Power	-	0.11KW
Electrical Supply	-	1ph 240V 50Hz
FLC/Start (A)	-	0.5Amps
Motor Frame	-	N/A
Motor Type	normal	normal
Motor Speed	-	2750 RPM

Quotation details

Quantity required	1	1
Price Per Unit	\$200	\$180
Total	\$200	\$180
Price Extras and Ancillaries	\$0	\$0
Total Including Extras	\$200	\$180
GST	\$20.00	\$18.00

Address
106-108 Fairbank Road
Clayton South Victoria
3169

Phone
03-9551-4878

Email
mail@cfmairsystems.com.au

Website
cfmairsystems.com.au


Fan Code: MX150-SILENT
Fan Ref: OVEN

Requirements

Volume: 200 l/s
Static Pressure: 10 Pa
Installation Category: A

Fan Data (at STP)

W/I: /
Diameter: 150mm
Speed: 2550 RPM
Mass: 6kg




BCA Compliance: Complies with Section J5.2 2009

All fans tested in compliance with ISO:5801-2017 standards. Airflow performances subject to change without notice. Please see sales for updated datasheets and further information

Motor Data (at STP)

Motor Type: normal Motor Power: 0.05 kW Current FLC: 0.25 Amps
Motor Frame: / Motor Speed: 2550 RPM Electrical Supply: 1ph 240V 50Hz



Acoustic Performance Data

Spectrum (Hz)	63	125	250	500	1K	2K	4K	8K	dBW	dBA @ 3m
SWL (dB)	0	0	0	0	0	0	0	0	0	31

Address
 106-108 Fairbank Road
 Clayton South Victoria
 3169

Phone
 03-9551-4878

Email
 mail@cfmairsystems.com.au

Website
 cfmairsystems.com.au


Fan Code: WR200-4E
Fan Ref: KIT

Requirements

Volume: 100 l/s
 Static Pressure: 5 Pa
 Installation Category: A

Fan Data (at STP)

W/I: /
 Diameter: 200mm
 Speed: 1380 RPM
 Mass: 2kg




BCA Compliance: Complies with Section J5.2 2009

All fans tested in compliance with ISO:5801-2017 standards. Airflow performances subject to change without notice. Please see sales for updated datasheets and further information

Motor Data (at STP)

Motor Type: normal Motor Power: 0.04 kW Current FLC: 0.3 Amps
 Motor Frame: / Motor Speed: 1380 RPM Electrical Supply: 1ph 240V 50Hz



Acoustic Performance Data

Spectrum (Hz)	63	125	250	500	1K	2K	4K	8K	dBW	dBA @ 3m
SWL (dB)	-1	36	43	45	45	44	36	28	51	30