

To: Disney Aircon **Date:** 02/08/2019

Attention: John Doe john@doe.com

Re: Minnie's Restaurant, 123 McDuck Ave, Duckville, California, 90210, USA

Quote number: Z01001

Thank you for contacting CFM Airsystems regarding fans for your project at

123 McDuck Ave, Duckville, California, 90210, USA

Item	Quantity	Cost ex GST	GST	Cost Inc GST
Fans:	2	\$380.00	\$38.00	\$418.00
Extras and ancillary items:	5	\$241.00	\$24.10	\$265.10
Freight:		\$100.00	\$10.00	\$110.00
Discount:		\$(1.00)	\$(0.10)	\$(1.10)
Total:		\$720.00	\$72.00	\$792.00

Ancillary and other items:

Item	Unit Cost	Qty	Cost
OVEN-FEET	\$10	4	\$40
2	\$201	1	\$201

All goods are ex warehouse in Clayton South.

Estimated time to delivery: 10 business days

Comments:

• The oven fan requires 4 feet.

Please find below a summary of your project which includes:

• Prices • Fan Specifications

• Datasheet

• Fan Noise Characteristics



Minnie's Restaurant, 123 McDuck Ave, Duckville, California, 90210, USA

Fan Location	Model number	Airflow	Static pressure	Hz63	Hz125	Hz250	Hz500	Hz1K	Hz2K	Hz4K	Hz8K	totalLwAtotal	SPL3m
OVEN	MX150-SILENT	200	10	0	0	0	0	0	0	0	0	0	31
KIT	WR200-4E	100	5	-1	36	43	45	45	44	36	28	51	30



Minnie's Restaurant, 123 McDuck Ave, Duckville, California, 90210, USA

Location		
Schedule Reference	OVEN	KIT
Fan		
Model number	MX150-SILENT	WR200-4E
Physical characteristics		
Nominal Diameter (mm)	150	200
Hub Size (mm)	100	100
Impeller	Mixed Flow	Axial
Fan Weight (kg)	6kg	2kg
Notes		
Airflow characteristics		
Volume (L/s)	200	100
Static Pressure (Pa)	10	5
ABS/LL Power (kW)	ABS/LL	ABS/LL
Fan Speed (r/min)	1850	1380
Outlet Velocity (m/s)	Infinity	Infinity
Sound Pressure (dB(A))	0	51
Motor characteristics		
Motor Power	0.04KW	0.04KW
Electrical Supply	1ph 240V 50Hz	1ph 240V 50Hz
FLC/Start (A)	0.2Amps	0.3Amps
Motor Frame	N/A	N/A
Motor Type	normal	normal
Motor Speed	1850 RPM	1380 RPM
Quotation details		
Quantity required	1	1
Price Per Unit	200.00	180.00
Price Extras and Ancillaries	0.00	0.00
Total Including Extras	200.00	180.00
Total	200.00	180.00
GST	20.00	18.00

Model: MX150-SILENT Location: OVEN


Requirements

Volume: 200 l/s Static Pressure: 10 Pa Installation Category: A

Fan Data (at STP)

W/I:

Diameter: 150mm Speed: 2550 RPM Mass: 6kg




BCA Compliance: Complies with Section J5.2 2009

All fans tested in compliance with ISO:5801-2017 standards. Airflow performances subject to change without notice. Please see sales for updated datashets and further information

Motor Data (at STP)

Motor Type: normal Motor Power: 0.05 kW Current FLC: 0.25 Amps

Motor Frame: / Motor Speed: 2550 RPM Electrical Supply: 1ph 240V 50Hz



Acoustic Performance Data

Spectrum (Hz) 63 125 250 500 2K 4K 8K dBW dBA @ 3m 1K SWL (dB) 0 0 0 0 0 0 0 0 0 31

www.cfmairsystems.com.au

Model: WR200-4E **Location: KIT**


Requirements

Volume: 100 l/s Static Pressure: 5 Pa Installation Category: A

Fan Data (at STP)

W/I:

Diameter: 200mm 1380 RPM Speed: Mass: 2kg




BCA Compliance: Complies with Section J5.2 2009

All fans tested in compliance with ISO:5801-2017 standards. Airflow performances subject to change without notice. Please see sales for updated datashets and further information

Motor Data (at STP)

Motor Type: normal Motor Power: 0.04 kW Current FLC: 0.3 Amps Motor Frame: Motor Speed: 1380 RPM Electrical Supply: 1ph 240V 50Hz /



Acoustic Performance Data

Spectrum (Hz) 63 125 250 500 2K 4K 8K dBW dBA @ 3m 1K SWL (dB) -1 36 43 45 45 44 36 28 51 30