

# Physics Lecture

Philip Policki

15th October 2020

## Contents

<b>1</b>	<b>Passing</b>	<b>2</b>
<b>2</b>	<b>Curriculum</b>	<b>2</b>
<b>3</b>	<b>What is logic?</b>	<b>2</b>
<b>4</b>	<b>Sentences in logic</b>	<b>2</b>
<b>5</b>	<b>Logic Laws</b>	<b>3</b>
<b>6</b>	<b>The basics of Set Theory</b>	<b>3</b>
6.1	Notation . . . . .	3

## 1 Passing

There will be 2 exams / tests. There will be weekly lists of tasks to do for Exercises.

## 2 Curriculum

- 1/3 of the course is basic logic formulas, useful for simplifying if-else comparisons
- 1/3 will cover information what will be helpful to courses on databases, machine learning & artificial intelligence
- 1/3 will cover details on semantics that will be useful on the masters level

## 3 What is logic?

- Logic is defined as formal apparatus for reasoning.
- There are two elements:
  - Formal language - a set of sentences built with symbols
  - Semantics - a method of adding meaning to them

## 4 Sentences in logic

- Basic symbols, variables: a,b,c
- Logical connectives, operators:
  - OR (alternative, disjunction)  $\vee$
  - AND (conjunction)  $\wedge$
  - NOT (negation)  $\neg$
  - IF ... THEN (implication)  $\implies$
  - TRUE IF AND ONLY IF  $\iff$
  - Tautology  $\top$

## 5 Logic Laws

- $(a \wedge b) \vee c \equiv (a \vee c) \wedge (b \vee c)$
- $(a \vee b) \wedge c \equiv (a \wedge c) \vee (b \wedge c)$
- $\neg(a \vee b) \equiv \neg a \wedge \neg b$
- $\neg(a \wedge b) \equiv \neg a \vee \neg b$

## 6 The basics of Set Theory

- There is no formal definition. It's a collection of objects.
- The modern approach to sets was developed mainly in the 19th century by Cantor and others
- Since then it has been extended and other theories had been proposed

### 6.1 Notation

- $X = \{1, 2, 3\}; Y = \{Mon, Tue, Wed, Thu, Fri, Sat, Sun\}$
- $\emptyset$  - empty set
- $\mathbb{N}$  - set of Natural Numbers
- $\mathbb{Z}$  - set of all Integers
- $\mathbb{R}$  - set of all Real Numbers
- $x \in X$  x is an element of set X
- $X \subseteq Y$  all elements of X are elements of Y
- $X \subset Y$  X is a proper subset of Y, that is all elements in X are also elements of Y and  $X \neq Y$