Working with the Common Data Service

Lab Time: 60 minutes

Lab Folder: C:\Student\Modules\07_CommonDataService\Lab


Lab Overview: In this lab, you will begin by using the PowerApps admin center to create a new PowerApps environment which is provisioned with a new CDS for Apps database. After creating the CDS for Apps database, you will inspect the set of standard entities and then you will create a canvas app to add, view and update contacts within the CDS. After that, you will use the new PowerApps preview support to create a model-driven app which is also designed to add, view and update contact data within the CDS database.

Lab Prerequisite: This lab assumes you completed lab 1 where you created a PowerApps plan 2 subscription and assigned a PowerApps plan 2 license to the primary Office 365 user account you have been using. If you have not already configured your Office 365 account with a PowerApps plan 2 license, you complete all of exercise 2 of lab 1 before you begin working on this lab.

Exercise 1: Create a New PowerApps Environment with a CDS Database

In this exercise, you will create a new PowerApps environment with a new CDS database. After that, you will begin the provisioning process to create a Power Apps portal.

- Make sure you have a PowerApps Plan 2 license.
 - a) In the browser, navigate the PowerApps Maker portal at https://make.powerapps.com.



b) Drop down the menu with the gear icon in the upper right of the page and select the Plan(s) command.




c) You should be able to verify that you have Plan 2.



- 2. Create a new PowerApps environment with a Common data Service database.
 - a) Drop down the menu with the gear icon in the upper right of the page and select the Admin center command.



b) In the Power Platform Admin center, click the Environments link in the left navigation.




c) Click the + New button to create a new environment.




d) In the New environment pane on the right, enter a Name of My Dev Environment.




- e) Leave the environment **Type** setting with its default value of **Production**.
- f) Make sure you enable the option **Create a database for this environment**.
- g) Once you have filled out the New environment pane, click Next.



h) Leave all the default settings on the Add database pane as shown in the following screenshot and click Save.



i) You should now see the new environment in the tenant Environments list with a State of PreparingInstance.




j) Refresh the Environments list every 30 seconds or so until you see that he State has turned to Ready.



- 3. Move the Power Apps maker portal over to work with your new PowerApps environment.
 - a) Return to the PowerApps Maker portal at https://make.powerapps.com.
 - b) Refresh the page at https://make.powerapps.com by pressing **{F5}**.
 - c) Click the Environment menu at the top right of the page to drop down the environment selector menu.



d) Switch over to the new environment you just created named My Dev Environment.




e) You should be able to confirm that the current environment has been switched over to My Dev Environment.




It is not yet time for you to begin work with a Power Apps portal. However, it takes a long time to create a Power Apps portal. Therefore, you are going to begin the process to create a Power Apps portal now so it will be ready later on in a future lab exercise.

- 4. Create a PowerApps portal in your new PowerApps environment.
 - a) Click on the Portal from blank (preview) tile to create a new PowerApps portal.




You can only create one Power Apps portal per environment. If you want to create multiple portals, you will have to create a separate Power Apps environment for each one.

- b) In the Portal from blank (preview) dialog, enter a portal tile such as My Portal Lab.
- c) Enter a value for the portal Address. You might need to try several times if you pick an address that is already taken.



d) Once you have entered a Name and Address for your portal, click Create to begin the portal provisioning process.



e) You should now see a notification indicating that portal provisioning is now in process.



- 5. Inspect the apps in **My Dev Environment**.
 - a) Click the Apps link in the left navigation to see the list of apps for My Dev Environment.
 - b) You should see the portal app in a greyed-out site which indicates that the portal is being provisioned.
 - c) Provisioning a Power Apps portal will also eventually create another model-driven app named Portal Management.



It will take quite a bit of time before your portal is ready to use and edit. The entire provisioning process for a new Power Apps portal can take from 30 to 60 minutes or even longer. You will now create a canvas app and model-driven app that are not related to this portal. However, you have started the Power Apps portal provisioning process so the portal will be later when it's time to work on it.


Exercise 2: Inspect Standard Entities in the Common Data Service

In this exercise, you will inspect some of the standard entities that are built into the CDS database.

- 1. Inspect the standard entities in the Common data Service.
 - a) Navigate to the PowerApps home page at https://make.PowerApps.com.
 - b) Make sure the current environment is the environment named My Dev Environment that you created in exercise 1.




c) Click on the Entities link in the Data section of the left navigation and examine the entities that are displayed.




d) Locate the view menu for the Entities page in the upper, right corner which should initially be set to Default.



e) Drop down the view menu and select Group and All to display all entities separated into groups.




f) You should now see all the standard entities are organized in groups.



g) Expand the Master group and you should see this group contains two important entities named Account and Contact.



- 2. Take a closer look at the Contact entity.
 - a) Click on the link for the Contact entity.



b) Examine the Fields list to see what fields are included with the Contact entity.



c) Click the **Data** tab to verify that the **Contact** entity currently contains no data.




Exercise 3: Create a Canvas App to Manage Contact Entity Data

In this exercise, you will create a canvas app to manage **Contact** entity data.


- 1. Create the new Canvas app using PowerApps Studio.
 - a) In the PowerApps portal at https://web.powerapps.com, make sure you are running in the **Dev Env** environment.
 - b) Click the **Apps** link in the left navigation. The Apps list should be empty at this point.
 - c) Click the + Create an app > Canvas menu command to begin the process of creating a new canvas app.




d) On the Create an app page, locate the Common Data Service tile and click the Phone layout button inside it.



e) When prompted to create a new Common Data Service connection, click the Create button to continue.



f) In the Choose a table section on the Connections page, select the Contacts table.




g) Once you have selected the Contacts table, click the Connect button.




h) At this point, PowerApps will take 20-30 seconds to create the new PowerApps project.




i) When PowerApps has finished creating the new canvas app project, you should see the app project has been created with a browse screen, a view detail screen and an edit screen as shown in the following screenshot.




j) Select BrowseScreen1 in the left navigation. Click View and then click Data sources in the ribbon to display the Data pane.




k) With the Data pane showing, select the BrowseGallery1 control in the left navigation.




) The Data pane should now display the Layout and fields used by the gallery control.



- m) Update the Layout for the gallery to Title.
- n) Configure the Title3 gallery control to bind to the CDS field named fullname as shown in the following screenshot.




o) With the Data pane showing, use the left navigation to select DetailForm1 in DetailScreeen1




- p) The Data pane should now display a Fields list showed the fields included on DetailForm1.
- q) Reorganize the fields in the Fields list to display the following fields in this particular order.
 - i) Contact
 - ii) Full Name
 - iii) Mobile Phone
 - iv) Email
 - v) Birthday
 - vi) Status


r) The Fields list for DetailForm1 should match the Fields list shown in the following screenshot.



s) With the Data pane showing, use the left navigation to select EditForm1 in EditScreeen1




- t) The **Data** pane should now display a **Fields** list showed the fields included on **EditForm1**.
- u) Reorganize the fields in the **Fields** list for **EditForm1** to include the following fields in this particular order.
 - i) Last Name
 - ii) First name
 - iii) Email
 - iv) Mobile Phone
 - v) Birthday
- v) The **Fields** list for **EditForm1** should match the **Fields** list shown in the following screenshot.



You have now completed building the new app and now it's time to test it out.

- 2. Test it out the application by running it and adding a new contact.
 - a) Select the startup screen named **BrowseScreen1** in the left navigation and then click the **Play** button to run the app.




b) When the app starts and display the startup browse screen, click the + button to create a new contact.



c) Enter sample data for a new contact like the data shown in the following screenshot and then click the Checkmark button to save your changes and create a new contact.




d) Once the new contact is created, the app should redirect you back to the browse screen which displays the new contact.



e) Follow the same steps to create and save a second contact in the CDS for Apps database.



f) When you are done, you should now see two new contacts in the browse screen.



- Test the details screen.
 - a) Click the > button for one of the new contacts to navigate to the app's detail screen.



b) On the detail screen, you should see the details for a specific contact.




Note that the **Contact** field contains a GUID that serves as the ID (*i.e.* primary key) for the contact record. Generating a new GUID and assigning it to the **Contact** column is handled behind the scenes by the Common Data Service whenever a new contact is created.


c) Quit the running app by clicking the **x** button in the upper right corner of the page to return to your app in PowerApps Studio.




- 4. Save your work by saving the app in the cloud.
 - a) In PowerApps Studio, click the File menu.



- b) Click on the App settings link in the left navigation and enter an App name of CDS Contacts.
- c) Select an Icon and a Background color of your liking.




d) Click the Save link in the left navigation and then click the Save button in the bottom right corner of the Save as page.



e) The Save page should now display a message indicating that All changes ae saved.



- 5. Inspect the Data view of the Contact entity.
 - a) Return to the PowerApps portal and click the Data > Entities
 - b) Locate and click he Contact entity.
 - c) Click the **Data** link at the first right to see your new contacts.




You have now created a classic-style app in PowerApps which is now known as a Canvas app. Next, you will create a second app using the new model-driven app support. While model-driven apps are still in preview, it will give you a good sense of the difference between canvas apps and model-driven apps.


Exercise 4: Create a Model-driven App to Manage Contact Entity Data

In this exercise, you will create a new model-driven app using the new preview support in PowerApps Studio.


- 1. Create the new Canvas app using PowerApps Studio.
 - a) In the PowerApps portal at https://web.powerapps.com, make sure you are running in the Dev Env environment.
 - b) Click the **Apps** link in the left navigation.
 - c) Click the + Create an app > Model-driven menu command to begin the process of creating a new model-driven app.



d) On the Create a New App page, enter a Name of Contact Model App and then click the Done button.



2. You should now see the new model-drive app in the new preview App Designer as shown in the following screenshot.




Note that the app is not ready to run because there is a red error indicator above the app's site map component. You must make some changes to the site map before you can run this model-driven app.


- 3. Configure the model-driven app's site map.
 - a) Click on the button with the arrow on the left side of the Site Map to open the site map in the Site Map Designer.




b) You should now see the site map for your app open in the Site Map Designer.




c) In the Site Map Designer, hover the mouse over **New Area** and click the pen icon to move the area into edit mode.




d) Change the text caption for the area from **New Area** to **My Contacts App**.



e) Hover the mouse over the group named New Group and click the pen icon to move the group into edit mode.



f) Change the text caption of the group from New Group to Manage Contacts.



g) Hover the mouse over the subarea named **New Subarea** and click the pen icon to move the subarea into edit mode.



h) Change the text caption of the subarea from **New Subarea** to **Contacts**.



i) Select the **Contacts** subarea with the mouse and then inspect the **Properties** pane on the right side of the browser window. You will see a few red messages indicating that you must make some changes before the site map will work correctly.



- j) In the Properties pane for the Contacts subarea, set the Type property to Entity and then set Entity property to Contact.
- k) Click the Save button at the top of the Properties pane to save your changes to the app's site map.




) After you have saved the site map, click the **Publish** button to publish the site map.



m) After publishing, you should see a message indicating the site map has been published. Click the **Save and Close** button to close the **Site Map Designer** and navigate back to the **App Designer**.



n) You should now see the App Designer and the red error indicators that were displayed in the site map earlier should be gone.



o) Save the new app by clicking the **Save** button.



p) After saving the app, click the **Publish** button to make it available for running and testing.




q) Click the Save and Close button to close the App Designer.




- 4. Run the model-driven app to test it out.
 - a) You should be able to see your new app named Contact Model App in the list of Model driven apps in Dev Env.
 - b) Select the app named Contact Model App and then click the Play button from the toolbar above.




c) When the app starts, you should see it displays a view named **My Active Contacts**.




d) Note the top navigation menu displays the name of your area (i.e. Contact Model App) and your subarea (i.e. Contacts).



e) Click the Site Map menu with the 3 horizontal lines in the left navigation to examine the app's site map




f) You should now see the site map with your area, group and subarea.




g) If you expand the Contacts subarea, you should see the contacts that you have added to the CDS database.



h) Click on the view menu to the right of My Active Contacts to change the view.




i) When you drop down the view menu, you should see all the views that are include with the standard Contact entity.




j) Using the view menu, change the view from My Active Contacts to All Contacts.




k) In the All Contacts view, click on one of the Full Name of one of the contacts you created.




I) You should now see the default form used for the **Contact** entity. Note that you can edit the contact in this view. There is no save command because any edit you make is saved automatically.




m) Use the top navigation click Contacts to move from the form showing one contact back to the My Active Contacts view.




n) Create a new contact by clicking the + New button in the toolbar.




o) You should now see the empty New Contact form which allows you to enter the data for a new contact.



p) Enter sample data for another contact and then click the Save & Close button.



q) You should see that the new contact has been added to the My Active Contacts view.



Congratulations. You have just created and tested a simple model-drive app. You have now reach the end of this lab.