# **Building a Shopping Cart for Processing Orders**

Lab Time: 60 minutes

Lab Folder: C:\Student\Modules\03\_ShoppingCart\Lab


**Lab Overview**: In this lab you will extend the canvas app named **Customer Ordering** that you created in the previous lab by adding the behavior to add products into a shopping cart and submit an order.

Prerequisite: This lab assumes that you have already completed the previous lab titled Building a Data-driven Canvas App.


# **Exercise 1: Create The Browse Products Screen**

In this exercise, you will add the Browse Products Screen which allows the user to view and filter a set of products.


- 1. Open the canvas app named Customer Ordering that you created in lab 2 titled Building a Data-driven Canvas App.
  - a) Navigate to the PowerApps portal at <a href="https://web.powerapps.com">https://web.powerapps.com</a>.
  - b) Open the canvas app named Customer Ordering in edit mode.
  - c) The **Customer Ordering** canvas app should currently contain four screens as shown in the following screenshot.




- 2. Create the Browse Products Screen.
  - a) Use the **New screen** command from the **Home** tab to add a new **Blank** screen.



b) Rename the new screen to Browse Products Screen.



- 3. Copy and paste the group named grpTopNavBanner from the Welcome Screen to the Browse Products Screen.
  - a) Expand the Welcome Screen in the left tree view.
  - b) Drop down the context menu for grpTopNavBanner and select Copy.




c) Drop down the context menu for the Browse Products Screen and select Paste.




d) Update the text on the Top Nav Banner to "Browse Products".



- 4. Add a new gallery to the Browse Products Screen for displaying products.
  - a) Using the Gallery menu on the Insert tab, add a new Vertical gallery to the Browse Products Screen.




b) Rename the new gallery to galProducts.



c) With galProducts selected in the left tree view, drop down the Select a data source menu in the Properties pane.



d) Select Add a data source.



e) Select Import from Excel.



f) When the file Open dialog appears, select the Excel workbook named ProductCatalog.xlsx at the following path.

## C:\Student\Extras\ProductCatalog.xlsx

g) When prompted to Choose a table on the Data pane, select the Products table and click Connect.




h) You should now see that he gallery is populated with products as shown in the following screenshot.



- 5. Configure the fields displayed by **galProducts**.
  - a) Click the Edit link for the gallery Fields property to display the Data pane with the field mapping controls.




b) In the **Data** pane, set the field for **Title1** to **Product**.



- 6. Configure the controls inside the item template of **galProducts**.
  - a) Expand galProducts in the left tree view to see the controls inside the gallery template.
  - b) Select and delete the **NextArrow** icon from the left tree view.



- c) Rename the Title1 label to IblProductName.
- d) Rename the Subtitle1 label to IbIProductDescription
- e) Rename the Image1 image to imgProduct.




f) With galProducts selected, click on the small button with the pen icon to enter edit mode for the gallery's item template.



- g) Select the control named imgProduct and update it Height property and Width property to a value of 92.
- h) Position imgProduct in the top left corner of the gallery template so the X property and the Y property both equal 4.



- i) Select IbIProductName and update its Size property of to 14.
- j) Update the **X** property of **IblProductName** to **100** and the **Y** property to **12**.
- k) Update the Width property IblProductName to 356.




You should notice that the control named **IbIProductDescription** automatically moves whenever you move **IbIProductName**. This happens because the gallery template automatically includes dynamic expressions for the **Width**, **X** and **Y** properties of the subtitle label based on the **Width**, **X** and **Y** properties of the title control lab.

- I) Select IblProductDescription and update its Size property to 12.
- m) Update the Height property of IbIProductName to 48.



n) Update the height of the item template by selecting galProducts and updating the TemplateSize property to 100.



- 7. Add a set of radio buttons that allow the user to filter products based on product category.
  - a) With the Browse Products Screen select, using the Controls menu to add a new Radio control.



- b) Rename the Radio control to radProductFilter.
- c) Set the Layout property of radProductFilter to Horizontal.



d) Set the Fill property of radProductFilter to LightGray.



e) Update the Width property of radProductFilter using the following expression.

## 'Browse Customers Screen'.Width / 2

f) Position radProductFilter all the way to the left and just below the top nav banner as shown in the following screenshot.




- g) Update the BorderColor property of radProducts to Black and the BorderThickness to 1.
- h) Update the Items property of radProducts using the following expression.

## Distinct(Products, Category)

i) Update the **Default** property of **radProducts** using the following expression.

## First(Distinct(Products, Category)).Result

j) Now radProductFilter should display three product categories and that the first category should be selected by default.



- 8. Update the Items property of galProducts to filter based on the category selected in radProductFilter.
  - a) Select galProducts and update its Items property using the following expression.

### Filter(Products, Category=radProductFilter.SelectedText.Value)

The items display in galProducts should now be filtered by the selected item in radProductFilter.

a) Update the Width property of galProducts using the following expression.

#### 'Browse Customers Screen'.Width / 2

- b) Update the BorderColor property of galProducts to Black and the BorderThickness to 1.
- c) Reposition galProducts underneath radProductFilter and expand its height to take up the remainder of the screen.




- 9. Test the Browse Products Screen to verify the product category filtering is working correctly.
  - a) Select the Browse Products Screen in the left tree view.
  - b) Click the Play button in the upper to start the app.



c) Once the Browse Product Screen has loaded, select Arts and Crafts to filter products by that category.



d) Select Remote Control to filter products by that category.



e) Once you have tested the filtering behavior, stop the app from running and return to edit mode in PowerApps Studio.

## Exercise 2: Implement Shopping Cart Collection for Ordering Products

In this exercise, you will extend the Browse Products Screen to allow the user to add products to a shopping cart.

- 1. Add an expression to the App OnStart property to load product data into a new collection named colProduct.
  - a) Select the **App** node in Tree view on the left and add the following expression to the **OnStart** property.


ClearCollect(colProducts, AddColumns(Products, "Quantity", 1))

b) Your formula bar should match the following screenshot.



The reason for adding the Quantity column to colProducts is to enable adjusting the quantity on a product-by-product basis.

c) Right-click the App node in tree view and then select the Run OnStart command to populate the colProducts collection.



You will now update **galProducts** so retrieves items from **colProducts** instead of directly from the **Products** data course.

- 2. Update the **Items** property of **galProducts** to retrieve items from **colProducts**.
  - a) Select Browse Products Screen in Tree view on the left.
  - b) On **Browse Products Screen**, select **galProducts** and inspect the **Items** property which is retrieving product items directly from the **Products** data source.

```
Filter(
Products,
Category = radProductFilter. Selected. Value
```

c) Update the expression for the Items property of galProducts by replacing Products with colProducts.

```
Filter(
    colProducts,
    Category = radProductFilter.Selected.Value
)
```

galProducts should work as before now that it is retrieving data from the colProducts collection instead of the Products data source.

- 3. Add a **Quantity** caption label control to the product item template.
  - a) Click on the pen icon of **galProducts** to edit the gallery's item template.



- b) Add a new Label control into the item template and rename it to IblQuantityCaption.
- c) Set the Text property of IblQuantityCaption to "Quantity".
- d) Set the X property of IblQuantityCaption to 472 and the Y property to 12.
- e) Set the Width property of IblQuantityCaption to 88 and the Height property to 32.
- f) Set the Fill property of IblQuantityCaption to LightGray.
- g) Set the BorderColor property of IblQuantityCaption to Black and the BorderThickness to 1.
- h) Set the Size property of IblQuantityCaption to 10.
- i) Set the Align property of IblQuantityCaption to Center.
- j) The item template of galProducts should now match the following screenshot.



- 4. Add a second label to display the quantity value for the current product.
  - a) Add a new Label control into the item template of galProducts and rename it to IblQuantity.
  - b) Set the Text property of IblQuantityCaption to ThisItem.Quantity.




- c) Set the X property of IblQuantity to 472 and the Y property to 44.
- d) Set the Width property of IblQuantityCaption to 56 and the Height property to 40.
- e) Set the Fill property of IblQuantityCaption to LightGray.
- f) Update the BorderColor property of IbIQuantityCaption to Black and the BorderThickness to 1.
- g) Update the Size property of IblQuantityCaption to 12.

- h) Update the Align property of IblQuantityCaption to Center.
- i) The item template of galProducts should now match the following screenshot.




- 5. Add an icon button to increment the quantity for the current product.
  - a) Add a new Up icon control into the item template of galProducts and rename it to icoIncrementQuantity.



- b) Set the X property of icolncrementQuantity to 528 and the Y property to 44.
- c) Set the Width property of icoIncrementQuantity to 32 and the Height property to 20.
- d) Set the Fill property of icolncrementQuantity to LightGray.
- e) Update the BorderColor property of icoIncrementQuantity to Black and the BorderThickness to 1.
- f) The item template of galProducts should now match the following screenshot.



- 6. Add an icon button to increment the quantity for the current product.
  - a) Add a new **Down** icon control into the item template of **galProducts** and rename it to **icoDecrementQuantity**.




b) Set the X property of icoDecrementQuantity to 528 and the Y property to 64.

- c) Set the Width property of icoDecrementQuantity to 32 and the Height property to 20.
- d) Set the Fill property of icoDecrementQuantity to LightGray.
- e) Update the BorderColor property of icoDecrementQuantity to Black and the BorderThickness to 1.
- f) The item template of galProducts should now match the following screenshot.



# **Batman Action Figure**

A super hero who sometimes plays the role of a dark knight.



- 7. Add a button that allows the user to add products to the shopping cart.
  - a) Add a new button control to the item template and rename it o btnAddToCart...
  - b) Set the X property of btnAddToCart to 576 and the Y property to 12.
  - c) Set the Width property of btnAddToCart to 96 and the Height property to 74.
  - d) Set the Size property of btnAddToCart to 10.
  - e) Update the BorderColor property of btnAddToCart to Black and the BorderThickness to 1.
  - f) Update the FocusedBorderThickness to 1.
  - g) Update the Fill property of btnAddToCart to LightGray and the Color property to Black.
  - h) Update the **Text** property of **btnAddToCart** to the following expression.

"ADD TO CART"


In order to add a line break into the formula bar in PowerApps Studio, hold down the SHIFT key and then press ENTER.

i) The item template should now match the following screenshot.



## **Batman Action Figure**

A super hero who sometimes plays the role of a dark knight.



- 3. Add the product list price to the product label.
  - a) Update the **Text** property of **IbIProductName** to the following expressions.

ThisItem.Product & " (" & Text(ListPrice, "\$#,##0.00") & ")"

b) The item template should now show the formatted product list price after the product name.



Add behavior to increment and decrement the Quantity for a product.

a) Add an expression to the OnSelect property of icoIncrementQuantity to increment the Quantity for the current product.

```
Patch(colProducts, galProducts.Selected, {Quantity: Quantity + 1})
```

b) Add an expression to the OnSelect property of icoDecrementQuantity to decrement the Quantity for the current product.

```
Patch(colProducts, galProducts.Selected, {Quantity: Quantity - 1})
```

c) Update the DisplayMode property of icoDecrementQuantity to disable the control unless Quantity is greater than 1.

## If(ThisItem.Quantity > 1, DisplayMode.Edit, DisplayMode.Disabled)

d) Run the application to test out your changes. You should see the decrement icon is initially disabled.




e) Click the increment button and verify that the action increments **Quantity** for the current product.



- f) Click the decrement button and verify that the action decrements Quantity for the current product.
- g) Once you are done with your testing, stop the app from running and return to the editor.
- 10. Add an expression to the OnSelect property of btnAddToCart to add an entry into a collection named
  - a) Add the following expression into the **OnSelect** property of **btnAddToCart**.


```
Collect(
   colShoppingCart,
   AddColumns(
       Table(ThisItem),
       "Total", ListPrice * Quantity
   )
)
```

b) Your screen should match the following screenshot.



11. Test out the app by adding a few items to the shopping cart.


- a) Select the **Browse Products Screen** in the left tree view and then start the app.
- b) Change the Quantity for the Batman Action Figure to 1 and then click the ADD TO CART button.



c) Update the Quantity for the Twitter Follower Action Figure to 5 and then click ADD TO CART.



d) Click the **Remote Control** category to change the filter on **galProducts**.



e) Click the ADD TO CART button to add the Flying Squirrel.



Stop the app from running and return to the PowerApps Studio editor.



12. Inspect what's inside the collection named colShoppingCart.

a) Activate the **View** tab in the ribbon and then click the **Collections** button.



b) You should now be able to see the data inside **colShoppingCart** which contains items with the properties from the **Products** table and additionally the extra two columns named **Quantity** and **Total**.



If you want, you could rewrite the expression for the **OnSelect** property of **btnAddToCart** to remove unnecessary shopping cart item properties such as **Description** and **ProductImage**. This step is not included in this lab to reduce complexity.

- 13. Add a label to display the current customer.
  - a) Add a new label to the **Browse Product Screen** and rename it to **IbiCurrentCustomer**.
  - b) Set the Size property of IblCurrentCustomer to 18.
  - c) Set the Fill property of IblCurrentCustomer to LightBlue.
  - d) Set the PaddingLeft property with IblCurrentCustomer to 10.
  - e) Set the Height property of IblCurrentCustomer to 60.
  - f) Set the **X** property of **IblCurrentCustomer** to the following formula.

#### 'Browse Products Screen'.Width / 2


g) Set the Width property of lblCurrentCustomer to the following formula.

## 'Browse Products Screen'.Width / 2

h) Set the **Text** property of **IblCurrentCustomer** to the following expression.

## "Customer: " & galCustomers.Selected.'First Name' & " " & galCustomers.Selected.'Last Name'


i) The Browse Products Screen with IblCurrentCustomer should now match the following screenshot.



- 14. Update the **Browse Customers Screen** by adding a button to select a customer and navigate to the **Browse Products Screen**.
  - a) Select the Browse Customers Screen in the left tree view.
  - b) Select **galCustomers** and then click the pen icon button to edit the item template.



c) Add a new Shopping Cart icon to the item template and rename it to icoBrowseProducts.



d) Resize and reposition icoBrowseProducts to the left of the other two icons as shown in the following screenshot.



e) Update the **OnSelect** property of **icoBrowseProducts** with the following expression.

## Navigate('Browse Products Screen', ScreenTransition.None)


f) The formula bar should match the following screenshot.



- 15. Run the app to test your changes.
  - a) With the Browse Customers Screen selected in the left tree view, start the app.
  - b) Click on the shopping cart button for a specific customers.



c) The app should navigate the **Browse Products Screen** and display the name of that customer.




d) Click the People button in the top nav bar to navigate back to the Browse Customers Screen.



e) Click the Shopping Cart button to select a different customers.



f) The app should navigate the Browse Products Screen and display the name of that customer.



You have now implemented the behavior which allows the user to select a specific customer. Next, you are going to add a new gallery to display shopping cart items on the **Browse Products Screen**. However, before creating the gallery you will first create a set of labels to serve as column headers for the data displayed in the shopping cart gallery.


- 16. Add a set of labels to create the shopping cart column headers.
  - a) Add a new Rectangle icon to Browse Products Screen and rename it to rectShoppingCartHeader.




b) Position rectShoppingCartHeader underneath IblCurrentCustomer and give it a height of 42.




- c) Add a new label named IblShoppingCartHeaderQuantity and set its Text property to No.
- d) Add a new label named IbIShoppingCartHeaderProduct and set its Text property to Product.
- e) Add a new label named IbIShoppingCartHeaderPrice and set its Text property to Price.
- f) Add a new label named IblShoppingCartHeaderQuantity and set its Text property to Total.
- g) Update the Color of all four labels to White and the Size to 13.
- h) Reposition the four labels on top of rectShoppingCartHeader as shown in the following screenshot.




i) Select the four label along with rectShoppingCartHeader in tree view and then select the Group command to group them.



j) Once you have created the new group, rename the group to **grpShoppingCartHeader**.




- 17. Add a new gallery the Browse Products Screen for displaying the shopping cart.
  - a) Using the Gallery menu on the Insert tab, add a new Vertical gallery to the Browse Products Screen.



- b) Rename the new gallery to **galShoppingCart** and reposition it just below **grpShoppingCartHeader**.
- c) Set the X property of galShoppingCart to 683.
- d) Set the Width property of galShoppingCart to 683.


e) The Browse Products Screen should match the following screenshot.




- f) With galShoppingCart selected in the left tree view, drop down the Select a data source menu in the Properties pane.
- g) Select the collection named colShoppingCart as the source for Items property of galShoppingCart.



h) After assigning colShoppingCart to the Items property, update the Layout property to Title.



i) Once you have set the Layout property, click the Edit link for the Fields property and change the field for Title2 to Quantity.



- 18. Design the item template for galShoppingCart.
  - a) Inside the item template for galShoppingCart, locate and delete the icon control named NextArrow2.



b) Rename the control named Title2 to IblCartItemQuantity.



- c) Change the Size property of IblCartItemQuantity to 16.
- d) Update the X and Y properties of IblCartItemQuantity to 0 and the Align property to Center.
- e) Update the Width property of IblCartItemQuantity to 60 and the Height property to 40.




f) Update the VerticalAlign property of IblCartItemQuantity to Middle.



g) The item template for **galShoopingCart** should match the following screenshot.



- h) Use a copy-and-paste operation to create a copy of the control named **IblCartItemQuantity**.
- i) Rename the new copy of the label control to **lblCartItemProduct**.
- j) Change the **Text** property of **IblCartItemProduct** to **ThisItem.Product** and the **Align** property to **Left.**




- k) Use another copy-and-paste operation to make another label and rename it to **lblCartItemPrice**.
- I) Update the Align property of IbICartItemPrice to Right and the Text property using the following expression.

#### Text(ThisItem.ListPrice,"\$#,##0.00")



- m) Use another copy-and-paste operation to make another label and rename it to IblCartItemTotal.
- n) Update the Align property of IbICartItemTotal to Right and the Text property using the following expression.

### Text(ThisItem.Total,"\$#,##0.00")



o) Add a new Trash icon to the galShoppingCart item template to provide a command for removing shopping cart items.



- p) Rename the icon to icoRemoveCartItem.
- q) Resize and reposition **icoRemoveCartItem** to match the following screenshot.



r) Update the **OnSelect** property of **icoRemoveCartItem** with the following expression to remove the current item.


# Remove(colShoppingCart, ThisItem)



s) Grab the bottom drag handle of the item template and move it up to reduce the **Template size** to 40.




t) The shopping cart items displayed by galShoppingCart should now match the following screenshot.



- 19. Confirm that the user can delete a shopping cart item.
  - a) With Browse Products Screen select in tree view, start up the app.
  - b) Click on the button with the trash icon for the bottom item.



c) You should be able to confirm that clicking the trash icon allows a user to remove a shopping cart item.




- d) Stop the app from running and return to the PowerApps Studio editor.
- 20. Create new label named IblShoppingCartFooter
  - a) Add a new label and rename it to IblShoppingCartFooter.
  - b) Set the **Fill** property to **Black** and the **Color** property to **White**.
  - c) Set Size property to 16 and set the Align property to Right.
  - d) Set the PaddingRight property to 20.
  - e) Update the **Text** property using the following formula.





f) Reposition IblShoppingCartFooter to match the layout shown in the following screenshot.




- 21. Add button which allows the user to empty the shopping cart.
  - a) Add a button to the screen and rename it to **btnEmptyShoppingCart**.
  - b) Update the **Text** property of **btnEmptyShoppingCart** to **Empty Shopping Cart**.
  - c) Update the **OnSelect** property of **btnEmptyShoppingCart** using the following expression.

## Clear(colShoppingCart)



d) Reposition btnEmptyShoppingCart to match the layout shown in the following screenshot.



- 22. Test the behavior of btnEmptyShoppingCart.
  - a) Start the app to display Browse Products Screen in run mode.
  - b) Add a few items to the shopping cart.
  - c) Click btnEmptyShoppingCart and verify that clicking the button clears the shopping cart by removing all items.

At this point, you have implemented behavior which allows to user to add and remove items build a shopping cart which will be used to submit an order. In the next exercise, you will create two lists in SharePoint Online to track orders and order details. In the exercise that follows, you will update the **Customer Ordering** canvas app to save order and shopping cart data into these two SharePoint lists.

## Exercise 3: Create SharePoint Lists for Orders and Order Details

In this exercise, you will create two new list in your SharePoint site named Orders and OrderDetails.

- 1. Create a new SharePoint custom list named Orders.
  - a) Navigate to the SharePoint site in which you created the Customers list for the Customer Ordering Canvas app.
  - b) Click on the gear icon and then click on Add an app



c) Click the Custom List tile to create a new custom list.




d) When prompted with the Adding Custom List dialog, add a Name of Orders and click Create.



e) Once the Orders list has been created, you should be able to locate this new list on the Site contents page.



f) On the Site contents page, drop down the context menu to the right of the Orders list and then click Settings.



g) On the **Settings** page, click the **Advanced Settings** link to navigate to the **Advanced Settings** page.



h) On the Advanced Settings page, change the Attachments setting to Disabled.



) When prompted with the warning about disabling attachments, click **OK** to continue.




- j) Scroll to the bottom of the Advanced Settings page and click OK to save your changes and return to the Settings page.
- 2. Configure the columns for the new Orders list.
  - a) In the Setting page, scroll down to the Columns section.
  - b) At this point, the **Columns** collection contains a field named **Title**.



c) Click on the Create column link to navigate to the Create Column page.



d) On the Create Column page, add a Column name of Customer and select the Lookup column type.




- e) Move down on the Create Column page and locate the Additional Column Settings section.
- f) Set Get information from to Customers and in this column to Last Name as shown in the following screenshot.




g) Move to the bottom of the Create Column page and click the OK button to create the new lookup column named Customer.



h) You should now be able to see the Customer column in the Columns collection of the Orders list.




- 3. Add a new column named OrderDate.
  - a) Click on the Create column link to navigate to the Create Column page.
  - b) On the Create Column page, add a Column name of OrderDate and select the Date and Time column type.




- c) Move to the bottom of the Create Column page and click the OK button to create the new column named OrderDate.
- 4. Add a new column named OrderAmount.
  - a) Click on the Create column link to navigate to the Create Column page.
  - b) On the Create Column page, add a Column name of OrderAmount and select the Currency column type.



- c) Move to the bottom of the Create Column page and click the OK button to create the new column named OrderDate.
- d) You should now be able to see the OrderDate and OrderAmount columns in the Columns collection of the Orders list.



- Create a new list named OrderDetails.
  - a) Click on the gear icon and then click on Add an app



b) Click the **Custom List** tile to create a new custom list.



c) When prompted with the Adding Custom List dialog, add a Name of OrderDetails and click Create.



- d) Once the OrderDetails list has been created, you should be able to locate this new list on the Site contents page.
- e) On the Site contents page, drop down the context menu to the right of the OrderDetails list and then click Settings.




- f) On the **Settings** page, click the **Advanced Settings** link to navigate to the **Advanced Settings** page.
- g) On the Advanced Settings page, change the Attachments setting to Disabled.




h) When prompted with the warning about disabling attachments, click **OK** to continue.




- i) Scroll to the bottom of the Advanced Settings page and click OK to save your changes and return to the Settings page.
- 6. Configure the columns for the new OrderDetails list.
  - a) In the Setting page, scroll down to the Columns section.
  - b) At this point, the list contains a field named Title.
  - c) Click the link for the Title column to navigate to the Edit Column page.




d) Select the No option for Require that this column contains information.



- e) Click **OK** at the bottom of the **Edit Column** page to save your changes to the **Title** column.
- f) Click on the Create column link to navigate to the Create Column page.




g) On the Create Column page, add a Column name of Order and select the Lookup column type.




- h) Move down on the Create Column page and locate the Additional Column Settings section.
- i) Set Get information from to Orders and in this column to ID as shown in the following screenshot.



- j) Move to the bottom of the Create Column page and click the OK button to create the new lookup column named Order.
- 7. Add a new column named Quantity.
  - a) Click on the Create column link to navigate to the Create Column page.
  - b) On the Create Column page, add a Column name of Quantity and select the Number column type.



- c) Move to the bottom of the Create Column page and click the OK button to create the new column named Quantity.
- 8. Add a new column named Product.
  - a) Click on the Create column link to navigate to the Create Column page.
  - b) On the Create Column page, add a Column name of Product and select the Single line of text column type.




Move to the bottom of the Create Column page and click the OK button to create the new column named Product.

- Add a new column named SalesAmount.
  - a) Click on the Create column link to navigate to the Create Column page.
  - b) On the Create Column page, add a Column name of SalesAmount and select the Currency column type.



- c) Move to the bottom of the Create Column page and click the OK button to create the new column named Product.
- d) You should now be able to see the Order, Quantity, Product and SalesAmount columns in the Columns collection.



Now that you have created the lists you need in your SharePoint site, you will return to working on the **Customer Ordering** app in PowerApps Studio to add a new screen to submit orders and save order data and shopping cart data back to SharePoint.

### **Exercise 4: Create the Submit Order Screen**

In this exercise, you will extend the **Customer Ordering** app by adding the **Submit Order Screen** and implementing the behavior to save shopping cart data into the SharePoint lists you created in the previous exercise.

- 1. Return to the **Customer Ordering** canvas app in PowerApps Studio.
- Create the Submit Order Screen.
  - a) Use the **New screen** command from the **Home** tab to add a new **Blank** screen.



b) Rename the new screen to Submit Order Screen.




- 3. Copy and paste the group named **grpTopNavBanner** from the **Welcome Screen** to the **Submit Order Screen**.
  - a) Expand the Welcome Screen in the left tree view.
  - b) Drop down the context menu for grpTopNavBanner and select Copy.




- c) Drop down the context menu for the Submit Order Screen and select Paste.
- d) Update the text on the Top Nav Banner to "Submit Order".




- 4. Copy IbICurrentCustomer from the Browse Product Screen to the Submit Order Screen.
  - a) From tree view of the left, select and copy **IblCurrentCustomer** from the **Browse Product Screen**.



b) From tree view on the left, select the **Submit Order Screen** and paste **IblCurrentCustomer** from the clipboard.




- 5. Copy the shopping cart controls from the Browse Product Screen to the Submit Order Screen.
  - a) In tree view, select grpShoppingCartHeader, galShoppingCart and lblShoppingCartFooter.
  - b) Use the **Group** command to add the selected controls into a single group.




c) Rename the new group to **grpShoppingCart**.



- Copy grpShoppingCart to the clipboard and then paste it into the Submit Order Screen.
- e) Rearrange the controls on the Submit Order Screen to match the layout of the following screenshot.



- Add a new button to the Browse Order Screen to navigate to the Submit Order Screen.
  - a) Add a new button to the Browse Products Screen and rename it to btnProceedToCheckOut.
  - b) Position btnProceedToCheckOut in the bottom right of the screen as shown in the following screenshot.




c) Update the OnSelect property of btnProceedToCheckOut with this expression to navigate to the Submit Order Screen.

## Navigate('Submit Order Screen', ScreenTransition.None)


- d) Run the app and click btnProceedToCheckOut to it allows the user to navigate to the Submit Order Screen.
- 7. Implement the behavior in the **Submit Order Screen** to save a new order records to the SharePoint list named **Orders**.
  - a) Add a new Date picker control to the Submit Order Screen.




b) Rename the **Date picker** control to **dteOrderDate** and position it just below.




- c) Add a new button to the bottom of Submit Order Screen and rename it to btnSubmitOrder.
- d) Reposition btnSubmitOrder underneath the other controls as shown in the following screenshot.




- 8. Add two new connections to the SharePoint lists named Orders and OrderDetails.
  - a) Select the View > Data sources command to display the Data pane.




b) Click the Add data source link and then select the SharePoint connector.



c) When prompted to **Connect to a SharePoint site**, add the URL to your SharePoint site and click **Connect**.



d) When prompted to Choose a list, select Orders and OrderDetails and then click Connect.



e) Your canvas app should now have connections to the Orders list and the OrderDetails list.



- 9. Add behavior to btnSubmitOrder to save order data to the SharePoint list named Orders.
  - a) Update the OnSelect property of btnSubmitOrder with the following expression.

```
ClearCollect(
    colLastOrder,
    Patch(
        Orders.
        Defaults(Orders),
            Title: "Order for " & galCustomers.Selected.'Last Name',
            OrderDate: dteOrderDate.SelectedDate,
            OrderAmount: Sum(colShoppingCart, Total),
            Customer: {
                 '@odata.type': "#Microsoft.Azure.Connectors.SharePoint.SPListExpandedReference",
                Id: galCustomers.Selected.ID,
                Value: galCustomers.Selected.'First Name' & " " & galCustomers.Selected.'Last Name'
            }
        }
    )
);
```

You can see how this expression calls the **Patch** function to save order data to the SharePoint **Orders** list. The expressions also captures the record returned by the **Patch** function and adds it into a new collection named **colLastOrder**. After a user clicks the submit button to create a new **Order** record, you can query the record stored in **colLastOrder** to determine the **ID** of the new order.

- b) Test your work by starting the app and submitting an order, Before clicking the **Submit Order** button, make sure you have selected a customer and you have also added a few items into the shopping cart.
- c) After submitting the order, navigate to the Order list in your SharePoint site and confirm a new list item has been added.



d) Return to the canvas app in PowerApps Studio.

- 10. Inspect the contents of colLastOrder to view information about the Order record which has just been added.
  - a) Select the View > Collections command to display the collections for your app.



b) Inspect colLastOrder and you should be able to see that ID that SharePoint assigned to the new Order item.



The reason you need to determine the **ID** of a new order has to do with saving shopping cart items to the **OrderDetails** list. Whenever you save an **OrderDetails** record, you must include the ID of the parent **Order** record.

- 11. Modify the OnSelect property of btnSubmitOrder to save OrderDetails records after saving the Order record.
  - a) Modify the OnSelect property of btnSubmitOrder with the following expression.

```
ClearCollect(
    colLastOrder,
    Patch(
        orders.
        Defaults(Orders),
            Title: "Order for " & galCustomers.Selected.'Last Name',
            OrderDate: dteOrderDate.SelectedDate,
            OrderAmount: Sum(
                colShoppingCart,
                Total
            ),
            Customer: {
                 '@odata.type': "#Microsoft.Azure.Connectors.SharePoint.SPListExpandedReference",
                Id: galCustomers.Selected.ID,
                Value: galCustomers.Selected.'First Name' & " " & galCustomers.Selected.'Last Name'
            }
        }
    )
ClearCollect(
  colLastOrderDetails,
  ForAll(colShoppingCart,
    Patch(
      OrderDetails,
      Defaults(OrderDetails),
        Product: Product.
        Quantity: Quantity,
        SalesAmount: Total,
        Order: {
              @odata.type': "#Microsoft.Azure.Connectors.SharePoint.SPListExpandedReference",
              Id: First(colLastOrder).ID,
              Value: First(colLastOrder).ID
        }
      }
    )
 )
);
```

b) Test your work by starting the app and submitting an order.

c) After submitting the order, navigate to the **Order** list in your SharePoint site and confirm a new list item has been added.



d) After verifying the Order has been created, navigate to the OrderDetails list and confirm list items have been added there.



- 12. Inspect the contents of colLastOrderDetails to view information about the Order record which has just been added.
  - a) Select the View > Collections command to display the collections for your app.
  - b) Inspect the contents of colLastOrderDetails and confirm it contains the data for the new OrderDetails records in SharePoint.



# Exercise 5: Create the Order Confirmation Screen (If you have time)

This final exercise will involve you extending the **Customer Ordering** app by adding the **Order Confirmation Screen** on which you will display shopping cart data from **colLastOrder** and **colLastOrderDetails**. This is an extra credit exercise that will be different from the earlier exercises because it will not include step-by-step instructions. Instead you will only be provided with high-level instructions for creating galleries to display the order data that has been saved to the **Orders** list and the **OrderDetails** list.

- 1. Create the Order Confirmation Screen.
  - a) Create a new Blank screen and rename it to Submit Order Screen.
  - b) Copy grpTopNavBanner from Welcome Screen and paste it to Order Confirmation Screen.



- 2. Create two new galleries on the Order Confirmation Screen to display the data that has been written to SharePoint.
  - a) Create two new Vertical galleries and rename then to galLastOrder and galLastOrderDetails.



- b) Build the item template for galLastOrder to display the record that's been added to the collection named colLastOrder.
- c) Build the item template for galLastOrderDetails to display the records in the collection named colLastOrderDetails.
- 3. Update btnSubmitOrder to navigate from Submit Order Screen to Order Confirmation Screen after saving to SharePoint.
  - a) Update the **OnSelect** property of **btnSubmitOrder** by adding a 3<sup>rd</sup> expression to navigate to the **Order Confirmation Screen**.

Navigate('Order Confirmation Screen', ScreenTransition.None)

When you modify the **OnSelect** property of **btnSubmitOrder**, make sure to leave the two expressions you added earlier which save the order data back to SharePoint. You should leave what's there and add a third expression to navigate to the **Order Confirmation Screen**. The behavior of the button should now navigate to the **Order Confirmation Screen** after saving data to SharePoint.

b) Test your work by starting the app and submitting a new order.



c) The **Order Confirmation Screen** should display all the data that has been written to SharePoint along with the Order ID that was created by SharePoint when the order was created.

You have now reach the end of this lab.