

# Extracting Data using Function Queries

**Lab Time:** 45-60 minutes


**Lab Folder:** C:\Student\Modules\02\_Queries\Lab\

**Lab Overview:** In this lab you will begin by designing a query to extract expense data from an unstructured text file in a SharePoint Online document library. You will then convert your query into a function query to extract data from multiple files into a single table.

## Exercise 1: Build a Query to Extract Data from an Unstructured Text File


In the following exercise, you will use the **Query Editor** window to design an advanced query using a query function.

1. Navigate to the SharePoint team site at the root of your SharePoint tenancy.
  - a) The SharePoint site should have a URL in the form of **https://[Your tenant name].sharepoint.com**.




You can use any SharePoint Online team site for this exercise as long as you have permissions in the site to create new lists.


2. Create a new document library named **Data** to store the files with expense data.
  - a) Drop down the Site Actions menu and select **Add an app**.



- b) Select **Document Library** as the type of list to create.



- c) In the **Adding Document Library** dialog, add a **Name** of **Data** and click **Create**.




Adding Document Library

Pick a name  
You can add this app multiple times to your site. Give it a unique name.

Name:


[Advanced Options](#) Create Cancel

- d) Once the **Data** document library has been created, navigate to its default view.



	Name	Type	Items	Modified
	Data	Document library	0	2/3/2018 8:02 AM
	Documents	Document library	2	2/3/2018 7:54 AM
	Form Templates	Document library	0	2/3/2018 5:15 AM

- e) You should now be at the default view for the **Data** document library.




3. Upload data files to the **Data** document library.

- a) Using Windows Explorer, examine the data files into the follow folder.

**C:\Student\Modules\02\_Queries\Lab\Data**

- b) You should see the following four files as shown in the following screenshot.



Name	Date modified	Type
Expenses-2017-Q1.txt	2/3/2018 9:54 AM	Text Document
Expenses-2017-Q2.txt	2/3/2018 9:53 AM	Text Document
Expenses-2017-Q3.txt	2/3/2018 9:56 AM	Text Document
Expenses-2017-Q4.txt	2/3/2018 9:55 AM	Text Document

- c) Double-click on the file named **Expenses-2017-Q1.txt**. to open it in Windows Notepad and inspect its contents.

Wingtip Expenses from General Ledger for 2017 Q1 Generated April 1, 2017			
Expenses for January 2017			
2017-01-01	\$923.00	Operations	Verizon - Telephone and Internet
2017-01-04	\$338.00	Operations	Electricity Bill
2017-01-10	\$1200.00	Operations	Cleaning Service
2017-01-10	\$300.00	Marketing	TV Advertisements - West Coast
2017-01-15	\$126.00	Operations	Water and City Utilities
2017-01-15	\$428.32	Marketing	Google Ad Words
2017-01-15	\$68.45	Office Supplies	Pencils & Paper clips
2017-01-15	\$420.00	Research & Development	Azure HDInsight Subscription
2017-01-21	\$400.00	Marketing	TV Advertisements - East Coast


As you can see, this file is an unstructured text file with fixed-width lines which contain expense data. The other three files in the Data folder have expense data for different time periods, but the format of their contents is the same.

- d) Upload the following three files to the **Data** document library.

- i) **Expenses-2017-Q1.txt**
- ii) **Expenses-2017-Q2.txt**
- iii) **Expenses-2017-Q3.txt**


Note that you should NOT upload the fourth file named **Expenses-2017-Q4.txt**. You will upload the last file later in this lab.

- e) You should be able to verify that those three files have been upload to the **Data** document library.




4. Create a new Power BI Desktop project named **Wingtip Expenses.pbix**.

- a) Launch Power BI Desktop.
- b) Begin by saving the new project and give it a name of **Wingtip Expenses.pbix**.



5. Create a new query to import data from the file in the **Data** document library named **Expenses-2017-Q1.txt**.
- a) Drop down the **Get Data** menu and select the **Web** command.




- b) In the **From Web** dialog, add the path to the file named **Expenses-2017-Q1.txt**. The path should include the base URL of your SharePoint site along with the relative file path which is **/Data/Expenses-2017-Q1.txt**.
- c) Your path should look something like the following URL

`https://cpt0205.sharepoint.com/Data/Expenses-2017-Q1.txt`


- d) Once you have added the file path to the **From Web** dialog, click **OK**.




- e) If you are prompted to login with the **Access Web content** dialog, select **Organizational account** and click **Sign in**.




- f) Once you have signed in on the **Access Web content** dialog, click the **Connect** button



- g) You should now be prompted with the dialog shown in the following screenshot.




- h) Set the **Delimiter** dropdown menu option to **--Fixed Width--**.



- i) In the textbox under the **Delimiter** dropdown menu, add the following column positions.

**0,12,24,48**


- j) Make sure your fixed-width column positions match the following screenshot.




- k) At this point, you should be able to see data in some of the rows conforming to the fixed-width column scheme.

File Origin		Delimiter	
1252: Western European (Windows)		--Fixed Width--	
		0,12,24,48	
Column1	Column2	Column3	Column4
	Wingtip	Expenses from General L	edger for 2017 Q1
		Generated April 1, 201	7
Expenses for	January 201	7	
2017-01-01	\$923.00	Operations	Verizon - Telephone and Internet
2017-01-04	\$338.00	Operations	Electricity Bill
2017-01-10	\$1200.00	Operations	Cleaning Service
2017-01-10	\$300.00	Marketing	TV Advertisements - West Coast
2017-01-15	\$126.00	Operations	Water and City Utilities


- l) Click the **Edit** button at the bottom right of the dialog to open the new query in the Query Editor window.




- m) Your new query should appear in the Query Editor window.




- n) In the **QUERY SETTING** pane in the upper right, modify the name of the query to **Expenses**.



- o) Update the 4 column names in the query to **Date**, **Amount**, **Category** and **Description** as shown in the following screenshot.




- p) Use the Data type dropdown menu at the top left of the **Date** column to change its type to **Date**.




- q) You should observe that rows that contain valid data are able to convert their **Date** column values to actual dates while the rows that do not contain valid data show either errors or null values in the **Date** column.

	Date	Amount	Category
1	null	Wingtip	Expenses from General L
2	null		Generated April 1, 201
3	null		
4	Error	January 201	7
5	Error	-----	-----
6	1/1/2017	\$923.00	Operations
7	1/4/2017	\$338.00	Operations
8	1/10/2017	\$1200.00	Operations
9	1/10/2017	\$300.00	Marketing

- r) Right-click on the **Date** column header and select the **Remove Errors** command.



- s) Click the dropdown menu on the right-side of the **Date** column and select the **Remove Empty** command.



- t) The query output should now only contain rows with a valid date value in the **Date** column.

	Date	Amount	Category	Description
1	1/1/2017	\$923.00	Operations	Verizon - Telephone and Internet
2	1/4/2017	\$338.00	Operations	Electricity Bill
3	1/10/2017	\$1200.00	Operations	Cleaning Service
4	1/10/2017	\$300.00	Marketing	TV Advertisements - West Coast
5	1/15/2017	\$126.00	Operations	Water and City Utilities
6	1/15/2017	\$428.32	Marketing	Google Ad Words
7	1/15/2017	\$68.45	Office Supplies	Pencils & Paper clips
8	1/15/2017	\$420.00	Research & Development	Azure HDInsight Subscription
9	1/21/2017	\$400.00	Marketing	TV Advertisements - East Coast

- u) Modify the data type of the **Amount** column to be **Fixed decimal number**.

	Date	Amount	Category
1	1/1/2017	1.2	Decimal Number
2	1/4/2017	\$	Fixed decimal number
3	1/10/2017	123	Whole Number
4	1/10/2017	%	Percentage
5	1/15/2017		Date/Time
6	1/15/2017		Date

- v) The data type for the **Amount** column should now show a dollar sign to indicate its type is Fixed decimal number.

	Date	\$ Amount	Category	Description
1	1/1/2017	923	Operations	Verizon - Telephone and Internet
2	1/4/2017	338	Operations	Electricity Bill
3	1/10/2017	1200	Operations	Cleaning Service
4	1/10/2017	300	Marketing	TV Advertisements - West Coast
5	1/15/2017	126	Operations	Water and City Utilities
6	1/15/2017	428.32	Marketing	Google Ad Words

- w) Right click on the **Category** column header and select the **Transform > Trim** command.

Category	Description
Operations	
Operations	
Operations	
Marketing	
Operations	
Marketing	
Office Supplies	
Research & Development	
Marketing	
Office Supplies	
Office Supplies	
Office Supplies	
Operations	

Copy

Remove

Remove Other Columns

Duplicate Column

Add Column From Examples...

Remove Duplicates

Remove Errors

Change Type

Transform

Replace Values...

Replace Errors...

Split Column

Group By

lowercase

UPPERCASE

Capitalize Each Word

Trim

Clean

QUERY SETTINGS

PROPERTIES

Name

Expenses

All Properties

APPLIED STEPS


Source



- x) Right click on the **Description** column header and select the **Transform > Trim** command.
- y) The **Category** and the **Description** columns should no longer have any extra whitespace.


	Date	\$ Amount	A <sup>B</sup> <sub>C</sub> Category	A <sup>B</sup> <sub>C</sub> Description
1	1/1/2017	923	Operations	Verizon - Telephone and Internet
2	1/4/2017	338	Operations	Electricity Bill
3	1/10/2017	1200	Operations	Cleaning Service
4	1/10/2017	300	Marketing	TV Advertisements - West Coast
5	1/15/2017	126	Operations	Water and City Utilities
6	1/15/2017	428.32	Marketing	Google Ad Words

- z) You are done designing this query. Click the **Close and Apply** button to run the query and close the Query Editor window.



This would be a good time to save the work you have completed so far.


- 6. Save your work in the Wingtip Expenses project by clicking the **Save** icon in the upper left of the Power BI Desktop window.




- 7. Create a report to display expense data.
  - a) In the Power BI Desktop application window, navigate to report design view.




- b) Add a new **Clustered column chart** visual.




- c) Using the mouse, reposition the column chart visual so it takes up the entire page in the report.




- d) Click on the checkbox for the **Date** column in the **FIELDS** list on the right. When you do this, you should see that a date hierarchy is automatically added to the **Axis** well.




- e) Remove **Year**, **Quarter** and **Day** from the date hierarchy so that only **Month** remains as shown in the following screenshot.




- f) Add the **Category** field to the **Legend** well and add the **Amount** field to the **Value** well.




g) Your report should now match the following screenshot.



h) Modify the **Position** property in the **Legend** section of the **Format** pane so that column chart displays its legend on the right.




i) In the lower left corner of the report page, update the page title to **Expenses**.



Now that you have created the query and the report, you should be able to refresh the data at any time. In the next step, you will test this by refreshing the report. Note that nothing will change because the data will remain the same. However, the key point is that refreshing the report will import the most recent data into your project without having to make any updates to your query or report.

8. Refresh the data in the Wingtip Expenses project.
  - a) Click on the **Refresh** button in the **Home** tab of the ribbon.



- b) Wait while Power BI Desktop imports the current expenses data.




9. Save your work clicking the **Save** icon in the upper, left-hand side of the Power BI Desktop application window.


## Exercise 2: Designing a Function Query to Extract Data from Multiple Files

In the following exercise, you will continue to work on the Power BI Desktop project named **Wingtip Expenses.pbix** to design a function query to implement an advanced query design where the data from multiple files can be imported into a single table.


1. Convert the **Expenses** query into a function query.
  - a) In the Power BI Desktop application window, click the **Edit Queries** button to navigate to the Query Editor window.




- b) At this point, your project should contain a single query named **Expenses**.




- c) Rename the query from **Expenses** to **GetExpensesFromFile**.




- d) Click the **Advanced Editor** button from the **View** tab to display the **Advanced Editor** dialog.



- e) You should see an editable view of the M code from the **GetExpensesFromFile** query in the Advanced Editor window.



- f) You should also be able to see a function call to **Web.Contents** with a path to the file named **Expenses-2017-Q1.txt**.




- g) Place your cursor at the very beginning of the M code in front of the **let** statement.  
h) Add the following M code to the top of the query.

(FilePath as text) =>

The way that you convert a query into a function query is by adding parentheses and the arrow operator. In this scenario, you are defining your query function to accept a single text parameter named **FilePath**.

- i) At this point, your Advanced Editor dialog should match the following screenshot.




- j) Move down in the M code to the line which assign a value to **Source**.  
k) Update the call to **Web.Contents** to replace the hard-coded file path to the parameter named **FilePath**.

```
Source = Csv.Document(Web.Contents(FilePath), 4, {0,12,24,48}, null, 1252),
```

- l) Your Advanced Editor dialog should match the following screenshot.




- m) Click the **Done** button in the Advanced Editor dialog to close it and save the changes to your M code.  
n) Note that the Query Editor window now displays the **GetExpensesFromFile** query differently.




Once you convert a query into a function query, you can no longer edit it in the standard fashion. Instead, you must make any additional changes to this query by modifying its M code in the Advanced Editor window. This should not be a problem in this scenario because you did all the work to design the query logic before you converted it into a function query.

- o) If you inspect the query in the **Queries** list on the left, you can see it now has an **fx** icon indicating the query returns a function.




- p) Save your work clicking the **Save** icon in the upper, left-hand side of the Query Editor window.


2. Create a new query named **Expenses** to call the **GetExpensesFromFile** function query.
  - a) Drop down the **New Source** menu and select **More...**



- b) When the **Get Data** dialog appears, place your cursor in the search textbox.



- c) Type in "share" to see the available SharePoint datasources.
  - d) Select the **SharePoint folder** datasource.



- e) Click the **Connect** button at the bottom right of the **Get Data** dialog.
  - f) When prompted by the **SharePoint folder** dialog, enter the base URL to your SharePoint site and click **OK**.



It's a bit counter-intuitive with the **SharePoint folder** datasource. But, yes you pass the base URL to the site not the path to the library.

- g) You should now see a dialog with a list of files from all document libraries in the site.

https://cpt0205.sharepoint.com

Content	Name	Extension	Date accessed	Date modified	Date created	Attributes	Folder Path
Binary	Expenses-2017-Q2.txt	.txt	null	2/3/2018 8:09 AM	2/3/2018 8:09 AM	Record	https://cpt0205.sharepoint.com/Data/
Binary	Expenses-2017-Q1.txt	.txt	null	2/3/2018 8:09 AM	2/3/2018 8:09 AM	Record	https://cpt0205.sharepoint.com/Data/
Binary	Expenses-2017-Q3.txt	.txt	null	2/3/2018 8:09 AM	2/3/2018 8:09 AM	Record	https://cpt0205.sharepoint.com/Data/
Binary	LibertyPowerBISetup.docx	.docx	null	2/3/2018 7:54 AM	2/3/2018 7:54 AM	Record	https://cpt0205.sharepoint.com/Shared Documents/
Binary	RealtimeDashboards.pptx	.pptx	null	2/3/2018 7:54 AM	2/3/2018 7:54 AM	Record	https://cpt0205.sharepoint.com/Shared Documents/

Combine & Edit Cancel

- h) Click the **Edit** button to open the new query in the Query Editor window.



- i) When the Query Editor window opens, should see a query named **Query1** as shown in the following screenshot.

Queries [2]

- GetExpensesFromFile
- Query1

	Content	Name	Extension	Date accessed	Date modified
1	Binary	Expenses-2017-Q2.txt	.txt	null	2/3/2018 8:09 AM
2	Binary	Expenses-2017-Q1.txt	.txt	null	2/3/2018 8:09 AM
3	Binary	Expenses-2017-Q3.txt	.txt	null	2/3/2018 8:09 AM
4	Binary	LibertyPowerBISetup.docx	.docx	null	2/3/2018 7:54 AM
5	Binary	RealtimeDashboards.pptx	.pptx	null	2/3/2018 7:54 AM

QUERY SETTINGS

**PROPERTIES**

Name: Query1

[All Properties](#)

**APPLIED STEPS**

Source

- j) Rename the query from **Query1** to **Expenses**.

Queries [2]

- GetExpensesFromFile
- Expenses

	Content	Name	Extension	Date accessed	Date modified
1	Binary	Expenses-2017-Q2.txt	.txt	null	2/3/2018 8:09 AM
2	Binary	Expenses-2017-Q1.txt	.txt	null	2/3/2018 8:09 AM
3	Binary	Expenses-2017-Q3.txt	.txt	null	2/3/2018 8:09 AM
4	Binary	LibertyPowerBISetup.docx	.docx	null	2/3/2018 7:54 AM
5	Binary	RealtimeDashboards.pptx	.pptx	null	2/3/2018 7:54 AM

QUERY SETTINGS

**PROPERTIES**

Name: Expenses

[All Properties](#)

**APPLIED STEPS**

Source

- k) Click the **Choose Columns** button in the **Home** tab of the Query Editor window.

Wingtip Expenses - Query Editor


File Home Transform Add Column View Help

Close & Apply New Source Recent Enter Data Data source settings Manage Parameters Refresh Preview Properties Advanced Editor Choose Columns Remove Columns Keep Rows Remove Rows

Close New Query Data Sources Parameters Query Manage Columns Reduce Rows




- l) Unselect all columns and then select just the **Name** column and the **Folder Path** column then click **OK**.



- m) At this point, your query output should match the following screenshot.

	<b>Name</b>	<b>Folder Path</b>
1	Expenses-2017-Q2.txt	https://cpt0205.sharepoint.com/Data/
2	Expenses-2017-Q1.txt	https://cpt0205.sharepoint.com/Data/
3	Expenses-2017-Q3.txt	https://cpt0205.sharepoint.com/Data/
4	LibertyPowerBISetup.docx	https://cpt0205.sharepoint.com/Shared Documents/
5	RealtimeDashboards.pptx	https://cpt0205.sharepoint.com/Shared Documents/

- n) Using the dropdown menu on the right side of the **Folder Path** column, select just the folder path that ends with **/Data/**.




- o) Now your query results should only display the three data files from the **Data** document library.

	<b>Name</b>	<b>Folder Path</b>
1	Expenses-2017-Q2.txt	https://cpt0205.sharepoint.com/Data/
2	Expenses-2017-Q1.txt	https://cpt0205.sharepoint.com/Data/
3	Expenses-2017-Q3.txt	https://cpt0205.sharepoint.com/Data/


Over the next few steps you will combine the two columns into a single column named **FilePath** by adding a **Merge Column** step. Note that you must select the column on the right first and then the column on the left second to merge the columns correctly.

3. Add a **Merge Columns** step to create a new column named **FilePath**.
  - a) Using the mouse, select the **Folder Path** column by clicking its column header.




	<b>Name</b>	<b>Folder Path</b>
1	Expenses-2017-Q2.txt	https://cpt0205.sharepoint.com/Data/
2	Expenses-2017-Q1.txt	https://cpt0205.sharepoint.com/Data/
3	Expenses-2017-Q3.txt	https://cpt0205.sharepoint.com/Data/

- b) With the **Folder Path** column selected, hold down the **Ctrl** key and click the **Name** column so both columns are selected.




	<b>Name</b>	<b>Folder Path</b>
1	Expenses-2017-Q2.txt	https://cpt0205.sharepoint.com/Data/
2	Expenses-2017-Q1.txt	https://cpt0205.sharepoint.com/Data/
3	Expenses-2017-Q3.txt	https://cpt0205.sharepoint.com/Data/

- c) Right-click the **Folder Path** column header and select the **Merge Columns** command.



- d) In the **Merge Columns** dialog...
    - i) Leave the **Separator** set to **--None--**.
    - ii) Add a **New column name** of **FilePath**.
    - iii) Click **OK**.



Merge Columns


Choose how to merge the selected columns.

Separator  
--None--

New column name (optional)  
FilePath


OK Cancel

- e) The query results should now show a single column named **FilePath** as shown in the following screenshot.




	FilePath
1	https://cpt0205.sharepoint.com/Data/Expenses-2017-Q2.txt
2	https://cpt0205.sharepoint.com/Data/Expenses-2017-Q1.txt
3	https://cpt0205.sharepoint.com/Data/Expenses-2017-Q3.txt


4. Modify the **Expenses** query to call the function query named **GetExpensesFromFile**.
- In the Query Editor window, make sure the **Expenses** query is the selected in the **Queries** list on the left.
  - Navigate to the **Add Columns** tab.
  - Click the **Invoke Custom Function** button in the ribbon.




- d) In the **Invoke Custom Function** dialog...
- Add a **New column name** of **Expenses**.
  - Drop down the **Function query** menu and select **GetExpensesFromFile**.
  - Use the dropdown menu under the **FilePath** parameter and select **Column Name**.



- iv) Use the dropdown to configure the **FilePath** parameter with the **FilePath** column and then click **OK**.




- e) You should see a new column named **Expenses** whose values contains **Table** objects as shown in the following screenshot.



FilePath	Expenses
https://cpt0205.sharepoint.com/Data/Expenses-2017-Q2.txt	Table
https://cpt0205.sharepoint.com/Data/Expenses-2017-Q1.txt	Table
https://cpt0205.sharepoint.com/Data/Expenses-2017-Q3.txt	Table


- f) Remove the column named **FilePath** from the query so the query results only show the new column named **Expenses**.



5. Expand the **Table** objects in the **Expenses** column into rows.
- a) Click the **Expand** button on the right side of the **Expenses** column header.



- b) Select the columns named **Date**, **Amount**, **Category** and **Description**.
- c) Make sure the **Use original column name as prefix** checkbox is not selected.
- d) Click **OK** to expand the rows for each **Table** object.



- e) Your query should now return a separate row for each expense.


	ABC 123	Date	ABC 123	Amount	ABC 123	Category	ABC 123	Description
1		4/2/2017		925		Operations		Verizon - Telephone and Internet
2		4/3/2017		142		Office Supplies		Postage Stamps
3		4/5/2017		294		Operations		Electricity Bill
4		4/5/2017		120.25		Office Supplies		Coffee Supplies
5		4/13/2017		1200		Operations		Cleaning Service
6		4/15/2017		126		Operations		Water and City Utilities

You will notice the datatype for the columns in the table are not set to the correct types. Your next task is to fix that.

6. Update the datatypes for the columns in the **Expenses** query.
  - a) Update the datatype of the **Date** column to **Date**.
  - b) Update the datatype of the **Amount** column to **Fixed Decimal number**.
  - c) Update the datatype of the **Category** column to **Text**.
  - d) Update the datatype of the **Description** column to **Text**.


	Date	\$	Amount	ABC	Category	ABC	Description
1	4/2/2017		925		Operations		Verizon - Telephone and Internet
2	4/3/2017		142		Office Supplies		Postage Stamps
3	4/5/2017		294		Operations		Electricity Bill
4	4/5/2017		120.25		Office Supplies		Coffee Supplies
5	4/13/2017		1200		Operations		Cleaning Service
6	4/15/2017		126		Operations		Water and City Utilities

7. Test out the query to make sure it works properly.
  - a) Click the **Close and Apply** button in the ribbon to close the Query Editor window and to execute the **Expenses** query.




When the **Expenses** query executes, it should call the **GetExpensesFromFile** passing the name of each of the three data files you uploaded to the **Data** document library in SharePoint Online. The query should also append the rows of data from each of these three data files into a single table named **Expenses**. The report with the clustered column chart should still display correctly, but now it should show data combined from three different files to include expenses for **Q1**, **Q2** and **Q3**.


8. Inspect the **Expenses** page of the report you created in the previous exercise.
  - a) The clustered column chart should now show data from January through September.



9. Add another data file to the **Data** document library in SharePoint Online.
  - a) Using the browser, return to the **Data** document library in your SharePoint site.
  - b) Upload the one remaining file named **Expenses-2017-Q4.txt**.




10. Refresh the data in the Power BI Desktop project named **Wingtip expenses.pbix**.
  - a) Return to the **Wingtip expenses.pbix** project in Power BI Desktop.
  - b) Click the **Refresh** button on the **Home** tab to re-execute the **Expenses** query.



- c) When the **Expenses** query runs, the **Refresh** dialog indicates that it is also executing **GetExpensesFromFile**.



- d) Once the query has completed, you should see that the column chart now displays data through December.



11. Save your work clicking the **Save** icon in the upper, left-hand side of the Power BI Desktop application window.

Congratulations. You have now designed a complex query using a function query. Keep in mind that you will be continuing to work on the Power BI Desktop project named **Wingtip Expenses.pbix** in the next lab on data modeling.