

# IskUber

## Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo  
Faculty Member  
Department of Computer Science  
College of Engineering  
University of the Philippines, Diliman

Submitted by:

Bilaw, Nicole  
del Rosario, Luis Gabriel  
Tamayo, Juan Gabriel

In partial fulfillment of academic requirements  
for the course  
CS 191 Software Engineering I  
of the  
1<sup>st</sup> Semester, AY 2017-2018

**Unique Reference:**

The documents are stored in the IskUber GitHub Repository Link.

<https://github.com/CrumbleThorn/IskUber>

**Document Purpose:**

This document serves as the official Use Case Specification document for IskUber. This document expounds on the internal details of the use case.

**Target Audience:**

This document is targeted towards software engineers who wish to learn about the specific flow of events for each use case of the system.

**Revision Control***History Revision:*

<b>Revision Date</b>	<b>Person Responsible</b>	<b>Version Number</b>	<b>Modification</b>
10/08/17	Luis Gabriel Q. del Rosario	1.0	Initial Document.
10/11/17	(name)	1.1	Filled out empty fields and tables, and added the Activity Diagram; Version number should match the one found in the footer.

**Use-Case Name:** 6.0 Manage User Requests

**Description:** Users may send passenger requests to drivers. Once a desired driver is found, the user may send the driver a request.

**Preconditions:** The user must have created an account (Use Case 4.1) to view his passenger requests.

**Flow of Events:**

<b>Scenario Name</b>	<b>Description</b>
Scenario 1 (Basic Flow) User views their outstanding passenger requests.	1. Current requests made by the user is displayed.
Scenario 2 User views their outstanding passenger requests, and views the details of the driver they sent a request to.	1. Current requests made by the user is displayed. 2. User clicks the driver's name in one of the requests. 3. Driver details are displayed.
Scenario 3 User views their outstanding passenger requests, and cancels a request.	1. Current requests made by the user is displayed. 2. User cancels a chosen request.

*Activity Diagram of the Flow of Events:*




Figure 1. Activity Diagram for Use Case 6.0.

*Postcondition:* NONE

*Relationships:* NONE

*Special Requirements:*  
NONE