

international crypto services agency

Audit for

Shibbeans



Audit Details

Prepared for: Shibbeans Token

Blockchain: Bean Eco Smart Chain (BESC)

Project website: shibbeans.online

Authors: ICSA Audit team

Date: 26/04/2023

Disclaimer

ICSA audits and reports should not be considered as a form of project's "advertisement" and does not cover any interaction and assessment from "project's contract" to "external contracts" such as Pancakeswap or similar.

external contracts" such as Pancakeswap or similar.

ICSA does not provide any warranty on its released reports.

ICSA should not be used as a decision to invest into an audited project please do

your own research. ICSA provides transparent reports to all its "clients" and to its clients participants" and will not claim any guarantee of bug-free code within its SMART CONTRACT.

ICSA presence is to analyze, audit and assess the client's smart contract's code.

Each company or project shall be liable for its own security flaws and functionalities.

Scope of Work & Background

The main scope of this report/audit, is to document an accurate assessment of the condition of the smart contract and whether it has any security flaws in the implementation of the contract.

Shipbeans team agreed and provided us with the files that needed to be tested (Through Github, Bscscan, files, etc.). ICSA will be focusing on contract issues and functionalities along with the projects claims from smart contract to their website, whitepaper

and repository where available, which has been provided by the project.

Code is reviewed manually and with the use of software using industry best practices.

Background

ICSA was commissioned by The Shibbeans Token to perform an audit of smart contract:

• Contract Address <u>0x33D7B3331c3140f67e8ABF97D0a9B79e28842f74</u>

- The purpose of the audit was to achieve the following:
- Ensure that the smart contract functions as intended.
 Identify potential security issues with the smart contract.

The information in this report should be used to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

Token Description from Dev's

ShibBeans \$ShibB is a cryptocurrency on the Bean Eco Smart Chain (BESC) that rewards its Holders with \$BESC Tokens.


Social Media Links

Telegram: shibbeans

Twitter: shibbeans

Facebook: N/A

Discord: N/A



Shibbeans LP token holder

N/V

Contract write functions details

Owner privileges:

Ownership has not been renounced, The owner has privileges, and has authority to make any changes now.

Current Fees; • Buy: 6% • Sell: 6% • Owner can change fees above 25% (25% is ICSA's recommended maximum).

| | rite Functions of Contract that can be adjusted after the | |
|-------|---|--|
| contr | act is deployed. | |
| 1. | approve | |
| 2. | claim | |
| 3. | decreaseAllowance | |
| 4. | excludeFromDividends | |
| 5. | excludeFromFees | |
| 6. | exclude Multiple Accounts From Fees | |
| 7. | includeToWhiteList | |
| 8. | increaseAllowance | |
| 9. | openTrade | |
| 10. | processDividendTracker | |
| 11. | renouseOwnership | |
| 12. | setAutomatedMarketMakerPair | |
| 13. | setExcludeFromAll | |
| 14. | setExcludeFromMaxTx | |
| 15. | setExtraFeeOnSell | |
| 16. | setFee | |
| 17. | setMarketingWallet | |
| 18. | setMaxSelltx | |
| 19. | setMaxWalletToken | |
| 20. | setSwapToensAtAmount | |
| 21. | setSafeManager | |
| 22. | setSwapAndLiquifyEnabled | |
| 23. | transfer | |
| 24. | transferFrom | |
| 25. | transferOwnership | |
| 26. | updateClaimWallet | |
| 27. | updateGasForProcessing | |
| 28. | updateUniswapV2Router | |
| 29. | withdraw | |
| 30. | withdrawBNB | |
| 31. | receive | |

SWC Registry: Smart Contract Weakness/Vulnerabilities

| <u>SWC-136</u> | Unencrypted Private Data On-Chain | PASSED |
|----------------|--|--------|
| <u>SWC-135</u> | Code With No Effects | PASSED |
| <u>SWC-134</u> | Message call with hardcoded gas amount | PASSED |
| <u>SWC-133</u> | Hash Collisions with Multiple Variable Length Arguments | PASSED |
| <u>SWC-132</u> | Unexpected Ether balance | PASSED |
| <u>SWC-131</u> | Presence of unused variables | PASSED |
| <u>SWC-130</u> | Right-To-Left-Override control character (U+202E) | PASSED |
| <u>SWC-129</u> | Typographical Error | PASSED |

| <u>SWC-128</u> | DoS With Block Gas Limit | PASSED |
|----------------|---|--------|
| <u>SWC-127</u> | Arbitrary Jump with Function Type Variable | PASSED |
| <u>SWC-126</u> | Insufficient Gas Griefing | PASSED |
| <u>SWC-125</u> | Incorrect Inheritance Order | PASSED |
| <u>SWC-124</u> | Write to Arbitrary Storage Location | PASSED |
| <u>SWC-123</u> | Requirement Violation | PASSED |
| <u>SWC-122</u> | Lack of Proper Signature Verification | PASSED |
| <u>SWC-119</u> | Shadowing State Variables | PASSED |
| | | |

| <u>SWC-118</u> | Incorrect Constructor Name | PASSED | |
|-----------------|--|-----------|--|
| <u>SWC-120</u> | Weak Sources of Randomness from Chain Attributes | PASSED | |
| <u>SWC-117</u> | Signature Malleability | PASSED | |
| <u>SWC-116</u> | Block values as a proxy for time | PASSED | |
| <u>SWC-115</u> | Authorization through tx.origin | LOW ISSUE | |
| <u>SWC-114</u> | Transaction Order Dependence | PASSED | |
| <u>SWC-121</u> | Missing Protection against Signature Replay Attacks | PASSED | |
| <u>\$WC-113</u> | DoS with Failed Call | PASSED | |
| | | | |

| Delegatecall to Untrusted Callee | PASSED | |
|---|--|--|
| Use of Deprecated Solidity Functions | PASSED | |
| Assert Violation | PASSED | |
| Uninitialized Storage Pointer | PASSED | |
| State Variable Default Visibility | LOW ISSUE | |
| Reentrancy | PASSED | |
| Unprotected SELFDESTRUCT Instruction | PASSED | |
| Unprotected Ether Withdrawal | PASSED | |
| | Use of Deprecated Solidity Functions Assert Violation Uninitialized Storage Pointer State Variable Default Visibility Reentrancy Unprotected SELFDESTRUCT Instruction | Use of Deprecated Solidity Functions Assert Violation PASSED Uninitialized Storage Pointer State Variable Default Visibility Reentrancy PASSED Unprotected SELFDESTRUCT Instruction PASSED PASSED |

| <u>SWC-104</u> | Unchecked Call Return Value PASSED | |
|----------------|------------------------------------|-----------|
| <u>SWC-103</u> | Floating Pragma | LOW ISSUE |
| <u>SWC-102</u> | Outdated Compiler Version | PASSED |
| <u>SWC-101</u> | Integer Overflow and Underflow | PASSED |

M MythX passing

Issue Checking

Manual code review is satisfactory.

CLOSING NOTES

Whilst there are limitless ownable callable functions that have the potential to be dangerous, they are not overtly so. Trust in the team would mitigate many of these risks. Please make sure you do your own research. If in doubt please contact the project team.

Always make sure to always inspect all values and variables.

This includes, but is not limited to: • Ownership • Proper Ownership Renouncement (if any) • Taxes • Transaction/Wallet Limits • Token Distributions • Timelocks • Liquidity Locks • Any other owner-adjustable settings or variables.

OVERALL ASSESSMENT SATISFACTORY