

Bootstrap 4 Tutorial

BS4 HOME

BS4 Get Started

BS4 Containers

BS4 Grid Basic

BS4 Typography

BS4 Colors

BS4 Tables

BS4 Images

BS4 Jumbotron

BS4 Alerts

BS4 Buttons

BS4 Button Groups

BS4 Badges

BS4 Progress Bars

BS4 Spinners

BS4 Pagination

BS4 List Groups

BS4 Cards

BS4 Dropdowns

BS4 Collapse

BS4 Navs

BS4 Navbar

BS4 Forms

BS4 Inputs

BS4 Input Groups

BS4 Custom Forms

BS4 Carousel

BS4 Modal

ADVERTISEMENT

Bootstrap 4 Dropdowns

[< Previous](#)[Next >](#)

Basic Dropdown


A dropdown menu is a toggleable menu that allows the user to choose one value from a predefined list:

Dropdown button ▼

Example

```
<div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">"dropdown"="tag" style="color:mediumblue">>
  <button class="attribute" style="color:red"> type="attributevalue"
style="color:mediumblue">"button" class="attributevalue"
style="color:mediumblue">"btn btn-primary dropdown-toggle" data-
toggle="attributevalue" style="color:mediumblue">"dropdown"="tag"
style="color:mediumblue">>
  Dropdown button
</button class="tag" style="color:mediumblue">>
```

COLOR
PICKER



 Get Certified

ADVERTISEMENT

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 1</a
class="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 2</a
class="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 3</a
class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Example Explained

The `.dropdown` class indicates a dropdown menu.

To open the dropdown menu, use a button or a link with a class of `.dropdown-toggle` and the `data-toggle="dropdown"` attribute.

Add the `.dropdown-menu` class to a `<div>` element to actually build the dropdown menu. Then add the `.dropdown-item` class to each element (links or buttons) inside the dropdown menu.

Dropdown Divider

Dropdown button ▾

The `.dropdown-divider` class is used to separate links inside the dropdown menu with a thin horizontal border:

Example

```
<div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">= "dropdown-divider"="tag" style="color:mediumblue">>
</div class="tag" style="color:mediumblue">>
```

Try it Yourself »

ADVERTISEMENT

Dropdown Header

Dropdown button ▼

The `.dropdown-header` class is used to add headers inside the dropdown menu:

Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-header"="tagcolor"
style="color:mediumblue">>Dropdown header 1</div class="tagcolor"
style="color:mediumblue">>
```

Try it Yourself »

Disable and Active items

Dropdown button ▾

Highlight a specific dropdown item with the `.active` class (adds a blue background color).

To disable an item in the dropdown menu, use the `.disabled` class (gets a light-grey text color and a "no-parking-sign" icon on hover):

Example

```
<a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item active" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Active</a
class="tagcolor" style="color:mediumblue">>
<a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item disabled" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Disabled</a
class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Dropdown Position

Dropright ▶

◀ Dropleft

You can also create a "dropright" or "dropleft" menu, by adding the `.dropright` or `.dropleft` class to the dropdown element. Note that the caret/arrow is added automatically:

Dropright

```
<div class="attributecolor"
style="color:red">
class="attributevaluecolor"
style="color:mediumblue">="dropdown
dropright="tagcolor"
style="color:mediumblue">>
```

Try it Yourself »

Dropleft

```
<div class="attributecolor"
style="color:red">
class="attributevaluecolor"
style="color:mediumblue">="dropdown
dropleft="tagcolor"
style="color:mediumblue">>
```

Try it Yourself »

Dropdown Menu Right

Wide dropdown button to demonstrate this example ▼

To right-align the dropdown menu, add the `.dropdown-menu-right` class to the element with `.dropdown-menu`:

Example

```
<div class="attribute" style="color:red"> class="attributevalue" style="color:mediumblue">="dropdown-menu dropdown-menu-right"="tag" style="color:mediumblue">>
```

[Try it Yourself »](#)

Dropup

Dropdown button ▲

If you want the dropdown menu to expand upwards instead of downwards, change the `<div>` element with `class="dropdown"` to `"dropup"` :

Example

```
<div class="attribute" style="color:red"> class="attributevalue" style="color:mediumblue">="dropup"="tag" style="color:mediumblue">>
```

[Try it Yourself »](#)

Dropdown Text

Dropdown button ▼

The `.dropdown-item-text` class is used to add plain text to a dropdown item, or used on links for default link styling.

Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 1</a
class="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 2</a
class="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item-text" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Text Link</a
class="tagcolor" style="color:mediumblue">>
  <span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item-text"="tagcolor"
style="color:mediumblue">>Just Text</span class="tagcolor"
style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Grouped Buttons with a Dropdown

Apple Samsung Sony ▼

Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"btn-group"="tagcolor" style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">"button" class="attributevaluecolor"
style="color:mediumblue">"btn btn-primary"="tagcolor"
style="color:mediumblue">>Apple</button class="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">"button" class="attributevaluecolor"
style="color:mediumblue">"btn btn-primary"="tagcolor"
style="color:mediumblue">>Samsung</button class="tagcolor"
style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"btn-group"="tagcolor" style="color:mediumblue">>
    <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">"button" class="attributevaluecolor"
style="color:mediumblue">"btn btn-primary dropdown-toggle" data-
toggle="attributevaluecolor" style="color:mediumblue">"dropdown"="tagcolor"
style="color:mediumblue">>
      Sony
    </button class="tagcolor" style="color:mediumblue">>
    <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"dropdown-menu"="tagcolor" style="color:mediumblue">>
      <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"dropdown-item" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>Tablet</a
class="tagcolor" style="color:mediumblue">>
      <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"dropdown-item" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>Smartphone</a
class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```


Split Button Dropdowns

Primary ▾

Secondary ▾

Success ▾

Info ▾

Warning ▾

Danger ▾


Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"btn-group"="tagcolor" style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">"button" class="attributevaluecolor"
style="color:mediumblue">"btn btn-primary"="tagcolor"
style="color:mediumblue">>Primary</button class="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">"button" class="attributevaluecolor"
style="color:mediumblue">"btn btn-primary dropdown-toggle dropdown-toggle-split"
data-toggle="attributevaluecolor" style="color:mediumblue">"dropdown"="tagcolor"
style="color:mediumblue">>
  </button class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"dropdown-menu"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"dropdown-item" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>Link 1</a
class="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"dropdown-item" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>Link 2</a
class="tagcolor" style="color:mediumblue">>
```

```
</div class="tagcolor" style="color:mediumblue">>  
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Vertical Button Group w/ Dropdown



Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"  
style="color:mediumblue">="btn-group-vertical"="tagcolor"  
style="color:mediumblue">>  
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"  
style="color:mediumblue">="button" class="attributevaluecolor"  
style="color:mediumblue">="btn btn-primary"="tagcolor"  
style="color:mediumblue">>Apple</button class="tagcolor"  
style="color:mediumblue">>  
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"  
style="color:mediumblue">="button" class="attributevaluecolor"  
style="color:mediumblue">="btn btn-primary"="tagcolor"  
style="color:mediumblue">>Samsung</button class="tagcolor"  
style="color:mediumblue">>  
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"  
style="color:mediumblue">="btn-group"="tagcolor" style="color:mediumblue">>  
    <button class="attributecolor" style="color:red"> type="attributevaluecolor"  
style="color:mediumblue">="button" class="attributevaluecolor"  
style="color:mediumblue">="btn btn-primary dropdown-toggle" data-
```

```

toggle="attributevaluecolor" style="color:mediumblue">="dropdown"="tagcolor"
style="color:mediumblue">>
    Sony
    </button class="tagcolor" style="color:mediumblue">>
    <div class="attributevaluecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>
        <a class="attributevaluecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Tablet</a
class="tagcolor" style="color:mediumblue">>
        <a class="attributevaluecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Smartphone</a
class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

Complete Bootstrap 4 Dropdown Reference

For a complete reference of all dropdown options, methods and events, go to our [Bootstrap 4 JS Dropdown Reference](#).

◀ Previous

Log in to track progress

Next ▶

ADVERTISEMENT

ADVERTISEMENT



[SPACES](#)

[UPGRADE](#)

[NEWSLETTER](#)

[GET CERTIFIED](#)

[REPORT ERROR](#)

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate



FORUM ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2023](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).