

RAPP Platform Tests - Face Detection

Generated by Doxygen 1.8.6

Wed Dec 2 2015 13:19:34

Contents

| | | |
|----------|--|-----------|
| 1 | Namespace Index | 1 |
| 1.1 | Namespace List | 1 |
| 2 | Hierarchical Index | 3 |
| 2.1 | Class Hierarchy | 3 |
| 3 | Class Index | 5 |
| 3.1 | Class List | 5 |
| 4 | File Index | 7 |
| 4.1 | File List | 7 |
| 5 | Namespace Documentation | 9 |
| 5.1 | functional_tests Namespace Reference | 9 |
| 5.1.1 | Variable Documentation | 9 |
| 5.1.1.1 | PKG | 9 |
| 6 | Class Documentation | 11 |
| 6.1 | FaceDetectionTest Class Reference | 11 |
| 6.1.1 | Detailed Description | 11 |
| 6.1.2 | Constructor & Destructor Documentation | 11 |
| 6.1.2.1 | FaceDetectionTest | 11 |
| 6.1.3 | Member Function Documentation | 11 |
| 6.1.3.1 | SetUp | 12 |
| 6.1.3.2 | TearDown | 12 |
| 6.1.4 | Member Data Documentation | 12 |
| 6.1.4.1 | face_detector_ | 12 |
| 6.2 | functional_tests.FaceDetFunc Class Reference | 12 |
| 6.2.1 | Detailed Description | 12 |
| 6.2.2 | Member Function Documentation | 13 |
| 6.2.2.1 | test_faceDoesNotExist | 13 |
| 6.2.2.2 | test_faceExists | 13 |
| 6.2.2.3 | test_faceExists_realistic | 13 |

| | | |
|--------------|---|-----------|
| 6.2.2.4 | test_faceExists_realistic_2 | 13 |
| 6.2.2.5 | test_faceExists_stress | 13 |
| 6.2.2.6 | test_fileDoesNotExist | 13 |
| 6.2.2.7 | test_fileExistsButItAudio | 13 |
| 7 | File Documentation | 15 |
| 7.1 | /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional_tests.py File Reference | 15 |
| 7.2 | /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit_tests.cpp File Reference | 15 |
| 7.2.1 | Function Documentation | 16 |
| 7.2.1.1 | main | 16 |
| 7.2.1.2 | TEST_F | 16 |
| 7.2.1.3 | TEST_F | 16 |
| 7.2.1.4 | TEST_F | 16 |
| 7.2.1.5 | TEST_F | 16 |
| Index | | 17 |

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

| | |
|--|---|
| functional_tests | 9 |
|--|---|

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

| | |
|--|--------------------|
| Test | |
| FaceDetectionTest | 11 |
| TestCase | |
| functional_tests.FaceDetFunc | 12 |

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| | |
|--|----|
| FaceDetectionTest | |
| Handles the face detection unit testing using gtests | 11 |
| functional_tests.FaceDetFunc | 12 |

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

| | |
|--|----|
| /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/ functional_tests.py . . . | 15 |
| /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/ unit_tests.cpp | 15 |

Chapter 5

Namespace Documentation

5.1 functional_tests Namespace Reference

Classes

- class [FaceDetFunc](#)

Variables

- string [PKG](#) = 'ros_nodes'

5.1.1 Variable Documentation

5.1.1.1 string functional_tests.PKG = 'ros_nodes'

Definition at line 18 of file functional_tests.py.

Chapter 6

Class Documentation

6.1 FaceDetectionTest Class Reference

Handles the face detection unit testing using gtests.

Inheritance diagram for FaceDetectionTest:

Collaboration diagram for FaceDetectionTest:

Protected Member Functions

- [FaceDetectionTest](#) ()
Default constructor.
- virtual void [SetUp](#) ()
Sets up the class variables for each unit test call.
- virtual void [TearDown](#) ()
This function is called after the termination of each test. Destroys the dynamically allocated variables.

Protected Attributes

- FaceDetector * [face_detector_](#)

6.1.1 Detailed Description

Handles the face detection unit testing using gtests.

Definition at line 27 of file unit_tests.cpp.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 FaceDetectionTest::FaceDetectionTest () [inline],[protected]

Default constructor.

Definition at line 34 of file unit_tests.cpp.

6.1.3 Member Function Documentation

6.1.3.1 virtual void FaceDetectionTest::SetUp () [inline],[protected],[virtual]

Sets up the class variables for each unit test call.

Definition at line 40 of file unit_tests.cpp.

6.1.3.2 virtual void FaceDetectionTest::TearDown () [inline],[protected],[virtual]

This function is called after the termination of each test. Destroys the dynamically allocated variables.

Definition at line 48 of file unit_tests.cpp.

6.1.4 Member Data Documentation

6.1.4.1 FaceDetector* FaceDetectionTest::face_detector_ [protected]

Pointer of type FaceDetector. Used to check its functions

Definition at line 53 of file unit_tests.cpp.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit_tests.cpp

6.2 functional_tests.FaceDetFunc Class Reference

Inheritance diagram for functional_tests.FaceDetFunc:

Collaboration diagram for functional_tests.FaceDetFunc:

Public Member Functions

- def [test_faceDoesNotExist](#)
Tests face detection with an image that does not contain faces.
- def [test_faceExists](#)
Tests face detection with Lenna image.
- def [test_faceExists_realistic](#)
Tests face detection with a NAO captured image.
- def [test_faceExists_realistic_2](#)
Tests face detection with a NAO captured image from almost 2 meters.
- def [test_faceExists_stress](#)
Stress test for face detection.
- def [test_fileDoesNotExist](#)
Tests face detection with a non existent image.
- def [test_fileExistsButItAudio](#)
Tests face detection with an audio file.

6.2.1 Detailed Description

Handles the face detection functional tests

Definition at line 32 of file functional_tests.py.

6.2.2 Member Function Documentation

6.2.2.1 def functional_tests.FaceDetFunc.test_faceDoesNotExist (self)

Tests face detection with an image that does not contain faces.

Should return 0 faces

Definition at line 90 of file functional_tests.py.

6.2.2.2 def functional_tests.FaceDetFunc.test_faceExists (self)

Tests face detection with Lenna image.

Should return 1 face

Definition at line 37 of file functional_tests.py.

6.2.2.3 def functional_tests.FaceDetFunc.test_faceExists_realistic (self)

Tests face detection with a NAO captured image.

Should return 1 face

Definition at line 50 of file functional_tests.py.

6.2.2.4 def functional_tests.FaceDetFunc.test_faceExists_realistic_2 (self)

Tests face detection with a NAO captured image from almost 2 meters.

Should return 1 face

Definition at line 63 of file functional_tests.py.

6.2.2.5 def functional_tests.FaceDetFunc.test_faceExists_stress (self)

Stress test for face detection.

20 calls in a row

Definition at line 76 of file functional_tests.py.

6.2.2.6 def functional_tests.FaceDetFunc.test_fileDoesNotExist (self)

Tests face detection with a non existent image.

Should return 0 faces

Definition at line 103 of file functional_tests.py.

6.2.2.7 def functional_tests.FaceDetFunc.test_fileExistsButItAudio (self)

Tests face detection with an audio file.

Should not crush an return 0 faces

Definition at line 116 of file functional_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/[functional_tests.py](#)

Chapter 7

File Documentation

7.1 /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional-_tests.py File Reference

Classes

- class [functional_tests.FaceDetFunc](#)

Namespaces

- [functional_tests](#)

Variables

- string [functional_tests.PKG](#) = 'ros_nodes'

7.2 /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit-_tests.cpp File Reference

```
#include <gtest/gtest.h>
#include <face_detection/face_detector.h>
#include <ros/package.h>
Include dependency graph for unit_tests.cpp:
```

Classes

- class [FaceDetectionTest](#)
Handles the face detection unit testing using gtests.

Functions

- int [main](#) (int argc, char **argv)
The main function. Initialized the unit tests.
- [TEST_F](#) ([FaceDetectionTest](#), lenna_test)
Tests face detection with the Lenna image. Should be successful.

- [TEST_F \(FaceDetectionTest, qr_test\)](#)
Tests face detection with a qr code. Should return 0 faces.
- [TEST_F \(FaceDetectionTest, file_not_exists_test\)](#)
Tests face detection with a missing file. Should return 0 faces.
- [TEST_F \(FaceDetectionTest, zero_sized_image_test\)](#)
Tests face detection with an empty image. Should return 0 faces.

7.2.1 Function Documentation

7.2.1.1 `int main (int argc, char ** argv)`

The main function. Initialized the unit tests.

Definition at line 103 of file `unit_tests.cpp`.

7.2.1.2 `TEST_F (FaceDetectionTest , lenna_test)`

Tests face detection with the Lenna image. Should be successful.

Definition at line 60 of file `unit_tests.cpp`.

7.2.1.3 `TEST_F (FaceDetectionTest , qr_test)`

Tests face detection with a qr code. Should return 0 faces.

Definition at line 71 of file `unit_tests.cpp`.

7.2.1.4 `TEST_F (FaceDetectionTest , file_not_exists_test)`

Tests face detection with a missing file. Should return 0 faces.

Definition at line 82 of file `unit_tests.cpp`.

7.2.1.5 `TEST_F (FaceDetectionTest , zero_sized_image_test)`

Tests face detection with an empty image. Should return 0 faces.

Definition at line 93 of file `unit_tests.cpp`.

Index

- [/home/travis/rapp_temp/rapp-platform/rapp_face_-
detection/tests/face_detection/functional_-
tests.py](#), [15](#)
 - [/home/travis/rapp_temp/rapp-platform/rapp_face_-
detection/tests/face_detection/unit_tests.cpp](#),
[15](#)
- [face_detector_](#)
 - [FaceDetectionTest](#), [12](#)
- [FaceDetectionTest](#), [11](#)
 - [face_detector_](#), [12](#)
 - [FaceDetectionTest](#), [11](#)
 - [FaceDetectionTest](#), [11](#)
 - [SetUp](#), [11](#)
 - [TearDown](#), [12](#)
- [functional_tests](#), [9](#)
 - [PKG](#), [9](#)
- [functional_tests.FaceDetFunc](#), [12](#)
- [functional_tests::FaceDetFunc](#)
 - [test_faceDoesNotExist](#), [13](#)
 - [test_faceExists](#), [13](#)
 - [test_faceExists_realistic](#), [13](#)
 - [test_faceExists_realistic_2](#), [13](#)
 - [test_faceExists_stress](#), [13](#)
 - [test_fileDoesNotExist](#), [13](#)
 - [test_fileExistsButItAudio](#), [13](#)
- [main](#)
 - [unit_tests.cpp](#), [16](#)
- [PKG](#)
 - [functional_tests](#), [9](#)
- [SetUp](#)
 - [FaceDetectionTest](#), [11](#)
- [TEST_F](#)
 - [unit_tests.cpp](#), [16](#)
- [TearDown](#)
 - [FaceDetectionTest](#), [12](#)
- [test_faceDoesNotExist](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [test_faceExists](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [test_faceExists_realistic](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [test_faceExists_realistic_2](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [test_faceExists_stress](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [test_fileDoesNotExist](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [functional_tests::FaceDetFunc](#), [13](#)
- [test_fileExistsButItAudio](#)
 - [functional_tests::FaceDetFunc](#), [13](#)
- [unit_tests.cpp](#)
 - [main](#), [16](#)
 - [TEST_F](#), [16](#)