

# RAPP Platform Tests - Audio Processing

## v0.5.5

Generated by Doxygen 1.8.6

Fri Jul 1 2016 18:18:58



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Namespace List . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>5</b>
3.1	Class List . . . . .	5
<b>4</b>	<b>File Index</b>	<b>7</b>
4.1	File List . . . . .	7
<b>5</b>	<b>Namespace Documentation</b>	<b>9</b>
5.1	denoise_unit_tests Namespace Reference . . . . .	9
5.2	detect_silence_unit_tests Namespace Reference . . . . .	9
5.3	energy_denoise_unit_tests Namespace Reference . . . . .	9
5.4	set_noise_profile_functional Namespace Reference . . . . .	9
5.4.1	Variable Documentation . . . . .	9
5.4.1.1	PKG . . . . .	9
5.5	set_noise_profile_unit_tests Namespace Reference . . . . .	10
5.6	transform_audio_unit_tests Namespace Reference . . . . .	10
5.7	utilities_unit_tests Namespace Reference . . . . .	10
<b>6</b>	<b>Class Documentation</b>	<b>11</b>
6.1	set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc Class Reference . . . . .	11
6.1.1	Detailed Description . . . . .	12
6.1.2	Member Function Documentation . . . . .	12
6.1.2.1	test_setNoiseProfileService_no_silence_file . . . . .	12
6.1.2.2	test_setNoiseProfileService_ogg . . . . .	12
6.1.2.3	test_setNoiseProfileService_ogg_stress . . . . .	12
6.1.2.4	test_setNoiseProfileService_wav_1_ch . . . . .	12
6.1.2.5	test_setNoiseProfileService_wav_4_ch . . . . .	12
6.1.2.6	test_setNoiseProfileService_wav_6_ch . . . . .	12

6.2	<a href="#">denoise_unit_tests.TestAudioProcessing Class Reference</a>	13
6.2.1	<a href="#">Detailed Description</a>	14
6.2.2	<a href="#">Member Function Documentation</a>	14
6.2.2.1	<a href="#">setUp</a>	14
6.2.2.2	<a href="#">tearDown</a>	14
6.2.2.3	<a href="#">test_negativeScale</a>	14
6.2.2.4	<a href="#">test_notExistentAudioFile</a>	14
6.2.2.5	<a href="#">test_notExistentAudioType</a>	14
6.2.2.6	<a href="#">test_notExistentUser</a>	14
6.2.2.7	<a href="#">test_ogg_type_wav_1_ch_file</a>	14
6.2.2.8	<a href="#">test_ogg_type_wav_4_ch_file</a>	14
6.2.2.9	<a href="#">test_realFile</a>	14
6.2.2.10	<a href="#">test_wav_1_ch_type_ogg_file</a>	15
6.2.2.11	<a href="#">test_wav_1_ch_type_wav_4_ch_file</a>	15
6.2.2.12	<a href="#">test_wav_4_ch_type_ogg_file</a>	15
6.2.2.13	<a href="#">test_wav_4_ch_type_wav_1_ch_file</a>	15
6.2.3	<a href="#">Member Data Documentation</a>	15
6.2.3.1	<a href="#">auxiliary_files_url</a>	15
6.2.3.2	<a href="#">rospack</a>	15
6.2.3.3	<a href="#">sox_denoise_module</a>	15
6.3	<a href="#">utilities_unit_tests.TestAudioProcessing Class Reference</a>	15
6.3.1	<a href="#">Detailed Description</a>	16
6.3.2	<a href="#">Member Function Documentation</a>	16
6.3.2.1	<a href="#">setUp</a>	16
6.3.2.2	<a href="#">tearDown</a>	16
6.3.2.3	<a href="#">test_existentFiles</a>	16
6.3.2.4	<a href="#">test_mixedCases</a>	16
6.3.2.5	<a href="#">test_notExistentFiles</a>	17
6.3.3	<a href="#">Member Data Documentation</a>	17
6.3.3.1	<a href="#">utilities_module</a>	17
6.4	<a href="#">transform_audio_unit_tests.TestAudioProcessing Class Reference</a>	17
6.4.1	<a href="#">Detailed Description</a>	18
6.4.2	<a href="#">Member Function Documentation</a>	18
6.4.2.1	<a href="#">id_generator</a>	18
6.4.2.2	<a href="#">setUp</a>	18
6.4.2.3	<a href="#">tearDown</a>	18
6.4.2.4	<a href="#">test_missingSource</a>	18
6.4.2.5	<a href="#">test_missingTarget</a>	18
6.4.2.6	<a href="#">test_nonexistentFile</a>	18
6.4.2.7	<a href="#">test_normalTrans2Flac</a>	18

6.4.2.8	<a href="#">test_normalTransOgg2Wav</a>	19
6.4.2.9	<a href="#">test_wrongTypes</a>	19
6.4.2.10	<a href="#">test_wrongValues</a>	19
6.4.3	<a href="#">Member Data Documentation</a>	19
6.4.3.1	<a href="#">auxiliary_files_url</a>	19
6.4.3.2	<a href="#">rospack</a>	19
6.4.3.3	<a href="#">transform_audio_module</a>	19
6.5	<a href="#">set_noise_profile_unit_tests.TestAudioProcessing Class Reference</a>	19
6.5.1	<a href="#">Detailed Description</a>	20
6.5.2	<a href="#">Member Function Documentation</a>	20
6.5.2.1	<a href="#">setUp</a>	20
6.5.2.2	<a href="#">tearDown</a>	20
6.5.2.3	<a href="#">test_no_silence_file</a>	21
6.5.2.4	<a href="#">test_ogg</a>	21
6.5.2.5	<a href="#">test_ogg_with_wav_1_ch_type</a>	21
6.5.2.6	<a href="#">test_ogg_with_wav_4_ch_type</a>	21
6.5.2.7	<a href="#">test_wav_1_ch</a>	21
6.5.2.8	<a href="#">test_wav_1_ch_with_ogg_type</a>	21
6.5.2.9	<a href="#">test_wav_1_ch_with_wav_4_ch_type</a>	21
6.5.2.10	<a href="#">test_wav_4_ch</a>	21
6.5.2.11	<a href="#">test_wav_4_ch_with_ogg_type</a>	21
6.5.2.12	<a href="#">test_wav_4_ch_with_wav_1_ch_type</a>	21
6.5.2.13	<a href="#">test_wav_6_ch</a>	21
6.5.3	<a href="#">Member Data Documentation</a>	21
6.5.3.1	<a href="#">auxiliary_files_url</a>	21
6.5.3.2	<a href="#">module</a>	22
6.5.3.3	<a href="#">rospack</a>	22
6.6	<a href="#">energy_denoise_unit_tests.TestAudioProcessing Class Reference</a>	22
6.6.1	<a href="#">Detailed Description</a>	23
6.6.2	<a href="#">Member Function Documentation</a>	23
6.6.2.1	<a href="#">setUp</a>	23
6.6.2.2	<a href="#">tearDown</a>	23
6.6.2.3	<a href="#">test_energy_denois</a>	23
6.6.2.4	<a href="#">test_notExistentFile</a>	23
6.6.3	<a href="#">Member Data Documentation</a>	23
6.6.3.1	<a href="#">auxiliary_files_url</a>	23
6.6.3.2	<a href="#">energy_denoise_module</a>	23
6.6.3.3	<a href="#">rospack</a>	23
6.7	<a href="#">detect_silence_unit_tests.TestAudioProcessing Class Reference</a>	24
6.7.1	<a href="#">Detailed Description</a>	24

6.7.2	Member Function Documentation . . . . .	25
6.7.2.1	setUp . . . . .	25
6.7.2.2	tearDown . . . . .	25
6.7.2.3	test_noSilence . . . . .	25
6.7.2.4	test_notExistentFile . . . . .	25
6.7.2.5	test_silence . . . . .	25
6.7.3	Member Data Documentation . . . . .	25
6.7.3.1	auxiliary_files_url . . . . .	25
6.7.3.2	detect_silence_module . . . . .	25
6.7.3.3	rospack . . . . .	25
<b>7</b>	<b>File Documentation</b>	<b>27</b>
7.1	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_- functional.py File Reference . . . . .	27
7.2	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py File Reference . . . . .	27
7.3	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_- tests.py File Reference . . . . .	27
7.4	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_- tests.py File Reference . . . . .	28
7.5	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_- tests.py File Reference . . . . .	28
7.6	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_- tests.py File Reference . . . . .	28
7.7	/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py File Reference . . . . .	28
	<b>Index</b>	<b>29</b>

# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">denoise_unit_tests</a>	9
<a href="#">detect_silence_unit_tests</a>	9
<a href="#">energy_denoise_unit_tests</a>	9
<a href="#">set_noise_profile_functional</a>	9
<a href="#">set_noise_profile_unit_tests</a>	10
<a href="#">transform_audio_unit_tests</a>	10
<a href="#">utilities_unit_tests</a>	10





## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

TestCase	
denoise_unit_tests.TestAudioProcessing . . . . .	13
detect_silence_unit_tests.TestAudioProcessing . . . . .	24
energy_denoise_unit_tests.TestAudioProcessing . . . . .	22
set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc . . . . .	11
set_noise_profile_unit_tests.TestAudioProcessing . . . . .	19
transform_audio_unit_tests.TestAudioProcessing . . . . .	17
utilities_unit_tests.TestAudioProcessing . . . . .	15



## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc</a> . . . . .	11
<a href="#">denoise_unit_tests.TestAudioProcessing</a> . . . . .	13
<a href="#">utilities_unit_tests.TestAudioProcessing</a> . . . . .	15
<a href="#">transform_audio_unit_tests.TestAudioProcessing</a> . . . . .	17
<a href="#">set_noise_profile_unit_tests.TestAudioProcessing</a> . . . . .	19
<a href="#">energy_denoise_unit_tests.TestAudioProcessing</a> . . . . .	22
<a href="#">detect_silence_unit_tests.TestAudioProcessing</a> . . . . .	24



## Chapter 4

# File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/ <a href="#">set_noise_profile_functional.py</a> . . . . .	27
/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ <a href="#">denoise_unit_tests.py</a> . . . . .	27
/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ <a href="#">detect_silence_unit_tests.py</a> . . . . .	27
/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ <a href="#">energy_denoise_unit_tests.py</a> . . . . .	28
/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ <a href="#">set_noise_profile_unit_tests.py</a> . . . . .	28
/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ <a href="#">transform_audio_unit_tests.py</a> . . . . .	28
/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ <a href="#">utilities_unit_tests.py</a> . . . . .	28



## Chapter 5

# Namespace Documentation

### 5.1 denoise\_unit\_tests Namespace Reference

#### Classes

- class [TestAudioProcessing](#)

### 5.2 detect\_silence\_unit\_tests Namespace Reference

#### Classes

- class [TestAudioProcessing](#)

### 5.3 energy\_denoise\_unit\_tests Namespace Reference

#### Classes

- class [TestAudioProcessing](#)

### 5.4 set\_noise\_profile\_functional Namespace Reference

#### Classes

- class [AudioProcessingSetNoiseProfileFunc](#)

#### Variables

- string [PKG](#) = 'rapp\_audio\_processing'

#### 5.4.1 Variable Documentation

5.4.1.1 string `set_noise_profile_functional.PKG` = 'rapp\_audio\_processing'

Definition at line 21 of file `set_noise_profile_functional.py`.

## 5.5 set\_noise\_profile\_unit\_tests Namespace Reference

### Classes

- class [TestAudioProcessing](#)

## 5.6 transform\_audio\_unit\_tests Namespace Reference

### Classes

- class [TestAudioProcessing](#)

## 5.7 utilities\_unit\_tests Namespace Reference

### Classes

- class [TestAudioProcessing](#)




## Chapter 6


# Class Documentation

### 6.1 set\_noise\_profile\_functional.AudioProcessingSetNoiseProfileFunc Class Reference

Inheritance diagram for set\_noise\_profile\_functional.AudioProcessingSetNoiseProfileFunc:



Collaboration diagram for set\_noise\_profile\_functional.AudioProcessingSetNoiseProfileFunc:



## Public Member Functions

- def [test\\_setNoiseProfileService\\_no\\_silence\\_file](#)
- def [test\\_setNoiseProfileService\\_ogg](#)
- def [test\\_setNoiseProfileService\\_ogg\\_stress](#)
- def [test\\_setNoiseProfileService\\_wav\\_1\\_ch](#)
- def [test\\_setNoiseProfileService\\_wav\\_4\\_ch](#)
- def [test\\_setNoiseProfileService\\_wav\\_6\\_ch](#)

### 6.1.1 Detailed Description

Definition at line 35 of file `set_noise_profile_functional.py`.

### 6.1.2 Member Function Documentation

6.1.2.1 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_no_silence_file ( self )`

Definition at line 122 of file `set_noise_profile_functional.py`.

6.1.2.2 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_ogg ( self )`

Definition at line 37 of file `set_noise_profile_functional.py`.

6.1.2.3 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_ogg_stress ( self )`

Definition at line 55 of file `set_noise_profile_functional.py`.

6.1.2.4 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_wav_1_ch ( self )`

Definition at line 74 of file `set_noise_profile_functional.py`.

6.1.2.5 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_wav_4_ch ( self )`

Definition at line 90 of file `set_noise_profile_functional.py`.

6.1.2.6 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_wav_6_ch ( self )`


Definition at line 106 of file `set_noise_profile_functional.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set\_noise\_profile\_functional.py`

## 6.2 denoise\_unit\_tests.TestAudioProcessing Class Reference

Inheritance diagram for denoise\_unit\_tests.TestAudioProcessing:



Collaboration diagram for denoise\_unit\_tests.TestAudioProcessing:



### Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test\\_negativeScale](#)
- def [test\\_notExistentAudioFile](#)
- def [test\\_notExistentAudioType](#)
- def [test\\_notExistentUser](#)
- def [test\\_ogg\\_type\\_wav\\_1\\_ch\\_file](#)
- def [test\\_ogg\\_type\\_wav\\_4\\_ch\\_file](#)
- def [test\\_realFile](#)
- def [test\\_wav\\_1\\_ch\\_type\\_ogg\\_file](#)
- def [test\\_wav\\_1\\_ch\\_type\\_wav\\_4\\_ch\\_file](#)
- def [test\\_wav\\_4\\_ch\\_type\\_ogg\\_file](#)
- def [test\\_wav\\_4\\_ch\\_type\\_wav\\_1\\_ch\\_file](#)

## Public Attributes

- [auxiliary\\_files\\_url](#)
- [rospack](#)
- [sox\\_denoise\\_module](#)

### 6.2.1 Detailed Description

Definition at line 33 of file `denoise_unit_tests.py`.

### 6.2.2 Member Function Documentation

#### 6.2.2.1 `def denoise_unit_tests.TestAudioProcessing.setUp ( self )`

Definition at line 34 of file `denoise_unit_tests.py`.

#### 6.2.2.2 `def denoise_unit_tests.TestAudioProcessing.tearDown ( self )`

Definition at line 40 of file `denoise_unit_tests.py`.

#### 6.2.2.3 `def denoise_unit_tests.TestAudioProcessing.test_negativeScale ( self )`

Definition at line 123 of file `denoise_unit_tests.py`.

#### 6.2.2.4 `def denoise_unit_tests.TestAudioProcessing.test_notExistentAudioFile ( self )`

Definition at line 76 of file `denoise_unit_tests.py`.

#### 6.2.2.5 `def denoise_unit_tests.TestAudioProcessing.test_notExistentAudioType ( self )`

Definition at line 108 of file `denoise_unit_tests.py`.

#### 6.2.2.6 `def denoise_unit_tests.TestAudioProcessing.test_notExistentUser ( self )`

Definition at line 92 of file `denoise_unit_tests.py`.

#### 6.2.2.7 `def denoise_unit_tests.TestAudioProcessing.test_ogg_type_wav_1_ch_file ( self )`

Definition at line 138 of file `denoise_unit_tests.py`.

#### 6.2.2.8 `def denoise_unit_tests.TestAudioProcessing.test_ogg_type_wav_4_ch_file ( self )`

Definition at line 153 of file `denoise_unit_tests.py`.

#### 6.2.2.9 `def denoise_unit_tests.TestAudioProcessing.test_realFile ( self )`

Definition at line 44 of file `denoise_unit_tests.py`.

6.2.2.10 `def denoise_unit_tests.TestAudioProcessing.test_wav_1_ch_type_ogg_file ( self )`

Definition at line 168 of file `denoise_unit_tests.py`.

6.2.2.11 `def denoise_unit_tests.TestAudioProcessing.test_wav_1_ch_type_wav_4_ch_file ( self )`

Definition at line 183 of file `denoise_unit_tests.py`.

6.2.2.12 `def denoise_unit_tests.TestAudioProcessing.test_wav_4_ch_type_ogg_file ( self )`

Definition at line 198 of file `denoise_unit_tests.py`.

6.2.2.13 `def denoise_unit_tests.TestAudioProcessing.test_wav_4_ch_type_wav_1_ch_file ( self )`

Definition at line 213 of file `denoise_unit_tests.py`.

### 6.2.3 Member Data Documentation

6.2.3.1 `denoise_unit_tests.TestAudioProcessing.auxiliary_files_url`

Definition at line 36 of file `denoise_unit_tests.py`.

6.2.3.2 `denoise_unit_tests.TestAudioProcessing.rospack`

Definition at line 42 of file `denoise_unit_tests.py`.

6.2.3.3 `denoise_unit_tests.TestAudioProcessing.sox_denoise_module`


Definition at line 38 of file `denoise_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py`

## 6.3 utilities\_unit\_tests.TestAudioProcessing Class Reference

Inheritance diagram for `utilities_unit_tests.TestAudioProcessing`:



Collaboration diagram for `utilities_unit_tests.TestAudioProcessing`:



### Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test\\_existentFiles](#)
- def [test\\_mixedCases](#)
- def [test\\_notExistentFiles](#)

### Public Attributes

- [utilities\\_module](#)

#### 6.3.1 Detailed Description

Definition at line 30 of file `utilities_unit_tests.py`.

#### 6.3.2 Member Function Documentation

##### 6.3.2.1 `def utilities_unit_tests.TestAudioProcessing.setUp ( self )`

Definition at line 31 of file `utilities_unit_tests.py`.

##### 6.3.2.2 `def utilities_unit_tests.TestAudioProcessing.tearDown ( self )`

Definition at line 34 of file `utilities_unit_tests.py`.

##### 6.3.2.3 `def utilities_unit_tests.TestAudioProcessing.test_existentFiles ( self )`

Definition at line 37 of file `utilities_unit_tests.py`.

##### 6.3.2.4 `def utilities_unit_tests.TestAudioProcessing.test_mixedCases ( self )`

Definition at line 63 of file `utilities_unit_tests.py`.

6.3.2.5 `def utilities_unit_tests.TestAudioProcessing.test_notExistentFiles ( self )`

Definition at line 53 of file `utilities_unit_tests.py`.

### 6.3.3 Member Data Documentation

6.3.3.1 `utilities_unit_tests.TestAudioProcessing.utilities_module`


Definition at line 32 of file `utilities_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py`

## 6.4 transform\_audio\_unit\_tests.TestAudioProcessing Class Reference

Inheritance diagram for `transform_audio_unit_tests.TestAudioProcessing`:



Collaboration diagram for `transform_audio_unit_tests.TestAudioProcessing`:



### Public Member Functions

- `def id_generator`

- def [setUp](#)
- def [tearDown](#)
- def [test\\_missingSource](#)
- def [test\\_missingTarget](#)
- def [test\\_nonexistentFile](#)
- def [test\\_normalTrans2Flac](#)
- def [test\\_normalTransOgg2Wav](#)
- def [test\\_wrongTypes](#)
- def [test\\_wrongValues](#)

## Public Attributes

- [auxiliary\\_files\\_url](#)
- [rospack](#)
- [transform\\_audio\\_module](#)

### 6.4.1 Detailed Description

Definition at line 36 of file `transform_audio_unit_tests.py`.

### 6.4.2 Member Function Documentation

**6.4.2.1** `def transform_audio_unit_tests.TestAudioProcessing.id_generator ( self, size = 15, chars = string.ascii_lowercase + ' _' )`

Definition at line 280 of file `transform_audio_unit_tests.py`.

**6.4.2.2** `def transform_audio_unit_tests.TestAudioProcessing.setUp ( self )`

Definition at line 37 of file `transform_audio_unit_tests.py`.

**6.4.2.3** `def transform_audio_unit_tests.TestAudioProcessing.tearDown ( self )`

Definition at line 43 of file `transform_audio_unit_tests.py`.

**6.4.2.4** `def transform_audio_unit_tests.TestAudioProcessing.test_missingSource ( self )`

Definition at line 190 of file `transform_audio_unit_tests.py`.

**6.4.2.5** `def transform_audio_unit_tests.TestAudioProcessing.test_missingTarget ( self )`

Definition at line 213 of file `transform_audio_unit_tests.py`.

**6.4.2.6** `def transform_audio_unit_tests.TestAudioProcessing.test_nonexistentFile ( self )`

Definition at line 121 of file `transform_audio_unit_tests.py`.

**6.4.2.7** `def transform_audio_unit_tests.TestAudioProcessing.test_normalTrans2Flac ( self )`

Definition at line 47 of file `transform_audio_unit_tests.py`.



6.4.2.8 `def transform_audio_unit_tests.TestAudioProcessing.test_normalTransOgg2Wav ( self )`

Definition at line 88 of file `transform_audio_unit_tests.py`.

6.4.2.9 `def transform_audio_unit_tests.TestAudioProcessing.test_wrongTypes ( self )`

Definition at line 146 of file `transform_audio_unit_tests.py`.

6.4.2.10 `def transform_audio_unit_tests.TestAudioProcessing.test_wrongValues ( self )`

Definition at line 234 of file `transform_audio_unit_tests.py`.

### 6.4.3 Member Data Documentation

6.4.3.1 `transform_audio_unit_tests.TestAudioProcessing.auxiliary_files_url`

Definition at line 39 of file `transform_audio_unit_tests.py`.

6.4.3.2 `transform_audio_unit_tests.TestAudioProcessing.rospack`

Definition at line 45 of file `transform_audio_unit_tests.py`.

6.4.3.3 `transform_audio_unit_tests.TestAudioProcessing.transform_audio_module`


Definition at line 41 of file `transform_audio_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py`

## 6.5 set\_noise\_profile\_unit\_tests.TestAudioProcessing Class Reference

Inheritance diagram for `set_noise_profile_unit_tests.TestAudioProcessing`:



Collaboration diagram for `set_noise_profile_unit_tests.TestAudioProcessing`:



## Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test\\_no\\_silence\\_file](#)
- def [test\\_ogg](#)
- def [test\\_ogg\\_with\\_wav\\_1\\_ch\\_type](#)
- def [test\\_ogg\\_with\\_wav\\_4\\_ch\\_type](#)
- def [test\\_wav\\_1\\_ch](#)
- def [test\\_wav\\_1\\_ch\\_with\\_ogg\\_type](#)
- def [test\\_wav\\_1\\_ch\\_with\\_wav\\_4\\_ch\\_type](#)
- def [test\\_wav\\_4\\_ch](#)
- def [test\\_wav\\_4\\_ch\\_with\\_ogg\\_type](#)
- def [test\\_wav\\_4\\_ch\\_with\\_wav\\_1\\_ch\\_type](#)
- def [test\\_wav\\_6\\_ch](#)

## Public Attributes

- [auxiliary\\_files\\_url](#)
- [module](#)
- [rospack](#)

### 6.5.1 Detailed Description

Definition at line 31 of file `set_noise_profile_unit_tests.py`.

### 6.5.2 Member Function Documentation

#### 6.5.2.1 `def set_noise_profile_unit_tests.TestAudioProcessing.setUp ( self )`

Definition at line 32 of file `set_noise_profile_unit_tests.py`.

#### 6.5.2.2 `def set_noise_profile_unit_tests.TestAudioProcessing.tearDown ( self )`

Definition at line 38 of file `set_noise_profile_unit_tests.py`.

6.5.2.3 `def set_noise_profile_unit_tests.TestAudioProcessing.test_no_silence_file ( self )`

Definition at line 92 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.4 `def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg ( self )`

Definition at line 42 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.5 `def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg_with_wav_1_ch_type ( self )`

Definition at line 127 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.6 `def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg_with_wav_4_ch_type ( self )`

Definition at line 134 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.7 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch ( self )`

Definition at line 57 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.8 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch_with_ogg_type ( self )`

Definition at line 99 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.9 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch_with_wav_4_ch_type ( self )`

Definition at line 106 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.10 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch ( self )`

Definition at line 71 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.11 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch_with_ogg_type ( self )`

Definition at line 113 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.12 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch_with_wav_1_ch_type ( self )`

Definition at line 120 of file set\_noise\_profile\_unit\_tests.py.

6.5.2.13 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_6_ch ( self )`

Definition at line 85 of file set\_noise\_profile\_unit\_tests.py.

### 6.5.3 Member Data Documentation

6.5.3.1 `set_noise_profile_unit_tests.TestAudioProcessing.auxiliary_files_url`

Definition at line 34 of file set\_noise\_profile\_unit\_tests.py.

### 6.5.3.2 `set_noise_profile_unit_tests.TestAudioProcessing.module`

Definition at line 36 of file `set_noise_profile_unit_tests.py`.

### 6.5.3.3 `set_noise_profile_unit_tests.TestAudioProcessing.rospack`


Definition at line 40 of file `set_noise_profile_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set\_noise\_profile\_unit\_tests.py`

## 6.6 `energy_denoise_unit_tests.TestAudioProcessing` Class Reference

Inheritance diagram for `energy_denoise_unit_tests.TestAudioProcessing`:



Collaboration diagram for `energy_denoise_unit_tests.TestAudioProcessing`:



### Public Member Functions

- def `setUp`
- def `tearDown`
- def `test_energy_denois`
- def `test_notExistentFile`

## Public Attributes

- [auxiliary\\_files\\_url](#)
- [energy\\_denoise\\_module](#)
- [rospack](#)

### 6.6.1 Detailed Description

Definition at line 33 of file energy\_denoise\_unit\_tests.py.

### 6.6.2 Member Function Documentation

#### 6.6.2.1 def energy\_denoise\_unit\_tests.TestAudioProcessing.setUp ( self )

Definition at line 34 of file energy\_denoise\_unit\_tests.py.

#### 6.6.2.2 def energy\_denoise\_unit\_tests.TestAudioProcessing.tearDown ( self )

Definition at line 40 of file energy\_denoise\_unit\_tests.py.

#### 6.6.2.3 def energy\_denoise\_unit\_tests.TestAudioProcessing.test\_energy\_denois ( self )

Definition at line 44 of file energy\_denoise\_unit\_tests.py.

#### 6.6.2.4 def energy\_denoise\_unit\_tests.TestAudioProcessing.test\_notExistentFile ( self )

Definition at line 72 of file energy\_denoise\_unit\_tests.py.

### 6.6.3 Member Data Documentation

#### 6.6.3.1 energy\_denoise\_unit\_tests.TestAudioProcessing.auxiliary\_files\_url

Definition at line 36 of file energy\_denoise\_unit\_tests.py.

#### 6.6.3.2 energy\_denoise\_unit\_tests.TestAudioProcessing.energy\_denoise\_module

Definition at line 38 of file energy\_denoise\_unit\_tests.py.

#### 6.6.3.3 energy\_denoise\_unit\_tests.TestAudioProcessing.rospack


Definition at line 42 of file energy\_denoise\_unit\_tests.py.

The documentation for this class was generated from the following file:


- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_audio\\_processing/tests/unit/energy\\_denoise\\_unit\\_tests.py](#)

## 6.7 detect\_silence\_unit\_tests.TestAudioProcessing Class Reference

Inheritance diagram for detect\_silence\_unit\_tests.TestAudioProcessing:



Collaboration diagram for detect\_silence\_unit\_tests.TestAudioProcessing:



### Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test\\_noSilence](#)
- def [test\\_notExistentFile](#)
- def [test\\_silence](#)

### Public Attributes

- [auxiliary\\_files\\_url](#)
- [detect\\_silence\\_module](#)
- [rospack](#)

### 6.7.1 Detailed Description

Definition at line 31 of file `detect_silence_unit_tests.py`.

## 6.7.2 Member Function Documentation

### 6.7.2.1 def detect\_silence\_unit\_tests.TestAudioProcessing.setUp ( self )

Definition at line 32 of file detect\_silence\_unit\_tests.py.

### 6.7.2.2 def detect\_silence\_unit\_tests.TestAudioProcessing.tearDown ( self )

Definition at line 38 of file detect\_silence\_unit\_tests.py.

### 6.7.2.3 def detect\_silence\_unit\_tests.TestAudioProcessing.test\_noSilence ( self )

Definition at line 47 of file detect\_silence\_unit\_tests.py.

### 6.7.2.4 def detect\_silence\_unit\_tests.TestAudioProcessing.test\_notExistentFile ( self )

Definition at line 52 of file detect\_silence\_unit\_tests.py.

### 6.7.2.5 def detect\_silence\_unit\_tests.TestAudioProcessing.test\_silence ( self )

Definition at line 42 of file detect\_silence\_unit\_tests.py.

## 6.7.3 Member Data Documentation

### 6.7.3.1 detect\_silence\_unit\_tests.TestAudioProcessing.auxiliary\_files\_url

Definition at line 34 of file detect\_silence\_unit\_tests.py.

### 6.7.3.2 detect\_silence\_unit\_tests.TestAudioProcessing.detect\_silence\_module

Definition at line 36 of file detect\_silence\_unit\_tests.py.

### 6.7.3.3 detect\_silence\_unit\_tests.TestAudioProcessing.rospack

Definition at line 40 of file detect\_silence\_unit\_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/[detect\\_silence\\_unit\\_tests.py](#)





## Chapter 7

# File Documentation

### 7.1 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/functional/set\_noise\_profile\_functional.py File Reference

#### Classes

- class [set\\_noise\\_profile\\_functional.AudioProcessingSetNoiseProfileFunc](#)

#### Namespaces

- [set\\_noise\\_profile\\_functional](#)

#### Variables

- string [set\\_noise\\_profile\\_functional.PKG](#) = 'rapp\_audio\_processing'

### 7.2 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/denoise\_unit\_tests.py File Reference

#### Classes

- class [denoise\\_unit\\_tests.TestAudioProcessing](#)

#### Namespaces

- [denoise\\_unit\\_tests](#)

### 7.3 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/detect\_silence\_unit\_tests.py File Reference

#### Classes

- class [detect\\_silence\\_unit\\_tests.TestAudioProcessing](#)

## Namespaces

- [detect\\_silence\\_unit\\_tests](#)

## 7.4 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/energy\_denoise\_unit\_tests.py File Reference

### Classes

- class [energy\\_denoise\\_unit\\_tests.TestAudioProcessing](#)

## Namespaces

- [energy\\_denoise\\_unit\\_tests](#)

## 7.5 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/set\_noise\_profile\_unit\_tests.py File Reference

### Classes

- class [set\\_noise\\_profile\\_unit\\_tests.TestAudioProcessing](#)

## Namespaces

- [set\\_noise\\_profile\\_unit\\_tests](#)

## 7.6 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/transform\_audio\_unit\_tests.py File Reference

### Classes

- class [transform\\_audio\\_unit\\_tests.TestAudioProcessing](#)

## Namespaces

- [transform\\_audio\\_unit\\_tests](#)

## 7.7 /home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/utilities\_unit\_tests.py File Reference

### Classes

- class [utilities\\_unit\\_tests.TestAudioProcessing](#)

## Namespaces

- [utilities\\_unit\\_tests](#)

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/functional/set\_noise\_profile\_functional.py, [27](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/denoise\_unit\_tests.py, [27](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/detect\_silence\_unit\_tests.py, [27](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/energy\_denoise\_unit\_tests.py, [28](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/set\_noise\_profile\_unit\_tests.py, [28](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/transform\_audio\_unit\_tests.py, [28](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_audio\_processing/tests/unit/utilities\_unit\_tests.py, [28](#)

auxiliary\_files\_url

- denoise\_unit\_tests::TestAudioProcessing, [15](#)
- detect\_silence\_unit\_tests::TestAudioProcessing, [25](#)
- energy\_denoise\_unit\_tests::TestAudioProcessing, [23](#)
- set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)
- transform\_audio\_unit\_tests::TestAudioProcessing, [19](#)

denoise\_unit\_tests, [9](#)

denoise\_unit\_tests.TestAudioProcessing, [13](#)

denoise\_unit\_tests::TestAudioProcessing

- auxiliary\_files\_url, [15](#)
- rospack, [15](#)
- setUp, [14](#)
- sox\_denoise\_module, [15](#)
- tearDown, [14](#)
- test\_negativeScale, [14](#)
- test\_notExistentAudioFile, [14](#)
- test\_notExistentAudioType, [14](#)
- test\_notExistentUser, [14](#)
- test\_realFile, [14](#)

detect\_silence\_module

- detect\_silence\_unit\_tests::TestAudioProcessing, [25](#)

detect\_silence\_unit\_tests, [9](#)

detect\_silence\_unit\_tests.TestAudioProcessing, [24](#)

detect\_silence\_unit\_tests::TestAudioProcessing

- auxiliary\_files\_url, [25](#)
- detect\_silence\_module, [25](#)
- rospack, [25](#)
- setUp, [25](#)
- tearDown, [25](#)
- test\_noSilence, [25](#)
- test\_notExistentFile, [25](#)
- test\_silence, [25](#)

energy\_denoise\_module

- energy\_denoise\_unit\_tests::TestAudioProcessing, [23](#)

energy\_denoise\_unit\_tests, [9](#)

energy\_denoise\_unit\_tests.TestAudioProcessing, [22](#)

energy\_denoise\_unit\_tests::TestAudioProcessing

- auxiliary\_files\_url, [23](#)
- energy\_denoise\_module, [23](#)
- rospack, [23](#)
- setUp, [23](#)
- tearDown, [23](#)
- test\_energy\_denois, [23](#)
- test\_notExistentFile, [23](#)

id\_generator

- transform\_audio\_unit\_tests::TestAudioProcessing, [18](#)

module

- set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)

PKG

- set\_noise\_profile\_functional, [9](#)

rospack

- denoise\_unit\_tests::TestAudioProcessing, [15](#)
- detect\_silence\_unit\_tests::TestAudioProcessing, [25](#)
- energy\_denoise\_unit\_tests::TestAudioProcessing, [23](#)
- set\_noise\_profile\_unit\_tests::TestAudioProcessing, [22](#)
- transform\_audio\_unit\_tests::TestAudioProcessing, [19](#)

set\_noise\_profile\_functional, [9](#)

PKG, [9](#)

set\_noise\_profile\_functional.AudioProcessingSetNoiseProfileFunc, [11](#)

- set\_noise\_profile\_unit\_tests, 10
- set\_noise\_profile\_unit\_tests.TestAudioProcessing, 19
- set\_noise\_profile\_unit\_tests::TestAudioProcessing
  - auxiliary\_files\_url, 21
  - module, 21
  - rospack, 22
  - setUp, 20
  - tearDown, 20
  - test\_no\_silence\_file, 20
  - test\_ogg, 21
  - test\_wav\_1\_ch, 21
  - test\_wav\_4\_ch, 21
  - test\_wav\_6\_ch, 21
- setUp
  - denoise\_unit\_tests::TestAudioProcessing, 14
  - detect\_silence\_unit\_tests::TestAudioProcessing, 25
  - energy\_denoise\_unit\_tests::TestAudioProcessing, 23
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, 20
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
  - utilities\_unit\_tests::TestAudioProcessing, 16
- sox\_denoise\_module
  - denoise\_unit\_tests::TestAudioProcessing, 15
- tearDown
  - denoise\_unit\_tests::TestAudioProcessing, 14
  - detect\_silence\_unit\_tests::TestAudioProcessing, 25
  - energy\_denoise\_unit\_tests::TestAudioProcessing, 23
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, 20
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
  - utilities\_unit\_tests::TestAudioProcessing, 16
- test\_energy\_denois
  - energy\_denoise\_unit\_tests::TestAudioProcessing, 23
- test\_existentFiles
  - utilities\_unit\_tests::TestAudioProcessing, 16
- test\_missingSource
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
- test\_missingTarget
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
- test\_mixedCases
  - utilities\_unit\_tests::TestAudioProcessing, 16
- test\_negativeScale
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_no\_silence\_file
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, 20
- test\_noSilence
  - detect\_silence\_unit\_tests::TestAudioProcessing, 25
- test\_nonexistentFile
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
- test\_normalTrans2Flac
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
- test\_normalTransOgg2Wav
  - transform\_audio\_unit\_tests::TestAudioProcessing, 18
- test\_notExistentAudioFile
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_notExistentAudioType
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_notExistentFile
  - detect\_silence\_unit\_tests::TestAudioProcessing, 25
  - energy\_denoise\_unit\_tests::TestAudioProcessing, 23
- test\_notExistentFiles
  - utilities\_unit\_tests::TestAudioProcessing, 16
- test\_notExistentUser
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_ogg
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, 21
- test\_ogg\_type\_wav\_1\_ch\_file
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_ogg\_type\_wav\_4\_ch\_file
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_ogg\_with\_wav\_1\_ch\_type
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, 21
- test\_ogg\_with\_wav\_4\_ch\_type
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, 21
- test\_realFile
  - denoise\_unit\_tests::TestAudioProcessing, 14
- test\_setNoiseProfileService\_no\_silence\_file
  - set\_noise\_profile\_functional::AudioProcessingSet-NoiseProfileFunc, 12
- test\_setNoiseProfileService\_ogg
  - set\_noise\_profile\_functional::AudioProcessingSet-NoiseProfileFunc, 12
- test\_setNoiseProfileService\_ogg\_stress
  - set\_noise\_profile\_functional::AudioProcessingSet-NoiseProfileFunc, 12
- test\_setNoiseProfileService\_wav\_1\_ch
  - set\_noise\_profile\_functional::AudioProcessingSet-NoiseProfileFunc, 12
- test\_setNoiseProfileService\_wav\_4\_ch
  - set\_noise\_profile\_functional::AudioProcessingSet-NoiseProfileFunc, 12
- test\_setNoiseProfileService\_wav\_6\_ch
  - set\_noise\_profile\_functional::AudioProcessingSet-NoiseProfileFunc, 12
- test\_silence
  - detect\_silence\_unit\_tests::TestAudioProcessing, 25

- test\_wav\_1\_ch
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)
- test\_wav\_1\_ch\_type\_ogg\_file
  - denoise\_unit\_tests::TestAudioProcessing, [14](#)
- test\_wav\_1\_ch\_with\_ogg\_type
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)
- test\_wav\_4\_ch
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)
- test\_wav\_4\_ch\_type\_ogg\_file
  - denoise\_unit\_tests::TestAudioProcessing, [15](#)
- test\_wav\_4\_ch\_with\_ogg\_type
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)
- test\_wav\_6\_ch
  - set\_noise\_profile\_unit\_tests::TestAudioProcessing, [21](#)
- test\_wrongTypes
  - transform\_audio\_unit\_tests::TestAudioProcessing, [19](#)
- test\_wrongValues
  - transform\_audio\_unit\_tests::TestAudioProcessing, [19](#)
- transform\_audio\_module
  - transform\_audio\_unit\_tests::TestAudioProcessing, [19](#)
- transform\_audio\_unit\_tests, [10](#)
- transform\_audio\_unit\_tests.TestAudioProcessing, [17](#)
- transform\_audio\_unit\_tests::TestAudioProcessing
  - auxiliary\_files\_url, [19](#)
  - id\_generator, [18](#)
  - rospack, [19](#)
  - setUp, [18](#)
  - tearDown, [18](#)
  - test\_missingSource, [18](#)
  - test\_missingTarget, [18](#)
  - test\_nonexistentFile, [18](#)
  - test\_normalTrans2Flac, [18](#)
  - test\_normalTransOgg2Wav, [18](#)
  - test\_wrongTypes, [19](#)
  - test\_wrongValues, [19](#)
  - transform\_audio\_module, [19](#)
- utilities\_module
  - utilities\_unit\_tests::TestAudioProcessing, [17](#)
- utilities\_unit\_tests, [10](#)
- utilities\_unit\_tests.TestAudioProcessing, [15](#)
- utilities\_unit\_tests::TestAudioProcessing
  - setUp, [16](#)
  - tearDown, [16](#)
  - test\_existentFiles, [16](#)
  - test\_mixedCases, [16](#)
  - test\_notExistentFiles, [16](#)
  - utilities\_module, [17](#)