

RAPP Platform Tests - Face Detection

Generated by Doxygen 1.8.6

Tue Dec 1 2015 19:56:24

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	functional_tests Namespace Reference	9
5.1.1	Variable Documentation	9
5.1.1.1	PKG	9
6	Class Documentation	11
6.1	FaceDetectionTest Class Reference	11
6.1.1	Detailed Description	11
6.1.2	Constructor & Destructor Documentation	11
6.1.2.1	FaceDetectionTest	11
6.1.3	Member Function Documentation	11
6.1.3.1	SetUp	12
6.1.3.2	TearDown	12
6.1.4	Member Data Documentation	12
6.1.4.1	face_detector_	12
6.2	functional_tests.FaceDetFunc Class Reference	12
6.2.1	Detailed Description	12
6.2.2	Member Function Documentation	13
6.2.2.1	test_faceDoesNotExist	13
6.2.2.2	test_faceExists	13
6.2.2.3	test_faceExists_realistic	13

6.2.2.4	test_faceExists_realistic_2	13
6.2.2.5	test_faceExists_stress	13
6.2.2.6	test_fileDoesNotExist	13
6.2.2.7	test_fileExistsButItAudio	13
7	File Documentation	15
7.1	/home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional_tests.py File Reference	15
7.2	/home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit_tests.cpp File Reference	15
7.2.1	Function Documentation	16
7.2.1.1	main	16
7.2.1.2	TEST_F	16
7.2.1.3	TEST_F	16
7.2.1.4	TEST_F	16
7.2.1.5	TEST_F	16
	Index	17

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

functional_tests	9
--	---

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Test	
FaceDetectionTest	11
TestCase	
functional_tests.FaceDetFunc	12

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

FaceDetectionTest	
Handles the face detection unit testing using gtests	11
functional_tests.FaceDetFunc	12

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/ functional_tests.py . . .	15
/home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/ unit_tests.cpp	15

Chapter 5

Namespace Documentation

5.1 functional_tests Namespace Reference

Classes

- class [FaceDetFunc](#)

Variables

- string [PKG](#) = 'ros_nodes'

5.1.1 Variable Documentation

5.1.1.1 string functional_tests.PKG = 'ros_nodes'

Definition at line 18 of file functional_tests.py.

Chapter 6

Class Documentation

6.1 FaceDetectionTest Class Reference

Handles the face detection unit testing using gtests.

Inheritance diagram for FaceDetectionTest:

Collaboration diagram for FaceDetectionTest:

Protected Member Functions

- [FaceDetectionTest](#) ()
Default constructor.
- virtual void [SetUp](#) ()
Sets up the class variables for each unit test call.
- virtual void [TearDown](#) ()
This function is called after the termination of each test. Destroys the dynamically allocated variables.

Protected Attributes

- FaceDetector * [face_detector_](#)

6.1.1 Detailed Description

Handles the face detection unit testing using gtests.

Definition at line 27 of file unit_tests.cpp.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 FaceDetectionTest::FaceDetectionTest () [inline],[protected]

Default constructor.

Definition at line 34 of file unit_tests.cpp.

6.1.3 Member Function Documentation

6.1.3.1 virtual void FaceDetectionTest::SetUp () [inline],[protected],[virtual]

Sets up the class variables for each unit test call.

Definition at line 40 of file unit_tests.cpp.

6.1.3.2 virtual void FaceDetectionTest::TearDown () [inline],[protected],[virtual]

This function is called after the termination of each test. Destroys the dynamically allocated variables.

Definition at line 48 of file unit_tests.cpp.

6.1.4 Member Data Documentation

6.1.4.1 FaceDetector* FaceDetectionTest::face_detector_ [protected]

Pointer of type FaceDetector. Used to check its functions

Definition at line 53 of file unit_tests.cpp.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit_tests.cpp

6.2 functional_tests.FaceDetFunc Class Reference

Inheritance diagram for functional_tests.FaceDetFunc:

Collaboration diagram for functional_tests.FaceDetFunc:

Public Member Functions

- def [test_faceDoesNotExist](#)
Tests face detection with an image that does not contain faces.
- def [test_faceExists](#)
Tests face detection with Lenna image.
- def [test_faceExists_realistic](#)
Tests face detection with a NAO captured image.
- def [test_faceExists_realistic_2](#)
Tests face detection with a NAO captured image from almost 2 meters.
- def [test_faceExists_stress](#)
Stress test for face detection.
- def [test_fileDoesNotExist](#)
Tests face detection with a non existent image.
- def [test_fileExistsButItAudio](#)
Tests face detection with an audio file.

6.2.1 Detailed Description

Handles the face detection functional tests

Definition at line 32 of file functional_tests.py.

6.2.2 Member Function Documentation

6.2.2.1 def functional_tests.FaceDetFunc.test_faceDoesNotExist (self)

Tests face detection with an image that does not contain faces.

Should return 0 faces

Definition at line 90 of file functional_tests.py.

6.2.2.2 def functional_tests.FaceDetFunc.test_faceExists (self)

Tests face detection with Lenna image.

Should return 1 face

Definition at line 37 of file functional_tests.py.

6.2.2.3 def functional_tests.FaceDetFunc.test_faceExists_realistic (self)

Tests face detection with a NAO captured image.

Should return 1 face

Definition at line 50 of file functional_tests.py.

6.2.2.4 def functional_tests.FaceDetFunc.test_faceExists_realistic_2 (self)

Tests face detection with a NAO captured image from almost 2 meters.

Should return 1 face

Definition at line 63 of file functional_tests.py.

6.2.2.5 def functional_tests.FaceDetFunc.test_faceExists_stress (self)

Stress test for face detection.

20 calls in a row

Definition at line 76 of file functional_tests.py.

6.2.2.6 def functional_tests.FaceDetFunc.test_fileDoesNotExist (self)

Tests face detection with a non existent image.

Should return 0 faces

Definition at line 103 of file functional_tests.py.

6.2.2.7 def functional_tests.FaceDetFunc.test_fileExistsButItAudio (self)

Tests face detection with an audio file.

Should not crash and return 0 faces

Definition at line 116 of file functional_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional_tests.py

Chapter 7

File Documentation

7.1 /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional-_tests.py File Reference

Classes

- class [functional_tests.FaceDetFunc](#)

Namespaces

- [functional_tests](#)

Variables

- string [functional_tests.PKG](#) = 'ros_nodes'

7.2 /home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit-_tests.cpp File Reference

```
#include <gtest/gtest.h>
#include <face_detection/face_detector.h>
#include <ros/package.h>
Include dependency graph for unit_tests.cpp:
```

Classes

- class [FaceDetectionTest](#)
Handles the face detection unit testing using gtests.

Functions

- int [main](#) (int argc, char **argv)
The main function. Initialized the unit tests.
- [TEST_F](#) ([FaceDetectionTest](#), [lenna_test](#))
Tests face detection with the Lenna image. Should be successful.

- [TEST_F \(FaceDetectionTest, qr_test\)](#)
Tests face detection with a qr code. Should return 0 faces.
- [TEST_F \(FaceDetectionTest, file_not_exists_test\)](#)
Tests face detection with a missing file. Should return 0 faces.
- [TEST_F \(FaceDetectionTest, zero_sized_image_test\)](#)
Tests face detection with an empty image. Should return 0 faces.

7.2.1 Function Documentation

7.2.1.1 `int main (int argc, char ** argv)`

The main function. Initialized the unit tests.

Definition at line 103 of file `unit_tests.cpp`.

7.2.1.2 `TEST_F (FaceDetectionTest , lenna_test)`

Tests face detection with the Lenna image. Should be successful.

Definition at line 60 of file `unit_tests.cpp`.

7.2.1.3 `TEST_F (FaceDetectionTest , qr_test)`

Tests face detection with a qr code. Should return 0 faces.

Definition at line 71 of file `unit_tests.cpp`.

7.2.1.4 `TEST_F (FaceDetectionTest , file_not_exists_test)`

Tests face detection with a missing file. Should return 0 faces.

Definition at line 82 of file `unit_tests.cpp`.

7.2.1.5 `TEST_F (FaceDetectionTest , zero_sized_image_test)`

Tests face detection with an empty image. Should return 0 faces.

Definition at line 93 of file `unit_tests.cpp`.

Index

/home/travis/rapp_temp/rapp-platform/rapp_face_
detection/tests/face_detection/functional_
tests.py, [15](#)

/home/travis/rapp_temp/rapp-platform/rapp_face_
detection/tests/face_detection/unit_tests.cpp,
[15](#)

functional_tests::FaceDetFunc, [13](#)

test_fileExistsButItAudio
functional_tests::FaceDetFunc, [13](#)

unit_tests.cpp
main, [16](#)
TEST_F, [16](#)

face_detector_
FaceDetectionTest, [12](#)

FaceDetectionTest, [11](#)
face_detector_, [12](#)
FaceDetectionTest, [11](#)
FaceDetectionTest, [11](#)
SetUp, [11](#)
TearDown, [12](#)

functional_tests, [9](#)
PKG, [9](#)

functional_tests.FaceDetFunc, [12](#)

functional_tests::FaceDetFunc
test_faceDoesNotExist, [13](#)
test_faceExists, [13](#)
test_faceExists_realistic, [13](#)
test_faceExists_realistic_2, [13](#)
test_faceExists_stress, [13](#)
test_fileDoesNotExist, [13](#)
test_fileExistsButItAudio, [13](#)

main
unit_tests.cpp, [16](#)

PKG
functional_tests, [9](#)

SetUp
FaceDetectionTest, [11](#)

TEST_F
unit_tests.cpp, [16](#)

TearDown
FaceDetectionTest, [12](#)

test_faceDoesNotExist
functional_tests::FaceDetFunc, [13](#)

test_faceExists
functional_tests::FaceDetFunc, [13](#)

test_faceExists_realistic
functional_tests::FaceDetFunc, [13](#)

test_faceExists_realistic_2
functional_tests::FaceDetFunc, [13](#)

test_faceExists_stress
functional_tests::FaceDetFunc, [13](#)

test_fileDoesNotExist