# RAPP Platform Tests - Face Detection v0.5.5

Generated by Doxygen 1.8.6

Fri Dec 11 2015 16:03:27

## **Contents**

1	Nam	nespace	e Index	1
	1.1	Names	space List	1
2	Hier	archica	I Index	3
	2.1	Class I	Hierarchy	3
3	Clas	s Index	<b>K</b>	5
	3.1	Class I	List	5
4	File	Index		7
	4.1	File Lis	st	7
5	Nam	nespace	e Documentation	9
	5.1	functio	onal_tests Namespace Reference	9
		5.1.1	Variable Documentation	9
			5.1.1.1 PKG	9
6	Clas	s Docu	mentation	11
	6.1	FaceD	etectionTest Class Reference	11
		6.1.1	Detailed Description	12
		6.1.2	Constructor & Destructor Documentation	12
			6.1.2.1 FaceDetectionTest	12
		6.1.3	Member Function Documentation	12
			6.1.3.1 SetUp	12
			6.1.3.2 TearDown	12
		6.1.4	Member Data Documentation	12
			6.1.4.1 face_detector	12
	6.2	functio	onal_tests.FaceDetFunc Class Reference	13
		6.2.1	Detailed Description	14
		6.2.2	Member Function Documentation	14
			6.2.2.1 test_faceDoesNotExist	14
			6.2.2.2 test_faceExists	14
			6.2.2.3 test faceEvists realistic	14

iv CONTENTS

			6.2.2.4	test_faceExists_realistic_2	14
			6.2.2.5	test_faceExists_stress	14
			6.2.2.6	test_fileDoesNotExist	14
			6.2.2.7	test_fileExistsButItAudio	14
7	File	Docum	entation		17
	7.1			o_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional_tests.py	17
	7.2			p_temp/rapp-platform/rapp_face_detection/tests/face_detection/unit_tests.cpp File	17
		7.2.1	Function	Documentation	18
			7.2.1.1	main	18
			7.2.1.2	TEST_F	18
			7.2.1.3	TEST_F	19
			7.2.1.4	TEST_F	19
			7.2.1.5	TEST_F	19
Inc	dex				20

# Namespace Index

1.1	Namespace List	
Here	s a list of all namespaces with brief descriptions:	
fu	actional tosts	(

2 Namespace Index

## **Hierarchical Index**

## 2.1 Class Hierarchy

This inheritance list is softed roughly,	, but not completely, alphabetically.	
Test		

FaceDetectionTest																-1	1
TestCase																	
functional tests.FaceDetFunc .																- 1	3

**Hierarchical Index** 

## **Class Index**

_		_				
3	1	- (	פוי	000	۱ .	iet

Here are the classes, structs, unions and interfaces with brief descriptions:	
FaceDetectionTest	
Handles the face detection unit testing using gtests	1
functional, tests FaceDetFunc	1:

6 Class Index

## File Index

## 4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_face_detection/tests/face_detection/functional_tests.py	17
/home/travis/rapp temp/rapp-platform/rapp face detection/tests/face detection/unit tests.cpp	17

8 File Index

# **Namespace Documentation**

## 5.1 functional\_tests Namespace Reference

### Classes

class FaceDetFunc

### **Variables**

• string PKG = 'ros\_nodes'

### 5.1.1 Variable Documentation

5.1.1.1 string functional\_tests.PKG = 'ros\_nodes'


Definition at line 18 of file functional\_tests.py.

Namespace Doc	cumentatio	n
---------------	------------	---


## **Class Documentation**

### 6.1 FaceDetectionTest Class Reference

Handles the face detection unit testing using gtests. Inheritance diagram for FaceDetectionTest:



Collaboration diagram for FaceDetectionTest:



### **Protected Member Functions**

• FaceDetectionTest ()

12 Class Documentation

Default constructor.

virtual void SetUp ()

Sets up the class variables for each unit test call.

• virtual void TearDown ()

This function is called after the termination of each test. Destroys the dynamically alloced variables.

#### **Protected Attributes**

FaceDetector \* face\_detector\_

### 6.1.1 Detailed Description

Handles the face detection unit testing using gtests.

Definition at line 27 of file unit\_tests.cpp.

#### 6.1.2 Constructor & Destructor Documentation

```
6.1.2.1 FaceDetectionTest::FaceDetectionTest( ) [inline], [protected]
```

Default constructor.

Definition at line 34 of file unit\_tests.cpp.

#### 6.1.3 Member Function Documentation

```
6.1.3.1 virtual void FaceDetectionTest::SetUp() [inline], [protected], [virtual]
```

Sets up the class variables for each unit test call.

Definition at line 40 of file unit\_tests.cpp.

```
6.1.3.2 virtual void FaceDetectionTest::TearDown ( ) [inline], [protected], [virtual]
```

This function is called after the termination of each test. Destroys the dynamically alloced variables.

Definition at line 48 of file unit\_tests.cpp.

#### 6.1.4 Member Data Documentation

```
6.1.4.1 FaceDetector* FaceDetectionTest::face_detector_ [protected]
```

Pointer of type FaceDetector. Used to check its functions


Definition at line 53 of file unit\_tests.cpp.

The documentation for this class was generated from the following file:


/home/travis/rapp\_temp/rapp-platform/rapp\_face\_detection/tests/face\_detection/unit\_tests.cpp

### 6.2 functional\_tests.FaceDetFunc Class Reference

Inheritance diagram for functional\_tests.FaceDetFunc:



Collaboration diagram for functional\_tests.FaceDetFunc:



#### **Public Member Functions**

def test\_faceDoesNotExist

Tests face detection with an image that does not contain faces.

• def test\_faceExists

Tests face detection with Lenna image.

def test\_faceExists\_realistic

Tests face detection with a NAO captured image.

• def test\_faceExists\_realistic\_2

Tests face detection with a NAO captured image from almost 2 meters.

• def test\_faceExists\_stress

Stress test for face detection.

def test\_fileDoesNotExist

Tests face detection with a non existent image.

• def test\_fileExistsButItAudio

Tests face detection with an audio file.

14 Class Documentation

### 6.2.1 Detailed Description

Handles the face detection functional tests

Definition at line 32 of file functional\_tests.py.

### 6.2.2 Member Function Documentation

6.2.2.1 def functional\_tests.FaceDetFunc.test\_faceDoesNotExist ( self )

Tests face detection with an image that does not contain faces.

Should return 0 faces

Definition at line 90 of file functional\_tests.py.

6.2.2.2 def functional\_tests.FaceDetFunc.test\_faceExists ( self )

Tests face detection with Lenna image.

Should return 1 face

Definition at line 37 of file functional\_tests.py.

6.2.2.3 def functional\_tests.FaceDetFunc.test\_faceExists\_realistic ( self )

Tests face detection with a NAO captured image.

Should return 1 face

Definition at line 50 of file functional\_tests.py.

6.2.2.4 def functional\_tests.FaceDetFunc.test\_faceExists\_realistic\_2 ( self )

Tests face detection with a NAO captured image from almost 2 meters.

Should return 1 face

Definition at line 63 of file functional\_tests.py.

6.2.2.5 def functional\_tests.FaceDetFunc.test\_faceExists\_stress ( self )

Stress test for face detection.

20 calls in a row

Definition at line 76 of file functional\_tests.py.

6.2.2.6 def functional\_tests.FaceDetFunc.test\_fileDoesNotExist ( self )

Tests face detection with a non existent image.

Should return 0 faces

Definition at line 103 of file functional\_tests.py.

6.2.2.7 def functional\_tests.FaceDetFunc.test\_fileExistsButltAudio ( self )

Tests face detection with an audio file.

Should not crush an return 0 faces

Definition at line 116 of file functional\_tests.py.

The documentation for this class was generated from the following file:

• /home/travis/rapp\_temp/rapp-platform/rapp\_face\_detection/tests/face\_detection/functional\_tests.py

16 **Class Documentation** 

## **File Documentation**



#### Classes

· class functional tests.FaceDetFunc

### **Namespaces**

functional\_tests

#### **Variables**


• string functional\_tests.PKG = 'ros\_nodes'

7.2 /home/travis/rapp\_temp/rapp-platform/rapp\_face\_detection/tests/face\_detection/unit-\_tests.cpp File Reference

```
#include <gtest/gtest.h>
#include <face_detection/face_detector.h>
#include <ros/package.h>
```

18 File Documentation

Include dependency graph for unit\_tests.cpp:



#### **Classes**

class FaceDetectionTest

Handles the face detection unit testing using gtests.

#### **Functions**

int main (int argc, char \*\*argv)

The main function. Initialized the unit tests.

• TEST\_F (FaceDetectionTest, lenna\_test)

Tests face detection with the Lenna image. Should be successful.

TEST\_F (FaceDetectionTest, qr\_test)

Tests face detection with a qr code. Should return 0 faces.

• TEST\_F (FaceDetectionTest, file\_not\_exists\_test)

Tests face detection with a missing file. Should return 0 faces.

• TEST\_F (FaceDetectionTest, zero\_sized\_image\_test)

Tests face detection with an empty image. Should return 0 faces.

#### 7.2.1 Function Documentation

7.2.1.1 int main ( int argc, char \*\* argv )

The main function. Initialized the unit tests.

Definition at line 103 of file unit\_tests.cpp.

#### 7.2.1.2 TEST\_F ( FaceDetectionTest , lenna\_test )

Tests face detection with the Lenna image. Should be successful.

Definition at line 60 of file unit\_tests.cpp.

7.2.1.3 TEST\_F ( FaceDetectionTest , qr\_test )

Tests face detection with a qr code. Should return 0 faces.

Definition at line 71 of file unit\_tests.cpp.

7.2.1.4 TEST\_F ( FaceDetectionTest , file\_not\_exists\_test )

Tests face detection with a missing file. Should return 0 faces.

Definition at line 82 of file unit\_tests.cpp.

7.2.1.5 TEST\_F ( FaceDetectionTest , zero\_sized\_image\_test )

Tests face detection with an empty image. Should return 0 faces.

Definition at line 93 of file unit\_tests.cpp.

## Index

```
/home/travis/rapp_temp/rapp-platform/rapp_face_-
          detection/tests/face_detection/functional_-
          tests.py, 17
/home/travis/rapp temp/rapp-platform/rapp face -
          detection/tests/face_detection/unit_tests.cpp,
          17
face_detector_
     FaceDetectionTest, 12
FaceDetectionTest, 11
     face_detector_, 12
     FaceDetectionTest, 12
     FaceDetectionTest, 12
     SetUp, 12
     TearDown, 12
functional_tests, 9
     PKG, 9
functional tests.FaceDetFunc, 13
functional tests::FaceDetFunc
     test_faceDoesNotExist, 14
     test_faceExists, 14
     test_faceExists_realistic, 14
     test_faceExists_realistic_2, 14
     test_faceExists_stress, 14
     test_fileDoesNotExist, 14
     test_fileExistsButItAudio, 14
main
     unit tests.cpp, 18
PKG
     functional_tests, 9
SetUp
     FaceDetectionTest, 12
TEST F
     unit_tests.cpp, 18, 19
TearDown
     FaceDetectionTest, 12
test faceDoesNotExist
     functional_tests::FaceDetFunc, 14
test_faceExists
     functional tests::FaceDetFunc, 14
test faceExists realistic
     functional_tests::FaceDetFunc, 14
test_faceExists_realistic_2
     functional tests::FaceDetFunc, 14
test faceExists stress
     functional_tests::FaceDetFunc, 14
test_fileDoesNotExist
```

```
functional_tests::FaceDetFunc, 14
test_fileExistsButItAudio
   functional_tests::FaceDetFunc, 14
unit_tests.cpp
   main, 18
   TEST_F, 18, 19
```