

RAPP Platform Tests - Audio Processing

Generated by Doxygen 1.8.6

Fri Dec 4 2015 16:20:29

Contents

| | | |
|----------|---|-----------|
| 1 | Namespace Index | 1 |
| 1.1 | Namespace List | 1 |
| 2 | Hierarchical Index | 3 |
| 2.1 | Class Hierarchy | 3 |
| 3 | Class Index | 5 |
| 3.1 | Class List | 5 |
| 4 | File Index | 7 |
| 4.1 | File List | 7 |
| 5 | Namespace Documentation | 9 |
| 5.1 | denoise_unit_tests Namespace Reference | 9 |
| 5.2 | detect_silence_unit_tests Namespace Reference | 9 |
| 5.3 | energy_denoise_unit_tests Namespace Reference | 9 |
| 5.4 | set_noise_profile_functional Namespace Reference | 9 |
| 5.4.1 | Variable Documentation | 9 |
| 5.4.1.1 | PKG | 9 |
| 5.5 | set_noise_profile_unit_tests Namespace Reference | 10 |
| 5.6 | transform_audio_unit_tests Namespace Reference | 10 |
| 5.7 | utilities_unit_tests Namespace Reference | 10 |
| 6 | Class Documentation | 11 |
| 6.1 | set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc Class Reference | 11 |
| 6.1.1 | Detailed Description | 12 |
| 6.1.2 | Member Function Documentation | 12 |
| 6.1.2.1 | test_setNoiseProfileService_no_silence_file | 12 |
| 6.1.2.2 | test_setNoiseProfileService_not_valid_user | 12 |
| 6.1.2.3 | test_setNoiseProfileService_ogg | 12 |
| 6.1.2.4 | test_setNoiseProfileService_ogg_stress | 12 |
| 6.1.2.5 | test_setNoiseProfileService_wav_1_ch | 12 |
| 6.1.2.6 | test_setNoiseProfileService_wav_4_ch | 12 |

| | | |
|----------|--|----|
| 6.1.2.7 | test_setNoiseProfileService_wav_6_ch | 12 |
| 6.2 | denoise_unit_tests.TestAudioProcessing Class Reference | 13 |
| 6.2.1 | Detailed Description | 14 |
| 6.2.2 | Member Function Documentation | 14 |
| 6.2.2.1 | setUp | 14 |
| 6.2.2.2 | tearDown | 14 |
| 6.2.2.3 | test_negativeScale | 14 |
| 6.2.2.4 | test_notExistentAudioFile | 14 |
| 6.2.2.5 | test_notExistentAudioType | 14 |
| 6.2.2.6 | test_notExistentUser | 14 |
| 6.2.2.7 | test_ogg_type_wav_1_ch_file | 14 |
| 6.2.2.8 | test_ogg_type_wav_4_ch_file | 14 |
| 6.2.2.9 | test_realFile | 14 |
| 6.2.2.10 | test_wav_1_ch_type_ogg_file | 15 |
| 6.2.2.11 | test_wav_1_ch_type_wav_4_ch_file | 15 |
| 6.2.2.12 | test_wav_4_ch_type_ogg_file | 15 |
| 6.2.2.13 | test_wav_4_ch_type_wav_1_ch_file | 15 |
| 6.2.3 | Member Data Documentation | 15 |
| 6.2.3.1 | auxiliary_files_url | 15 |
| 6.2.3.2 | rospack | 15 |
| 6.2.3.3 | sox_denoise_module | 15 |
| 6.3 | utilities_unit_tests.TestAudioProcessing Class Reference | 15 |
| 6.3.1 | Detailed Description | 16 |
| 6.3.2 | Member Function Documentation | 16 |
| 6.3.2.1 | setUp | 16 |
| 6.3.2.2 | tearDown | 16 |
| 6.3.2.3 | test_existentFiles | 16 |
| 6.3.2.4 | test_mixedCases | 16 |
| 6.3.2.5 | test_notExistentFiles | 17 |
| 6.3.3 | Member Data Documentation | 17 |
| 6.3.3.1 | utilities_module | 17 |
| 6.4 | transform_audio_unit_tests.TestAudioProcessing Class Reference | 17 |
| 6.4.1 | Detailed Description | 18 |
| 6.4.2 | Member Function Documentation | 18 |
| 6.4.2.1 | id_generator | 18 |
| 6.4.2.2 | setUp | 18 |
| 6.4.2.3 | tearDown | 18 |
| 6.4.2.4 | test_missingSource | 18 |
| 6.4.2.5 | test_missingTarget | 18 |
| 6.4.2.6 | test_nonexistentFile | 18 |

| | | |
|----------|--|----|
| 6.4.2.7 | test_normalTrans2Flac | 18 |
| 6.4.2.8 | test_normalTransOgg2Wav | 19 |
| 6.4.2.9 | test_wrongTypes | 19 |
| 6.4.2.10 | test_wrongValues | 19 |
| 6.4.3 | Member Data Documentation | 19 |
| 6.4.3.1 | auxiliary_files_url | 19 |
| 6.4.3.2 | rospack | 19 |
| 6.4.3.3 | transform_audio_module | 19 |
| 6.5 | set_noise_profile_unit_tests.TestAudioProcessing Class Reference | 19 |
| 6.5.1 | Detailed Description | 20 |
| 6.5.2 | Member Function Documentation | 20 |
| 6.5.2.1 | setUp | 20 |
| 6.5.2.2 | tearDown | 20 |
| 6.5.2.3 | test_no_silence_file | 21 |
| 6.5.2.4 | test_ogg | 21 |
| 6.5.2.5 | test_ogg_with_wav_1_ch_type | 21 |
| 6.5.2.6 | test_ogg_with_wav_4_ch_type | 21 |
| 6.5.2.7 | test_wav_1_ch | 21 |
| 6.5.2.8 | test_wav_1_ch_with_ogg_type | 21 |
| 6.5.2.9 | test_wav_1_ch_with_wav_4_ch_type | 21 |
| 6.5.2.10 | test_wav_4_ch | 21 |
| 6.5.2.11 | test_wav_4_ch_with_ogg_type | 21 |
| 6.5.2.12 | test_wav_4_ch_with_wav_1_ch_type | 21 |
| 6.5.2.13 | test_wav_6_ch | 21 |
| 6.5.3 | Member Data Documentation | 21 |
| 6.5.3.1 | auxiliary_files_url | 21 |
| 6.5.3.2 | module | 22 |
| 6.5.3.3 | rospack | 22 |
| 6.6 | energy_denoise_unit_tests.TestAudioProcessing Class Reference | 22 |
| 6.6.1 | Detailed Description | 23 |
| 6.6.2 | Member Function Documentation | 23 |
| 6.6.2.1 | setUp | 23 |
| 6.6.2.2 | tearDown | 23 |
| 6.6.2.3 | test_energy_denois | 23 |
| 6.6.2.4 | test_notExistentFile | 23 |
| 6.6.3 | Member Data Documentation | 23 |
| 6.6.3.1 | auxiliary_files_url | 23 |
| 6.6.3.2 | energy_denoise_module | 23 |
| 6.6.3.3 | rospack | 23 |
| 6.7 | detect_silence_unit_tests.TestAudioProcessing Class Reference | 24 |

| | | |
|----------|---|-----------|
| 6.7.1 | Detailed Description | 24 |
| 6.7.2 | Member Function Documentation | 25 |
| 6.7.2.1 | setUp | 25 |
| 6.7.2.2 | tearDown | 25 |
| 6.7.2.3 | test_noSilence | 25 |
| 6.7.2.4 | test_notExistentFile | 25 |
| 6.7.2.5 | test_silence | 25 |
| 6.7.3 | Member Data Documentation | 25 |
| 6.7.3.1 | auxiliary_files_url | 25 |
| 6.7.3.2 | detect_silence_module | 25 |
| 6.7.3.3 | rospack | 25 |
| 7 | File Documentation | 27 |
| 7.1 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_-functional.py File Reference | 27 |
| 7.2 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py File Reference | 27 |
| 7.3 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_tests.py File Reference | 27 |
| 7.4 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py File Reference | 28 |
| 7.5 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_tests.py File Reference | 28 |
| 7.6 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py File Reference | 28 |
| 7.7 | /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py File Reference | 28 |
| | Index | 29 |

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

| | |
|--|----|
| denoise_unit_tests | 9 |
| detect_silence_unit_tests | 9 |
| energy_denoise_unit_tests | 9 |
| set_noise_profile_functional | 9 |
| set_noise_profile_unit_tests | 10 |
| transform_audio_unit_tests | 10 |
| utilities_unit_tests | 10 |

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

| | |
|---|----|
| TestCase | |
| denoise_unit_tests.TestAudioProcessing | 13 |
| detect_silence_unit_tests.TestAudioProcessing | 24 |
| energy_denoise_unit_tests.TestAudioProcessing | 22 |
| set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc | 11 |
| set_noise_profile_unit_tests.TestAudioProcessing | 19 |
| transform_audio_unit_tests.TestAudioProcessing | 17 |
| utilities_unit_tests.TestAudioProcessing | 15 |

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| | |
|---|----|
| set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc | 11 |
| denoise_unit_tests.TestAudioProcessing | 13 |
| utilities_unit_tests.TestAudioProcessing | 15 |
| transform_audio_unit_tests.TestAudioProcessing | 17 |
| set_noise_profile_unit_tests.TestAudioProcessing | 19 |
| energy_denoise_unit_tests.TestAudioProcessing | 22 |
| detect_silence_unit_tests.TestAudioProcessing | 24 |

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

| | |
|--|----|
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/ set_noise_profile_functional.py | 27 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ denoise_unit_tests.py | 27 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ detect_silence_unit_tests.py | 27 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ energy_denoise_unit_tests.py | 28 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ set_noise_profile_unit_tests.py | 28 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ transform_audio_unit_tests.py | 28 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/ utilities_unit_tests.py | 28 |

Chapter 5

Namespace Documentation

5.1 denoise_unit_tests Namespace Reference

Classes

- class [TestAudioProcessing](#)

5.2 detect_silence_unit_tests Namespace Reference

Classes

- class [TestAudioProcessing](#)

5.3 energy_denoise_unit_tests Namespace Reference

Classes

- class [TestAudioProcessing](#)

5.4 set_noise_profile_functional Namespace Reference

Classes

- class [AudioProcessingSetNoiseProfileFunc](#)

Variables

- string [PKG](#) = 'rapp_audio_processing'

5.4.1 Variable Documentation

5.4.1.1 string `set_noise_profile_functional.PKG` = 'rapp_audio_processing'

Definition at line 21 of file `set_noise_profile_functional.py`.

5.5 set_noise_profile_unit_tests Namespace Reference

Classes

- class [TestAudioProcessing](#)

5.6 transform_audio_unit_tests Namespace Reference

Classes

- class [TestAudioProcessing](#)

5.7 utilities_unit_tests Namespace Reference

Classes


- class [TestAudioProcessing](#)

Chapter 6


Class Documentation

6.1 set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc Class Reference

Inheritance diagram for set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc:



Collaboration diagram for set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc:



Public Member Functions

- def [test_setNoiseProfileService_no_silence_file](#)
- def [test_setNoiseProfileService_not_valid_user](#)
- def [test_setNoiseProfileService_ogg](#)
- def [test_setNoiseProfileService_ogg_stress](#)
- def [test_setNoiseProfileService_wav_1_ch](#)
- def [test_setNoiseProfileService_wav_4_ch](#)
- def [test_setNoiseProfileService_wav_6_ch](#)

6.1.1 Detailed Description

Definition at line 35 of file `set_noise_profile_functional.py`.

6.1.2 Member Function Documentation

6.1.2.1 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_no_silence_file (self)`

Definition at line 122 of file `set_noise_profile_functional.py`.

6.1.2.2 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_not_valid_user (self)`

Definition at line 138 of file `set_noise_profile_functional.py`.

6.1.2.3 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_ogg (self)`

Definition at line 37 of file `set_noise_profile_functional.py`.

6.1.2.4 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_ogg_stress (self)`

Definition at line 55 of file `set_noise_profile_functional.py`.

6.1.2.5 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_wav_1_ch (self)`

Definition at line 74 of file `set_noise_profile_functional.py`.

6.1.2.6 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_wav_4_ch (self)`

Definition at line 90 of file `set_noise_profile_functional.py`.

6.1.2.7 `def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_wav_6_ch (self)`


Definition at line 106 of file `set_noise_profile_functional.py`.

The documentation for this class was generated from the following file:


- [/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_functional.py](#)

6.2 denoise_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for denoise_unit_tests.TestAudioProcessing:



Collaboration diagram for denoise_unit_tests.TestAudioProcessing:



Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test_negativeScale](#)
- def [test_notExistentAudioFile](#)
- def [test_notExistentAudioType](#)
- def [test_notExistentUser](#)
- def [test_ogg_type_wav_1_ch_file](#)
- def [test_ogg_type_wav_4_ch_file](#)
- def [test_realFile](#)
- def [test_wav_1_ch_type_ogg_file](#)
- def [test_wav_1_ch_type_wav_4_ch_file](#)
- def [test_wav_4_ch_type_ogg_file](#)
- def [test_wav_4_ch_type_wav_1_ch_file](#)

Public Attributes

- [auxiliary_files_url](#)
- [rospack](#)
- [sox_denoise_module](#)

6.2.1 Detailed Description

Definition at line 33 of file `denoise_unit_tests.py`.

6.2.2 Member Function Documentation

6.2.2.1 `def denoise_unit_tests.TestAudioProcessing.setUp (self)`

Definition at line 34 of file `denoise_unit_tests.py`.

6.2.2.2 `def denoise_unit_tests.TestAudioProcessing.tearDown (self)`

Definition at line 40 of file `denoise_unit_tests.py`.

6.2.2.3 `def denoise_unit_tests.TestAudioProcessing.test_negativeScale (self)`

Definition at line 123 of file `denoise_unit_tests.py`.

6.2.2.4 `def denoise_unit_tests.TestAudioProcessing.test_notExistentAudioFile (self)`

Definition at line 76 of file `denoise_unit_tests.py`.

6.2.2.5 `def denoise_unit_tests.TestAudioProcessing.test_notExistentAudioType (self)`

Definition at line 108 of file `denoise_unit_tests.py`.

6.2.2.6 `def denoise_unit_tests.TestAudioProcessing.test_notExistentUser (self)`

Definition at line 92 of file `denoise_unit_tests.py`.

6.2.2.7 `def denoise_unit_tests.TestAudioProcessing.test_ogg_type_wav_1_ch_file (self)`

Definition at line 138 of file `denoise_unit_tests.py`.

6.2.2.8 `def denoise_unit_tests.TestAudioProcessing.test_ogg_type_wav_4_ch_file (self)`

Definition at line 153 of file `denoise_unit_tests.py`.

6.2.2.9 `def denoise_unit_tests.TestAudioProcessing.test_realFile (self)`

Definition at line 44 of file `denoise_unit_tests.py`.

6.2.2.10 `def denoise_unit_tests.TestAudioProcessing.test_wav_1_ch_type_ogg_file (self)`

Definition at line 168 of file `denoise_unit_tests.py`.

6.2.2.11 `def denoise_unit_tests.TestAudioProcessing.test_wav_1_ch_type_wav_4_ch_file (self)`

Definition at line 183 of file `denoise_unit_tests.py`.

6.2.2.12 `def denoise_unit_tests.TestAudioProcessing.test_wav_4_ch_type_ogg_file (self)`

Definition at line 198 of file `denoise_unit_tests.py`.

6.2.2.13 `def denoise_unit_tests.TestAudioProcessing.test_wav_4_ch_type_wav_1_ch_file (self)`

Definition at line 213 of file `denoise_unit_tests.py`.

6.2.3 Member Data Documentation

6.2.3.1 `denoise_unit_tests.TestAudioProcessing.auxiliary_files_url`

Definition at line 36 of file `denoise_unit_tests.py`.

6.2.3.2 `denoise_unit_tests.TestAudioProcessing.rospack`

Definition at line 42 of file `denoise_unit_tests.py`.

6.2.3.3 `denoise_unit_tests.TestAudioProcessing.sox_denoise_module`


Definition at line 38 of file `denoise_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py`

6.3 utilities_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for `utilities_unit_tests.TestAudioProcessing`:



Collaboration diagram for `utilities_unit_tests.TestAudioProcessing`:



Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test_existentFiles](#)
- def [test_mixedCases](#)
- def [test_notExistentFiles](#)

Public Attributes

- [utilities_module](#)

6.3.1 Detailed Description

Definition at line 30 of file `utilities_unit_tests.py`.

6.3.2 Member Function Documentation

6.3.2.1 `def utilities_unit_tests.TestAudioProcessing.setUp (self)`

Definition at line 31 of file `utilities_unit_tests.py`.

6.3.2.2 `def utilities_unit_tests.TestAudioProcessing.tearDown (self)`

Definition at line 34 of file `utilities_unit_tests.py`.

6.3.2.3 `def utilities_unit_tests.TestAudioProcessing.test_existentFiles (self)`

Definition at line 37 of file `utilities_unit_tests.py`.

6.3.2.4 `def utilities_unit_tests.TestAudioProcessing.test_mixedCases (self)`

Definition at line 63 of file `utilities_unit_tests.py`.

6.3.2.5 `def utilities_unit_tests.TestAudioProcessing.test_notExistentFiles (self)`

Definition at line 53 of file `utilities_unit_tests.py`.

6.3.3 Member Data Documentation

6.3.3.1 `utilities_unit_tests.TestAudioProcessing.utilities_module`


Definition at line 32 of file `utilities_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py`

6.4 transform_audio_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for `transform_audio_unit_tests.TestAudioProcessing`:



Collaboration diagram for `transform_audio_unit_tests.TestAudioProcessing`:



Public Member Functions

- `def id_generator`

- def [setUp](#)
- def [tearDown](#)
- def [test_missingSource](#)
- def [test_missingTarget](#)
- def [test_nonexistentFile](#)
- def [test_normalTrans2Flac](#)
- def [test_normalTransOgg2Wav](#)
- def [test_wrongTypes](#)
- def [test_wrongValues](#)

Public Attributes

- [auxiliary_files_url](#)
- [rospack](#)
- [transform_audio_module](#)

6.4.1 Detailed Description

Definition at line 36 of file `transform_audio_unit_tests.py`.

6.4.2 Member Function Documentation

6.4.2.1 `def transform_audio_unit_tests.TestAudioProcessing.id_generator (self, size = 15, chars = string.ascii_lowercase + '_')`

Definition at line 280 of file `transform_audio_unit_tests.py`.

6.4.2.2 `def transform_audio_unit_tests.TestAudioProcessing.setUp (self)`

Definition at line 37 of file `transform_audio_unit_tests.py`.

6.4.2.3 `def transform_audio_unit_tests.TestAudioProcessing.tearDown (self)`

Definition at line 43 of file `transform_audio_unit_tests.py`.

6.4.2.4 `def transform_audio_unit_tests.TestAudioProcessing.test_missingSource (self)`

Definition at line 190 of file `transform_audio_unit_tests.py`.

6.4.2.5 `def transform_audio_unit_tests.TestAudioProcessing.test_missingTarget (self)`

Definition at line 213 of file `transform_audio_unit_tests.py`.

6.4.2.6 `def transform_audio_unit_tests.TestAudioProcessing.test_nonexistentFile (self)`

Definition at line 121 of file `transform_audio_unit_tests.py`.

6.4.2.7 `def transform_audio_unit_tests.TestAudioProcessing.test_normalTrans2Flac (self)`

Definition at line 47 of file `transform_audio_unit_tests.py`.

6.4.2.8 `def transform_audio_unit_tests.TestAudioProcessing.test_normalTransOgg2Wav (self)`

Definition at line 88 of file `transform_audio_unit_tests.py`.

6.4.2.9 `def transform_audio_unit_tests.TestAudioProcessing.test_wrongTypes (self)`

Definition at line 146 of file `transform_audio_unit_tests.py`.

6.4.2.10 `def transform_audio_unit_tests.TestAudioProcessing.test_wrongValues (self)`

Definition at line 234 of file `transform_audio_unit_tests.py`.

6.4.3 Member Data Documentation

6.4.3.1 `transform_audio_unit_tests.TestAudioProcessing.auxiliary_files_url`

Definition at line 39 of file `transform_audio_unit_tests.py`.

6.4.3.2 `transform_audio_unit_tests.TestAudioProcessing.rospack`

Definition at line 45 of file `transform_audio_unit_tests.py`.

6.4.3.3 `transform_audio_unit_tests.TestAudioProcessing.transform_audio_module`


Definition at line 41 of file `transform_audio_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py`

6.5 set_noise_profile_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for `set_noise_profile_unit_tests.TestAudioProcessing`:



Collaboration diagram for `set_noise_profile_unit_tests.TestAudioProcessing`:



Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test_no_silence_file](#)
- def [test_ogg](#)
- def [test_ogg_with_wav_1_ch_type](#)
- def [test_ogg_with_wav_4_ch_type](#)
- def [test_wav_1_ch](#)
- def [test_wav_1_ch_with_ogg_type](#)
- def [test_wav_1_ch_with_wav_4_ch_type](#)
- def [test_wav_4_ch](#)
- def [test_wav_4_ch_with_ogg_type](#)
- def [test_wav_4_ch_with_wav_1_ch_type](#)
- def [test_wav_6_ch](#)

Public Attributes

- [auxiliary_files_url](#)
- [module](#)
- [rospack](#)

6.5.1 Detailed Description

Definition at line 31 of file `set_noise_profile_unit_tests.py`.

6.5.2 Member Function Documentation

6.5.2.1 `def set_noise_profile_unit_tests.TestAudioProcessing.setUp (self)`

Definition at line 32 of file `set_noise_profile_unit_tests.py`.

6.5.2.2 `def set_noise_profile_unit_tests.TestAudioProcessing.tearDown (self)`

Definition at line 38 of file `set_noise_profile_unit_tests.py`.

6.5.2.3 `def set_noise_profile_unit_tests.TestAudioProcessing.test_no_silence_file (self)`

Definition at line 92 of file set_noise_profile_unit_tests.py.

6.5.2.4 `def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg (self)`

Definition at line 42 of file set_noise_profile_unit_tests.py.

6.5.2.5 `def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg_with_wav_1_ch_type (self)`

Definition at line 127 of file set_noise_profile_unit_tests.py.

6.5.2.6 `def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg_with_wav_4_ch_type (self)`

Definition at line 134 of file set_noise_profile_unit_tests.py.

6.5.2.7 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch (self)`

Definition at line 57 of file set_noise_profile_unit_tests.py.

6.5.2.8 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch_with_ogg_type (self)`

Definition at line 99 of file set_noise_profile_unit_tests.py.

6.5.2.9 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch_with_wav_4_ch_type (self)`

Definition at line 106 of file set_noise_profile_unit_tests.py.

6.5.2.10 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch (self)`

Definition at line 71 of file set_noise_profile_unit_tests.py.

6.5.2.11 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch_with_ogg_type (self)`

Definition at line 113 of file set_noise_profile_unit_tests.py.

6.5.2.12 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch_with_wav_1_ch_type (self)`

Definition at line 120 of file set_noise_profile_unit_tests.py.

6.5.2.13 `def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_6_ch (self)`

Definition at line 85 of file set_noise_profile_unit_tests.py.

6.5.3 Member Data Documentation

6.5.3.1 `set_noise_profile_unit_tests.TestAudioProcessing.auxiliary_files_url`

Definition at line 34 of file set_noise_profile_unit_tests.py.

6.5.3.2 `set_noise_profile_unit_tests.TestAudioProcessing.module`

Definition at line 36 of file `set_noise_profile_unit_tests.py`.

6.5.3.3 `set_noise_profile_unit_tests.TestAudioProcessing.rospack`


Definition at line 40 of file `set_noise_profile_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_tests.py`

6.6 `energy_denoise_unit_tests.TestAudioProcessing` Class Reference

Inheritance diagram for `energy_denoise_unit_tests.TestAudioProcessing`:



Collaboration diagram for `energy_denoise_unit_tests.TestAudioProcessing`:



Public Member Functions

- def `setUp`
- def `tearDown`
- def `test_energy_denois`
- def `test_notExistentFile`

Public Attributes

- [auxiliary_files_url](#)
- [energy_denoise_module](#)
- [rospack](#)

6.6.1 Detailed Description

Definition at line 33 of file energy_denoise_unit_tests.py.

6.6.2 Member Function Documentation

6.6.2.1 def energy_denoise_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 34 of file energy_denoise_unit_tests.py.

6.6.2.2 def energy_denoise_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 40 of file energy_denoise_unit_tests.py.

6.6.2.3 def energy_denoise_unit_tests.TestAudioProcessing.test_energy_denois (self)

Definition at line 44 of file energy_denoise_unit_tests.py.

6.6.2.4 def energy_denoise_unit_tests.TestAudioProcessing.test_notExistentFile (self)

Definition at line 72 of file energy_denoise_unit_tests.py.

6.6.3 Member Data Documentation

6.6.3.1 energy_denoise_unit_tests.TestAudioProcessing.auxiliary_files_url

Definition at line 36 of file energy_denoise_unit_tests.py.

6.6.3.2 energy_denoise_unit_tests.TestAudioProcessing.energy_denoise_module

Definition at line 38 of file energy_denoise_unit_tests.py.

6.6.3.3 energy_denoise_unit_tests.TestAudioProcessing.rospack


Definition at line 42 of file energy_denoise_unit_tests.py.

The documentation for this class was generated from the following file:


- [/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py](#)

6.7 detect_silence_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for detect_silence_unit_tests.TestAudioProcessing:



Collaboration diagram for detect_silence_unit_tests.TestAudioProcessing:



Public Member Functions

- def [setUp](#)
- def [tearDown](#)
- def [test_noSilence](#)
- def [test_notExistentFile](#)
- def [test_silence](#)

Public Attributes

- [auxiliary_files_url](#)
- [detect_silence_module](#)
- [rospack](#)

6.7.1 Detailed Description

Definition at line 31 of file `detect_silence_unit_tests.py`.

6.7.2 Member Function Documentation

6.7.2.1 def detect_silence_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 32 of file detect_silence_unit_tests.py.

6.7.2.2 def detect_silence_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 38 of file detect_silence_unit_tests.py.

6.7.2.3 def detect_silence_unit_tests.TestAudioProcessing.test_noSilence (self)

Definition at line 47 of file detect_silence_unit_tests.py.

6.7.2.4 def detect_silence_unit_tests.TestAudioProcessing.test_notExistentFile (self)

Definition at line 52 of file detect_silence_unit_tests.py.

6.7.2.5 def detect_silence_unit_tests.TestAudioProcessing.test_silence (self)

Definition at line 42 of file detect_silence_unit_tests.py.

6.7.3 Member Data Documentation

6.7.3.1 detect_silence_unit_tests.TestAudioProcessing.auxiliary_files_url

Definition at line 34 of file detect_silence_unit_tests.py.

6.7.3.2 detect_silence_unit_tests.TestAudioProcessing.detect_silence_module

Definition at line 36 of file detect_silence_unit_tests.py.

6.7.3.3 detect_silence_unit_tests.TestAudioProcessing.rospack

Definition at line 40 of file detect_silence_unit_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/[detect_silence_unit_tests.py](#)

Chapter 7

File Documentation

7.1 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_functional.py File Reference

Classes

- class [set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc](#)

Namespaces

- [set_noise_profile_functional](#)

Variables

- string [set_noise_profile_functional.PKG](#) = 'rapp_audio_processing'

7.2 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py File Reference

Classes

- class [denoise_unit_tests.TestAudioProcessing](#)

Namespaces

- [denoise_unit_tests](#)

7.3 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_tests.py File Reference

Classes

- class [detect_silence_unit_tests.TestAudioProcessing](#)

Namespaces

- [detect_silence_unit_tests](#)

7.4 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py File Reference

Classes

- class [energy_denoise_unit_tests.TestAudioProcessing](#)

Namespaces

- [energy_denoise_unit_tests](#)

7.5 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_tests.py File Reference

Classes

- class [set_noise_profile_unit_tests.TestAudioProcessing](#)

Namespaces

- [set_noise_profile_unit_tests](#)

7.6 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py File Reference

Classes

- class [transform_audio_unit_tests.TestAudioProcessing](#)

Namespaces

- [transform_audio_unit_tests](#)

7.7 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py File Reference

Classes

- class [utilities_unit_tests.TestAudioProcessing](#)

Namespaces

- [utilities_unit_tests](#)

Index

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_functional.py, [27](#)

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py, [27](#)

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_tests.py, [27](#)

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py, [28](#)

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_tests.py, [28](#)

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py, [28](#)

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py, [28](#)

auxiliary_files_url

- denoise_unit_tests::TestAudioProcessing, [15](#)
- detect_silence_unit_tests::TestAudioProcessing, [25](#)
- energy_denoise_unit_tests::TestAudioProcessing, [23](#)
- set_noise_profile_unit_tests::TestAudioProcessing, [21](#)
- transform_audio_unit_tests::TestAudioProcessing, [19](#)

denoise_unit_tests, [9](#)

denoise_unit_tests.TestAudioProcessing, [13](#)

denoise_unit_tests::TestAudioProcessing

- auxiliary_files_url, [15](#)
- rospack, [15](#)
- setUp, [14](#)
- sox_denoise_module, [15](#)
- tearDown, [14](#)
- test_negativeScale, [14](#)
- test_notExistentAudioFile, [14](#)
- test_notExistentAudioType, [14](#)
- test_notExistentUser, [14](#)
- test_realFile, [14](#)

detect_silence_module

- detect_silence_unit_tests::TestAudioProcessing, [25](#)

detect_silence_unit_tests, [9](#)

detect_silence_unit_tests.TestAudioProcessing, [24](#)

detect_silence_unit_tests::TestAudioProcessing

- auxiliary_files_url, [25](#)
- detect_silence_module, [25](#)
- rospack, [25](#)
- setUp, [25](#)
- tearDown, [25](#)
- test_noSilence, [25](#)
- test_notExistentFile, [25](#)
- test_silence, [25](#)

energy_denoise_module

- energy_denoise_unit_tests::TestAudioProcessing, [23](#)

energy_denoise_unit_tests, [9](#)

energy_denoise_unit_tests.TestAudioProcessing, [22](#)

energy_denoise_unit_tests::TestAudioProcessing

- auxiliary_files_url, [23](#)
- energy_denoise_module, [23](#)
- rospack, [23](#)
- setUp, [23](#)
- tearDown, [23](#)
- test_energy_denois, [23](#)
- test_notExistentFile, [23](#)

id_generator

- transform_audio_unit_tests::TestAudioProcessing, [18](#)

module

- set_noise_profile_unit_tests::TestAudioProcessing, [21](#)

PKG

- set_noise_profile_functional, [9](#)

rospack

- denoise_unit_tests::TestAudioProcessing, [15](#)
- detect_silence_unit_tests::TestAudioProcessing, [25](#)
- energy_denoise_unit_tests::TestAudioProcessing, [23](#)
- set_noise_profile_unit_tests::TestAudioProcessing, [22](#)
- transform_audio_unit_tests::TestAudioProcessing, [19](#)

set_noise_profile_functional, [9](#)

PKG, [9](#)

set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc, [11](#)

- set_noise_profile_unit_tests, 10
- set_noise_profile_unit_tests.TestAudioProcessing, 19
- set_noise_profile_unit_tests::TestAudioProcessing
 - auxiliary_files_url, 21
 - module, 21
 - rospack, 22
 - setUp, 20
 - tearDown, 20
 - test_no_silence_file, 20
 - test_ogg, 21
 - test_wav_1_ch, 21
 - test_wav_4_ch, 21
 - test_wav_6_ch, 21
- setUp
 - denoise_unit_tests::TestAudioProcessing, 14
 - detect_silence_unit_tests::TestAudioProcessing, 25
 - energy_denoise_unit_tests::TestAudioProcessing, 23
 - set_noise_profile_unit_tests::TestAudioProcessing, 20
 - transform_audio_unit_tests::TestAudioProcessing, 18
 - utilities_unit_tests::TestAudioProcessing, 16
- sox_denoise_module
 - denoise_unit_tests::TestAudioProcessing, 15
- tearDown
 - denoise_unit_tests::TestAudioProcessing, 14
 - detect_silence_unit_tests::TestAudioProcessing, 25
 - energy_denoise_unit_tests::TestAudioProcessing, 23
 - set_noise_profile_unit_tests::TestAudioProcessing, 20
 - transform_audio_unit_tests::TestAudioProcessing, 18
 - utilities_unit_tests::TestAudioProcessing, 16
- test_energy_denois
 - energy_denoise_unit_tests::TestAudioProcessing, 23
- test_existentFiles
 - utilities_unit_tests::TestAudioProcessing, 16
- test_missingSource
 - transform_audio_unit_tests::TestAudioProcessing, 18
- test_missingTarget
 - transform_audio_unit_tests::TestAudioProcessing, 18
- test_mixedCases
 - utilities_unit_tests::TestAudioProcessing, 16
- test_negativeScale
 - denoise_unit_tests::TestAudioProcessing, 14
- test_no_silence_file
 - set_noise_profile_unit_tests::TestAudioProcessing, 20
- test_noSilence
 - detect_silence_unit_tests::TestAudioProcessing, 25
- test_nonexistentFile
 - transform_audio_unit_tests::TestAudioProcessing, 18
- test_normalTrans2Flac
 - transform_audio_unit_tests::TestAudioProcessing, 18
- test_normalTransOgg2Wav
 - transform_audio_unit_tests::TestAudioProcessing, 18
- test_notExistentAudioFile
 - denoise_unit_tests::TestAudioProcessing, 14
- test_notExistentAudioType
 - denoise_unit_tests::TestAudioProcessing, 14
- test_notExistentFile
 - detect_silence_unit_tests::TestAudioProcessing, 25
 - energy_denoise_unit_tests::TestAudioProcessing, 23
- test_notExistentFiles
 - utilities_unit_tests::TestAudioProcessing, 16
- test_notExistentUser
 - denoise_unit_tests::TestAudioProcessing, 14
- test_ogg
 - set_noise_profile_unit_tests::TestAudioProcessing, 21
- test_ogg_type_wav_1_ch_file
 - denoise_unit_tests::TestAudioProcessing, 14
- test_ogg_type_wav_4_ch_file
 - denoise_unit_tests::TestAudioProcessing, 14
- test_ogg_with_wav_1_ch_type
 - set_noise_profile_unit_tests::TestAudioProcessing, 21
- test_ogg_with_wav_4_ch_type
 - set_noise_profile_unit_tests::TestAudioProcessing, 21
- test_realFile
 - denoise_unit_tests::TestAudioProcessing, 14
- test_setNoiseProfileService_no_silence_file
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12
- test_setNoiseProfileService_not_valid_user
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12
- test_setNoiseProfileService_ogg
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12
- test_setNoiseProfileService_ogg_stress
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12
- test_setNoiseProfileService_wav_1_ch
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12
- test_setNoiseProfileService_wav_4_ch
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12
- test_setNoiseProfileService_wav_6_ch
 - set_noise_profile_functional::AudioProcessingSetNoiseProfileFunc, 12

- test_silence
 - detect_silence_unit_tests::TestAudioProcessing, [25](#)
- test_wav_1_ch
 - set_noise_profile_unit_tests::TestAudioProcessing, [21](#)
- test_wav_1_ch_type_ogg_file
 - denoise_unit_tests::TestAudioProcessing, [14](#)
- test_wav_1_ch_with_ogg_type
 - set_noise_profile_unit_tests::TestAudioProcessing, [21](#)
- test_wav_4_ch
 - set_noise_profile_unit_tests::TestAudioProcessing, [21](#)
- test_wav_4_ch_type_ogg_file
 - denoise_unit_tests::TestAudioProcessing, [15](#)
- test_wav_4_ch_with_ogg_type
 - set_noise_profile_unit_tests::TestAudioProcessing, [21](#)
- test_wav_6_ch
 - set_noise_profile_unit_tests::TestAudioProcessing, [21](#)
- test_wrongTypes
 - transform_audio_unit_tests::TestAudioProcessing, [19](#)
- test_wrongValues
 - transform_audio_unit_tests::TestAudioProcessing, [19](#)
- transform_audio_module
 - transform_audio_unit_tests::TestAudioProcessing, [19](#)
- transform_audio_unit_tests, [10](#)
- transform_audio_unit_tests.TestAudioProcessing, [17](#)
- transform_audio_unit_tests::TestAudioProcessing
 - auxiliary_files_url, [19](#)
 - id_generator, [18](#)
 - rospack, [19](#)
 - setUp, [18](#)
 - tearDown, [18](#)
 - test_missingSource, [18](#)
 - test_missingTarget, [18](#)
 - test_nonexistentFile, [18](#)
 - test_normalTrans2Flac, [18](#)
 - test_normalTransOgg2Wav, [18](#)
 - test_wrongTypes, [19](#)
 - test_wrongValues, [19](#)
 - transform_audio_module, [19](#)
- utilities_module
 - utilities_unit_tests::TestAudioProcessing, [17](#)
- utilities_unit_tests, [10](#)
- utilities_unit_tests.TestAudioProcessing, [15](#)
- utilities_unit_tests::TestAudioProcessing
 - setUp, [16](#)
 - tearDown, [16](#)
 - test_existentFiles, [16](#)
 - test_mixedCases, [16](#)
 - test_notExistentFiles, [16](#)
 - utilities_module, [17](#)