

RAPP Platform Tests - Mysql Wrapper

0.5.5

Generated by Doxygen 1.8.6

Mon Dec 7 2015 14:38:35

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	rapp_mysql_wrapper_functional_tests Namespace Reference	9
5.1.1	Variable Documentation	9
5.1.1.1	PKG	9
6	Class Documentation	11
6.1	rapp_mysql_wrapper_functional_tests.TestDbWrapper Class Reference	11
6.1.1	Detailed Description	12
6.1.2	Member Function Documentation	12
6.1.2.1	testDBError	12
6.1.2.2	testNullInputError	12
6.1.2.3	testTblModelWriteReadDeleteCheck	12
6.1.2.4	testTblRappWriteReadDeleteCheck	12
6.1.2.5	testTblRobotWriteReadDeleteCheck	12
6.1.2.6	testTblUserWriteReadDeleteCheck	13
7	File Documentation	15
7.1	/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional- _tests.py File Reference	15
	Index	16

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

rapp_mysql_wrapper_functional_tests	9
---	---

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

TestCase	
rapp_mysql_wrapper_functional_tests.TestDbWrapper	11

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

[rapp_mysql_wrapper_functional_tests.TestDbWrapper](#)
Inherits the unittest.TestCase class in order to offer functional tests functionality 11

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py	15
--	----

Chapter 5

Namespace Documentation

5.1 rapp_mysql_wrapper_functional_tests Namespace Reference

Classes

- class `TestDbWrapper`
Inherits the `unittest.TestCase` class in order to offer functional tests functionality.

Variables

- string `PKG` = `'test_rapp_mysql_wrapper'`

5.1.1 Variable Documentation

5.1.1.1 string `rapp_mysql_wrapper_functional_tests.PKG` = `'test_rapp_mysql_wrapper'`

Definition at line 20 of file `rapp_mysql_wrapper_functional_tests.py`.


Chapter 6

Class Documentation


6.1 rapp_mysql_wrapper_functional_tests.TestDbWrapper Class Reference

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Inheritance diagram for rapp_mysql_wrapper_functional_tests.TestDbWrapper:



Collaboration diagram for rapp_mysql_wrapper_functional_tests.TestDbWrapper:



Public Member Functions

- def [testDBError](#)
Tests the rapp_mysql_wrapper_user_write_data service when an invalid column is provided.
- def [testNullInputError](#)
Tests the rapp_mysql_wrapper_robot_fetch_data_service when null input is provided.
- def [testTblModelWriteReadDeleteCheck](#)
Tests the the write,read,update,delete rapp mysql wrapper services of the tblModel.
- def [testTblRappWriteReadDeleteCheck](#)
Tests the the write,read,update,delete rapp mysql wrapper services of the tblRapp.
- def [testTblRobotWriteReadDeleteCheck](#)
Tests the the write,read,update,delete rapp mysql wrapper services of the tblRobot.
- def [testTblUserWriteReadDeleteCheck](#)
req.return_cols=[String(data="")] entry1=StringArrayMsg() entry1=[String(data="username"), String(data="admin")] entry2=StringArrayMsg() entry2=[String(data="firstname"), String(data="Alex")] req.req_data=[StringArrayMsg(s=entry1),StringArrayMsg(s=entry2)]*

6.1.1 Detailed Description

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Definition at line 47 of file rapp_mysql_wrapper_functional_tests.py.

6.1.2 Member Function Documentation

6.1.2.1 def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testDBError (self)

Tests the rapp_mysql_wrapper_user_write_data service when an invalid column is provided.

Definition at line 49 of file rapp_mysql_wrapper_functional_tests.py.

6.1.2.2 def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testNullInputError (self)

Tests the rapp_mysql_wrapper_robot_fetch_data_service when null input is provided.

Definition at line 72 of file rapp_mysql_wrapper_functional_tests.py.

6.1.2.3 def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testTblModelWriteReadDeleteCheck (self)

Tests the the write,read,update,delete rapp mysql wrapper services of the tblModel.

Definition at line 310 of file rapp_mysql_wrapper_functional_tests.py.

6.1.2.4 def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testTblRappWriteReadDeleteCheck (self)

Tests the the write,read,update,delete rapp mysql wrapper services of the tblRapp.

Definition at line 399 of file rapp_mysql_wrapper_functional_tests.py.

6.1.2.5 def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testTblRobotWriteReadDeleteCheck (self)

Tests the the write,read,update,delete rapp mysql wrapper services of the tblRobot.

Definition at line 490 of file rapp_mysql_wrapper_functional_tests.py.

6.1.2.6 def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testTblUserWriteReadDeleteCheck (self)

```
req.return_cols=[String(data="*")] entry1=StringArrayMsg() entry1=[String(data="username"), String(data="admin")]
entry2=StringArrayMsg() entry2=[String(data="firstname"), String(data="Alex")] req.req_data=[StringArray-
Msg(s=entry1),StringArrayMsg(s=entry2)]
```

```
entry1=[] entry1=[String(data="username")] entry2=StringArrayMsg() entry2=[] req.req_data=[StringArray-
Msg(s=entry1),StringArrayMsg(s=entry2)] response = db_service(req.return_cols,req.req_data) self.assert-
False(response.success.data) self.assertEqual(response.report.data,"Wrong Query Input Format, check for empty
required columns list or wrong/incomplete Query data format") Tests the the write,read,update,delete rapp mysql
wrapper services of the tblUser
```

Definition at line 219 of file rapp_mysql_wrapper_functional_tests.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py](#)

Chapter 7

File Documentation

7.1 /home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py File Reference

Classes

- class [rapp_mysql_wrapper_functional_tests.TestDbWrapper](#)
Inherits the unittest.TestCase class in order to offer functional tests functionality.

Namespaces

- [rapp_mysql_wrapper_functional_tests](#)

Variables

- string [rapp_mysql_wrapper_functional_tests.PKG](#) = 'test_rapp_mysql_wrapper'

Index

/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional_tests.py, [15](#)

PKG

 rapp_mysql_wrapper_functional_tests, [9](#)

rapp_mysql_wrapper_functional_tests, [9](#)
 PKG, [9](#)

rapp_mysql_wrapper_functional_tests.TestDbWrapper,
 [11](#)

rapp_mysql_wrapper_functional_tests::TestDbWrapper
 testDBError, [12](#)
 testNullInputError, [12](#)
 testTblModelWriteReadDeleteCheck, [12](#)
 testTblRappWriteReadDeleteCheck, [12](#)
 testTblRobotWriteReadDeleteCheck, [12](#)
 testTblUserWriteReadDeleteCheck, [12](#)

testDBError

 rapp_mysql_wrapper_functional_tests::TestDb-
 Wrapper, [12](#)

testNullInputError

 rapp_mysql_wrapper_functional_tests::TestDb-
 Wrapper, [12](#)

testTblModelWriteReadDeleteCheck

 rapp_mysql_wrapper_functional_tests::TestDb-
 Wrapper, [12](#)

testTblRappWriteReadDeleteCheck

 rapp_mysql_wrapper_functional_tests::TestDb-
 Wrapper, [12](#)

testTblRobotWriteReadDeleteCheck

 rapp_mysql_wrapper_functional_tests::TestDb-
 Wrapper, [12](#)

testTblUserWriteReadDeleteCheck

 rapp_mysql_wrapper_functional_tests::TestDb-
 Wrapper, [12](#)