

# SpaceAdventure

## Lesson 7

### Description

Introduce a `PlanetarySystem` class into the project, and use an instance when displaying the introduction.

Welcome to the Solar System!

There are 8 planets to explore.

What is your name?

Jane

Nice to meet you, Jane. My name is Eliza, I'm an old friend of Siri.

Let's go on an adventure!

Shall I randomly choose a planet for you to visit? (Y or N)

Huh?

Sorry, I didn't get that.

Shall I randomly choose a planet for you to visit? (Y or N)

Y

Ok! Traveling to...

### Learning Outcomes

- Practice implementing a class and discover the Swift property declaration syntax.
- Describe how initializers assign the initial values to object properties during instantiation.
- Observe property initialization through inline assignment.
- Practice instantiating objects and accessing object properties.

### Vocabulary

Project Navigator	class definition	property
constant	let	type annotation

instantiation	initializer	parameter
self		

## Materials

- **SpaceAdventure Lesson 7** Xcode project
- **Initialization** presentation

## Opening

How do you think we can model planets and a planetary system for our `SpaceAdventure` to use?

## Agenda

- Discuss the need to model a collection of planets, using a `PlanetarySystem` class.
- Add a new Swift file (⌘N) called **`PlanetarySystem.swift`** to the project.
- Using the Project Navigator (⌘1), select **`PlanetarySystem.swift`** and implement a basic `PlanetarySystem` class definition.

```
class PlanetarySystem {  
  
}
```

- Add a property declaration to the `PlanetarySystem` class to represent the name of the planetary system.

```
class PlanetarySystem {  
  
    let name: String  
  
}
```

- Explain the property declaration syntax, emphasizing the type annotation and the use of `let` to indicate that the `name` of a `PlanetarySystem` object, once initialized, will not change.
- Discuss the error that Xcode displays, and discuss what value the `name` of a `PlanetarySystem` object would be when instantiated, given the existing class definition.

- Explain how Swift requires that all constant properties be assigned values during instantiation, within the implementation of an initializer.
- Add a parameterized initializer to the `PlanetarySystem` class.

```
init(name: String) {  
    self.name = name  
}
```

- Present the concepts of initializers and initialization.
- Explain how the `PlanetarySystem` initializer expects a `String`, called `name`, and assigns the value of the `name` parameter to the `name` property, using `self` to disambiguate the two.
- Discuss how the `SpaceAdventure` should consist of a `PlanetarySystem` to travel within, and the need to add a `PlanetarySystem` property to the `SpaceAdventure` class.
- Add the new `PlanetarySystem` property to the `SpaceAdventure` class.

```
class SpaceAdventure {  
  
    let planetarySystem = PlanetarySystem(name: "Solar System")  
    ...  
}
```

- Explain the syntax of instantiating a `PlanetarySystem` by invoking the parameterized initializer, the named parameter syntax, and how inline assignment of a class property may be used instead of an explicit initializer.
- Discuss the existing implementation of the `SpaceAdventure` `start` method.
- Update the implementation of `displayIntroduction`, removing some previous demonstration code, and using the `PlanetarySystem` `name` to display the introductory message.

```
private func displayIntroduction() {  
    let numberOfPlanets = 8  
    println("Welcome to the \(planetarySystem.name)!")  
    println("There are \(numberOfPlanets) planets to explore.")  
}
```

- Discuss how `name` is a property of a `PlanetarySystem` object, and how `planetarySystem` is a property of a `SpaceAdventure` object.
- Run the program (⌘R), and observe how the console (⇧⌘C) output reflects the name of the planetary system.

## Closing

Instead of an independent `numberOfPlanets` variable, where do you think the number of planets should come from?

## Modifications And Extensions

- Replace the inline initialization of the `planetarySystem` property with an initializer that assigns the property its initial value. Investigate whether one approach is better than the other.
- Add a `numberOfPlanets` property and a convenience initializer to the `PlanetarySystem` class.

## Resources

The Swift Programming Language: About Swift [https://developer.apple.com/library/prerelease/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/](https://developer.apple.com/library/prerelease/ios/documentation/Swift/Conceptual/Swift_Programming_Language/)

The Swift Programming Language: A Swift Tour [https://developer.apple.com/library/prerelease/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/GuidedTour.html](https://developer.apple.com/library/prerelease/ios/documentation/Swift/Conceptual/Swift_Programming_Language/GuidedTour.html)

The Swift Programming Language: The Basics [https://developer.apple.com/library/prerelease/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/TheBasics.html](https://developer.apple.com/library/prerelease/ios/documentation/Swift/Conceptual/Swift_Programming_Language/TheBasics.html)

Project Navigator Help: Adding a New File [https://developer.apple.com/library/ios/recipes/xcode\\_help-structure\\_navigator/articles/Adding\\_a\\_New\\_File.html](https://developer.apple.com/library/ios/recipes/xcode_help-structure_navigator/articles/Adding_a_New_File.html)

The Swift Programming Language: Classes and Structures [https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/ClassesAndStructures.html](https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift_Programming_Language/ClassesAndStructures.html)

The Swift Programming Language: Properties [https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/Properties.html](https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift_Programming_Language/Properties.html)

The Swift Programming Language: Initialization [https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/Initialization.html](https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift_Programming_Language/Initialization.html)

The Swift Programming Language: The Self Property [https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift\\_Programming\\_Language/Methods.html#//apple\\_ref/doc/uid/TP40014097-CH15-ID238](https://developer.apple.com/library/ios/documentation/Swift/Conceptual/Swift_Programming_Language/Methods.html#//apple_ref/doc/uid/TP40014097-CH15-ID238)