DI3QZ-01

PROBLEM SYMPTOMS TABLE

HINT:

If a normal code is displayed during the DTC check but the trouble still occurs, check the circuits for each symptom in the order given in the charts on the following pages and proceed to the page given for trouble shooting.

The Matrix Chart is divided into 3 chapters.

When <code>[]</code>roubleshooting, <code>check Chapter 1 []</code>irst. <code>[]</code>filnstructions <code>[]</code>are <code>[]</code>given <code>[]</code>n <code>[]</code>chapter 1 <code>[]</code>o <code>[]</code>proceed <code>[]</code>o <code>[]</code>chapter <code>[]</code>are <code>[]</code>are <code>[]</code>given <code>[]</code>n <code>[]</code>are <code>[]</code>ar

- If [] the instruction is proceed in the circuit inspection is the circuit inspection in the circuit inspection is the circuit inspection in the circuit inspection in the circuit inspection is the circuit inspection in the circuit inspection in the circuit inspection is the circuit inspection in the circuit inspection in the circuit inspection in the circuit inspection is the circuit inspection in the circuit in th
- If the trouble still occurs even though there are no abnormalities in any of the other circuits, then check and replace the Engine and ECT ECU or ECT ECU.

CHAPTER 1: ELECTRONIC CIRCUIT MATRIX CHART

Symptom	Suspect Area	See page
No up-shift (A particular gear, from 1st to 3rd gear, is not -up shifted)	Engine and ECT ECU or ECT ECU	IN-35
No up–shift (3rd → O/D)	1. ODD main witch & DDDFF indicator circuit 2. OD cancel signal circuit 3. Water emperature witch circuit. 4. Engine and ECT ECU or ECT ECU	DI-1 <u>6</u> 9 DI-1 <u>7</u> 5 DI-1 <u>9</u> 1 IN-35
No down–shift (O/D \rightarrow 3rd)	O/D main switch & O/D OFF indicator circuit O/D cancel signal circuit Engine and ECT ECU or ECT ECU	DI-1 <u>6</u> 9 DI-1 <u>7</u> 5 IN-35
No down-shift (A particular gear, from 1st to 3rd gear, is not -down shifted)	Engine and ECT ECU or ECT ECU	IN-35
No lock-up	Stop light switch signal circuit Engine and ECT ECU or ECT ECU	DI-1 <u>6</u> 3 IN-35
No lock-up off	Engine and ECT ECU or ECT ECU	IN-35
Shift point too high or too low	Pattern select switch circuit L4 position switch circuit Engine and ECT ECU or ECT ECU	DI-1[[8 DI-200 IN-35
Up-shift to O/D from 3rd while O/D main switch is OFF	O/D main switch & O/D OFF indicator circuit Water temperature switch circuit Engine and ECT ECU or ECT ECU	DI-1 <u>6</u> 9 DI-1 <u>9</u> 1 IN-35
Up-shift to O/D from 3rd while engine is cold	Engine and ECT ECU or ECT ECU	IN-35
No kick-down	Engine and ECT ECU or ECT ECU	IN-35
Engine stalls when starting off or stopping	Engine and ECT ECU or ECT ECU	IN-35
No pattern select	Pattern select switch circuit Engine and ECT ECU or ECT ECU	DI-1 <u>/</u> 8 IN-35
No 2nd start	Pattern select switch circuit Engine and ECT ECU or ECT ECU	DI-1 <u>[</u>]8 IN-35
A/T.P. indicator light does not light up	A/T. P. indicator light circuit	DI-1 <u>9</u> 4

CHAPTER[2:[ON-VEHICLE[REPAIR (]: [A442F[AUTOMATIC[TRANSMISSION[Repair[Manual[Pub.[No.[RM314E)

Symptom	Suspect[Area	See page
	1. Throttle cable (1FZ-FE, 1HZ, 1HD-T)	DI-80
Vehicle does not move in any forward range and reverse range	2. Transmission control rod	DI-80
	3. Manual valve	*
	4. Off-vehicle repair matrix chart	-
Vahiala daga not maya in D yanga	Reverse control valve	*
Vehicle does not move in R range	2. Off-vehicle repair matrix chart	_
Vehicle does not move in particular range or ranges (except R range)	Off-vehicle repair matrix chart	-
No up-shift (1st → 2nd)	1. 1–2 shift valve 2. Off–vehicle repair matrix chart	* -
	1. 2–3 shift valve	*
No up-shift (2nd → 3rd)	Off-vehicle repair matrix chart	_
	1. 3–4 shift valve	*
No up-shift (3rd \rightarrow O/D)	Off-vehicle repair matrix chart	_
	1. 3–4 shift valve	
No down–shift (O/D \rightarrow 3rd)	 3–4 sniπ vaive Off–vehicle repair matrix chart 	* -
No down–shift (3rd → 2nd)	1. 2–3 shift valve	*
	2. Off-vehicle repair matrix chart	-
No down-shift (2nd → 1st)	1. 1–2 shift valve	*
	Off-vehicle repair matrix chart	
	Lock-up signal valve	*
No lock–up or No lock–up off	Lock-up control valve Off-vehicle repair matrix chart	*
	·	
Havela are as a second (NL D)	Accumulator control valve	*
Harsh engagement (N → D)	2. C₁ accumulator3. Off-vehicle repair matrix chart	*
Harch ongagoment (Look, up)	Off-vehicle repair matrix chart	
Harsh engagement (Lock-up)	·	
Harab arranged (N. D)	Accumulator control valve	*
Harsh engagement (N → R)	2. C₂ accumulator3. Off-vehicle repair matrix chart	*
	·	- -
	 Accumulator control valve C₁ accumulator 	*
Harsh engagement (N \rightarrow L)	3. C₂ accumulator	*
	Off-vehicle repair matrix chart	_
	Accumulator control valve	*
Harsh engagement	B ₁ accumulator	*
(1st → 2nd / D range)	Off-vehicle repair matrix chart	_
	Accumulator control valve	*
Harsh engagement	B ₂ accumulator	
1st → 2nd / 2 range)	3. C ₁ accumulator	*
	4. Off-vehicle repair matrix chart	_
	Accumulator control valve	*
	2. Check ball	*
Harsh engagement (1st → 2nd → 3rd → O/D)	3. Throttle valve	*
	4. Off-vehicle repair matrix chart	-
	Accumulator control valve	*
Harris and a second of the sec	2. C ₂ accumulator	*
Harsh engagement (2nd → 3rd)	3. 2–3 shift timing valve	*
	4. Off-vehicle repair matrix chart	_

DIAGNOSTICS - AUTOMATIC TRANSMISSION (A442F)

Harsh engagement (3rd → O/D)	 Accumulator control valve B₀ accumulator Check ball Off-vehicle repair matrix chart 	* * * -
Harsh engagement (O/D → 3rd)	 Accumulator control valve B₀ accumulator Off-vehicle repair matrix chart 	* * -
Slip or shudder (Forward and reverse)	 Throttle cable (1FZ-FE, 1HZ, 1HD-T) Transmission control rod Oil strainer Off-vehicle repair matrix chart 	DI–80 DI–80 ★ –
Slip or shudder (Particular range)	 Throttle cable (1FZ-FE, 1HZ, 1HD-T) Transmission control rod Off-vehicle repair matrix chart 	DI-80 DI-80 -
No engine braking (1st / L range)	 Low coast modulator valve Modulator valve Off-vehicle repair matrix chart 	* * -
No engine braking (2nd / 2 range)	Off-vehicle repair matrix chart	_
No kick-down	 1. 1-2 shift valve 2. 2-3 shift valve 3. 3-4 shift valve 4. Off-vehicle repair matrix chart 	* * * -
Poor acceleration	 C₀ exhaust valve Off-vehicle repair matrix chart 	* -
Engine stall when starting off or stopping	Off-vehicle repair matrix chart	_

CHAPTER 3: OFF-VEHICLE REPAIR

(★: A442F AUTOMATIC TRANSMISSION Repair Manual Pub. No. RM314E)

Symptom	Suspect Area	See page
	1. Torque converter	*
Vehicle does not move in any forward range and reverse range	2. Oil pump	*
	3. O/D direct clutch (C ₀)	*
	4. Front clutch (C ₁)	*
	5. Rear clutch (C ₂)	*
	6. O/D one-way clutch (F ₀)	*
	7. O/D planetary gear unit	*
	1. O/D direct clutch (C ₀)	*
√ehicle does not move in R range	2. Rear clutch (C ₂₎	*
go	3. 1st & reverse brake (B ₃)	*
	1. O/D direct clutch (C ₀)	*
Vehicle does not move in D, 2 and L ranges	2. Front clutch (C ₁)	*
Vehicle does not move in D, 2 ranges	Front clutch (C ₁)	*
Vehicle does not move in 2 range	2nd brake (B ₂)	*
	, =	*
Vehicle does not move in L range	1st & reverse brake (B ₃)	
No up–shift (1st → 2nd)	1. O/D direct clutch (C ₀)	*
,	2. 2nd brake (B ₂)	*
No up-shift (2nd → 3rd)	Direct clutch (C ₂)	*
	1. O/D brake (B ₀)	*
No up-shift (3rd \rightarrow O/D)	2. O/D direct clutch (C ₀)	*
	3. O/D one-way clutch (F ₀)	*
	1. 2nd brake (B ₂)	*
No down-shift (2nd → 1st)	2. 1st & reverse brake (B ₃)	*
,	3. No.1 one-way clutch (F ₁)	*
No lock-up or No lock-up off	Torque converter	*
	1. Front clutch (C ₁)	*
Harsh engagement (N → D)	2. No.1 one–way clutch (F ₁)	*
	1. Rear clutch (C ₂)	*
Harsh engagement (N → R)	2. 1st & reverse brake (B ₃)	*
	i i	
Harsh engagement (2nd → 3rd)	1. O/D direct clutch (C ₀)	*
	2. Rear clutch (C ₂)	*
Harsh engagement (3rd → O/D)	O/D brake (B ₀)	*
1/0/5	1. O/D brake (B ₀)	*
Harsh engagement (O/D → 3rd)	2. O/D one-way clutch (F ₀)	*
Harsh engagement (Lock-up)	Torque converter	*
	Torque converter	*
Slip or shudder (Forward and reverse / After warm-up)	2. O/D one–way clutch (F ₀)	*
onp of chadder (i ofward and reverse / ritter warm ap)	3. O/D direct clutch (C ₀)	*
Slip or shudder (Forward and reverse / Just after engine starts)	Torque converter	*
, , , , , , , , , , , , , , , , , , , ,	,	
Slip or shudder (R range)	 2nd brake (B₂) Rear clutch (C₂) 	*
Slip or shudder (1st)	1. 1st & reverse brake (B ₃)	*
	2. No. 1 one–way clutch (F ₁)	*
Slip or shudder (2nd)	1. 2nd brake (B ₂)	*
Only of Stiducti (2114)	2. Front clutch (C ₁)	*
	1. Front clutch (C ₁)	*
Slip or shudder (3rd)	2. Rear clutch (C ₂)	*

DIAGNOSTICS – AUTOMATIC TRANSMISSION (A442F)

Slip or shudder (O/D)	 O/D brake (B₀) Front clutch (C₁) Rear clutch (C₂) 	* * *
No engine braking (1st ~ 3rd: D range)	 O/D direct clutch (C₀) O/D one-way (F₀) 	* *
No engine braking (1st: L range)	1st & reverse brake (B ₃)	*
No engine braking (2nd: 2 range)	O/D direct clutch (C ₁)	*
Poor acceleration (All range)	Torque converter	*
Poor acceleration (O/D)	 O/D direct clutch (C₀) O/D planetary gear unit 	*
Poor acceleration (other than O/D)	O/D brake (B ₀)	*
Poor acceleration (other than 2nd)	2nd brake (B ₂)	*
Poor acceleration (1st and 2nd)	Direct clutch (C ₂)	*
Poor acceleration (L and R ranges)	 1. 1st & reverse brake (B₃) 2. O/D brake (B₀) 3. Rear clutch (C₂) 	* * *
Poor acceleration (R range)	Forward clutch (C ₁)	*
Engine stalls when starting off or stopping	Torque converter	*