
Phishing URL Detection: A Machine Learning Approach



Meet the Team





Aggrey Timbwa

Richard Macharia





Pamela Jepkorir Chebii

Cynthia Njambi

Project Objective

Develop a machine learning-based phishing URL detector to enhance cybersecurity.



Achieve real-time, high-accuracy phishing detection to protect users and businesses.

What is Phishing?

Deceptive Tactics

☐ Fraudsters use email, social media, and other online channels to trick users into revealing sensitive information.

Real-World Examples

☐ Emails impersonating banks, government agencies, and trusted brands are common phishing techniques.



Understanding Phishing Attacks

- 1 Business Risks
 - > Financial losses
 - reputational damage.

- CybercrimeSophistication
 - Advanced tactics
 - Social engineering.

Protection Necessity

☐ Tools to identify phishing URLs for real-time detection.



Business Objectives



High-Accuracy Detection



User-Friendly Deployment



Real-Time Classification



Expected Impact

1 Financial Security

Reduce financial losses due to phishing scams.

2 User Trust

Build confidence in online interactions.

Benefits to Stakeholders

Business Users


Helps secure business operations by preventing phishing scams, protecting financial data, and ensuring safe online transactions. Example is banking services.

Individual Users (General Public)


Provides an easy way to avoid phishing attacks and safeguard personal information while browsing the internet.

□ Cybersecurity Teams

Supports proactive threat prevention by identifying phishing URLs and integrating into existing security measures.



Data Foundation



Dataset

Mendeley Phishing URL Dataset.



Size

6,568,184 URLs, reduced to 10,000 for analysis.



Preparation

Feature extraction, cleaning, and encoding were performed.

Data Preparation

1 — Data Collection

Gather diverse labelled URLs from Mendeley Dataset .


2 — Data Loading

□ Loaded the txt data into dataframes

Feature Extraction and Engineering

 Extract 45 relevant URL attributes like domain age, URL length, Whois registration





Select Feature Distribution

Distinct Distributions:

Some features show clear differences between benign and malignant labels.


Class Separation:

Features like domain length and typosquatting distance aid in distinguishing classes.

Significant Features:


Domain length, entropy, and character repetition stand out for classification.

Methodology and Modeling



Select Feature Distribution

- ➤ Iterative approach optimizing precision, recall, and F1-score.
- Used pipelines to make preprocessing and modeling more seamless.
- Incorporated hyperparameter tuning and PCA keeping 95% of the variance which reduced noise and boosted model performance
- Best performing models included SVM followed by random forest and boosted models.




Most Important Features

➤ URL was the most important feature across boosted models and random forests.

- Models seemed to have picked up more patterns from the URLs themselves and our extracted features
- Further feature extraction and engineering would likely improve the models' generalizability and balance precision and recall.

Deploying the Detector





Key Insights and Recommendations

Better URL description

Enhance feature extraction to help the model learn more patterns from urls


Data augmentation and continuous training

Increasing the model training sample could better capture a wider array of url patterns and ongoing training would improve models over time

User Feedback

Incorporate user feedback to check model performance on unseen data

Challenges and Next Steps







Technology Stack

Python

Core programming language.

Pandas

Data manipulation and analysis.

Flask

Deployment of a web-based tool

Scikit-learn

Machine learning library.

Matplotlib


Data visualization library.

Render

Hosting web application

Conclusion

- ☐ High-Accuracy Phishing Detection.
- ☐ Balanced F1-Score
- User-Friendly Web Deployment
- ☐ Real-Time Classification
- Identify Important Features



Q&A





Thank You