DB Practical Work 0: Setting the system up

December 13, 2016

Abstract

The following leaflet gives the steps to set the development environment up.

Contents

1	Wor	k to do	2
2	2.1	allation On the Virtual Machine	
3	Get	the system to work	3

1 Work to do

You have to set your system up in order to get a proper development environment.

2 Installation

2.1 On the Virtual Machine

- 1. Download https://github.com/prafiny/db-project/archive/master.zip
- 2. Get the VM called "VMWARE WINDOWS 7 PRO 32 bits MISE EN OEUVRE BDD"
- 3. Put the archive in the VM and unzip it.
- 4. Start WampServer.
- 5. Open a cmd prompt (Shift+Right Click on the folder db-project-master)
- 6. Run composer install

2.2 On a personal machine

You will need the following elements for the software to work:

- PHP >= 5.6
- MySQL/MariaDB
- Apache and PhpMyAdmin
- Composer (http://getcomposer.org)
- php.exe in PATH (see https://john-dugan.com/add-php-windows-path-variable/)
- No xDebug : in php.ini, comment out the line zend_extension = "/path/-to/php_xdebug.dll" (adding ; at the beginning)

Once you have got all the requirements fulfilled, you can proceed with the following steps:

- 1. Download https://github.com/prafiny/db-project/archive/master.zip
- 2. Unzip the archive somewhere.
- 3. Open a cmd prompt (Shift+Right Click on the folder db-project-master)
- 4. Run composer install

3 Get the system to work

- 1. You must have two databases : one for testing and one for the application
- 2. You must have the tables you are working on on both databases
- 3. Edit the config/db.yaml.example file (replacing the infos with the MySQL connection infos) and save as config/db.yaml
- 4. Run a server by opening a commandline (Shift+Right folder db-project-master):

```
php -S localhost:8888 -t www
```

5. Your application is available at the address http://localhost:8888/