SQL Assignment - 13

Using the UNION clause.

Create a union of two queries that shows the names, cities, and ratings of all customers. Those
with rating of 200 or greater will also have the words "High Rating", while the others will have
the words "Low Rating

```
D1_86939_Prajwal>select cname , city, 'High Rating' as rating from customers where rating >= 200
    -> select cname , city , 'Low Rating' as rating from customers where rating < 200;
 cname
             city
                      rating
 Giovanni
                        High Rating
             Rome
 Liu
             San Jose
                        High Rating
  Grass
             Berlin
                        High Rating
                        High Rating
             San Jose
  Cisneros
  Hoffman
             London
                        Low Rating
             London
  Clemens
                        Low Rating
  Pereira
             Rome
                        Low Rating
 rows in set (0.00 sec)
```

2) Write a command that produces the name and number of each salesperson and each customer with more than one current order. Put the results in alphabetical order

```
D1_86939_Prajwal>select sname , snum from salespeople join orders using(snum) group by sname
 snum having count(onum) > 1
    -> union
 -> select cname , cnum from customers join orders using(cnum) group by cname , cnum having count(onum) > 1 order by 1;
  sname
              snum |
  Cisneros
              2008
  Clemens
              2006
  Grass
              2004
              1001
  Peel
  Rifkin
              1007
  Serres
              1002
  rows in set (0.00 sec)
```

3) Form a union of three queries. Have the first select the snums of all salespeople in San Jose; the second, the cnums of all customers in San Jose; and the third the onums of all orders on October 3. Retain duplicates between the last two queries but eliminate any redundancies between either of them and the first. (Note: in the sample tables as given, there would be no such redundancy. This is besides the point.)

```
D1_86939_Prajwal>select snum from salespeople where city = 'San Jose' union select cnum from customer s where city = 'San Jose' union all select onum from orders where odate = '1990-10-03';
+-----+
| snum |
+-----+
| 1002 |
| 2003 |
| 2008 |
| 3001 |
| 3003 |
| 3002 |
| 3005 |
| 3006 |
+-----+
8 rows in set (0.00 sec)
```