






WELCOME!

- Introductions
- •Can everyone access Noteable?







Programming = Telling the computer what to do

You need to speak a language the computer will understand, e.g., Python








Syntax

Count from 1 to 10.



```
for number in range(1,11):
    print(number)
```

```
for number in range(1,11):
    print(number)

1
2
3
4
5
6
7
8
9
10
```

- There are TEXT CELLS like this one with explanations of concepts.
- 3. And CODE CELLS with Python code (see below). Code cells have a In [] written to the left.
- 4. You can RUN CODE CELLS by clicking on them and pressing Shirt + Enter. When you run a cell code in it is run (it "happens", computer will do what appear underneath the cell.

nd RUN code cells.



Remember to RUN ALL THE CELLS IN ORDER AS YOU GO THROUGH THIS NOTEBOOK (if you skip some, you might see some unexpected errors).

Control of the second of th

At the end of this badge you will know:

- · How is code executed by Python.
- What are variables.
- That are variables types (string, int, float, bool), and how they impact on how code behaves e.g. 20 + 20 is different than "20"+"20".
- · How to change variable types with Casting.
- · How to ask user for some input.

SPOILER ALERT:

You will also understand these lines of code:

```
In []: # Remember - run all code cells from top to bottom as you go through notebook. (Shift + Enter)
        # Lines starting with '#' are just comments, they output nothing when run.
In []: # Running code and printing things.
        # Prints appear immediately under the cell.
        print(3 + 1)
        print(3 + 2)
        print(3 + 3)
In []: # but Output/return of ONLY THE LAST LINE of code appears in the Out[]: section below your print.
        # That's why printing is a nice way to know what's going on
        2 + 1
        2 + 2
        2 + 3
```



Markdown cells

Code cells





Code is written in **lines**. Each line does something, and they are **executed** from top to bottom.

```
count = 43
print(count)
count = 44
print(count)
```







Variables are places to store values for later. There are different types of variables:

- string for text, e.g., "banana" or "I like Python"
- int (integer) for whole numbers, e.g., 1, 5, 2014
- **float** for decimal numbers, e.g., 2.25, 6.1246, 16.2
- **bool** (Boolean) for logic values: *True, False*

my_favourite_fruit = "apple"










PAIR PROGRAMMING









Pair Programming

- find a partner
- switch driver & navigator roles regularly, e.g., after every task in the notebook
- you can work with the same partner throughout the course, or switch between sessions
- ask us for help! (yes, even for small things)







Let's get programming - Notebook 1a

https://noteable.edina.ac.uk/login

- → log in with your student/staff account
- → select Python 3 and start the server
- → click "+GitRepo" (top right) add the GitHub link below, and click "clone".

https://github.com/DCS-training/IntroToPython_2023







Comparing Variables





Conditionals

- Controlling what part of your code gets executed based on conditions
- E.g., "If the traffic light is green, go, otherwise, wait."








Let's get programming:

Notebook 1b – Conditions & Logic









Welcome Back!

Whilst you are coming in, open up your web browser and load up Noteable:

https://noteable.edina.ac.uk/login

- → log in with your student/staff account
- → select Python 3 and start the server
- → from last week you should have all the files, if you do not then...

click "+GitRepo" (top right) add the GitHub link below, and click "clone". https://github.com/DCS-training/IntroToPython_2023







Welcome Back!



Chris Oldnall



Sarah Schöttler







Last week...

- Write and run,
- logic and conditionals.

...this week...

- Functions,
- and more functions!





1. What is a function?

3. How do I make a function in Python?


2. Why do we use functions?







1. What is a function?









1. What is a function?

A way to generalise a process that will need to be done over and over again.







2. Why do we use functions?

- Reduce lines of code,
- Enhance computing performance,
- Make life easier!







2. Why do we use functions?









3. How do I make a function in Python?

- 1. 'def'
- 2. Name
- 3. What goes into it (arguments)
- 4. What it does (the steps)
- 5. What it gives back (return value)







```
def bake_a_cake(cake_type, cake_size, cake_flavor, cake_filling, cake_frosting):
      """This function bakes a cake of the specified type, size, flavor, filling, and frosting.
      Args:
        cake_type: The type of cake to bake, e.g. "chocolate", "vanilla", "red velvet".
        cake_size: The size of the cake to bake, e.g. "small", "medium", "large".
        cake_flavor: The flavor of the cake to bake, e.g. "chocolate", "vanilla", "strawberry".
        cake_filling: The filling for the cake, e.g. "chocolate ganache", "vanilla buttercream", "strawberry jam".
        cake_frosting: The frosting for the cake, e.g. "chocolate ganache", "vanilla buttercream".
      Returns:
       A cake of the specified type, size, flavor, filling, and frosting.
14
15
      print(f"Baking a {cake_type} {cake_size} {cake_flavor} cake...")
16
      # Prepare the cake batter
      # ...
19
     # Pour the batter into a cake pan
21
22
23
     # Bake the cake
24
25
     # Let the cake cool
     # Fill the cake if specified
     if cake_filling:
31
      # Fill the cake
32
33
     # Frost the cake if specified
     if cake_frosting:
      # Frost the cake
37
       # ...
      print("Cake is ready!")
      return f"{cake_type} {cake_size} {cake_flavor} cake with {cake_filling} and {cake_frosting}"
```

3. How do I make a function in Python?








Pair Programming – Reminder

- work with your partner from last week, or find someone new
- switch driver & navigator roles regularly, e.g., after every task in the notebook
- ask us for help!









Let's do some programming:

Session 2 – Functions = superpowers.

Let's try imagining the ORDER in which code is executed, in cycles or steps.

```
In []: # Think about the order in which a computer needs to find answers to some questions.
# In order to then seek answers to other questions

# E.g. you need to know what int("20") is before you can add it to 20.
# And only once you add them you can print the result.

print( int("20") + 20)

In []: # Same here. As a human, which parts would you have to solve first?
# try to solve it before you run the code. What's the result you expect?

print( (20 + 50) / 7 == (1+4) * (9-7))
```







What is scope all about?









Local:

Only those close to him (within the same function) who know about what he can do.



Global:

Can be accessed by anyone, anywhere – everyone knows what he can do!







Rule 1: Anything inside a function is mysterious to the outside...

You are not able to peek inside of a function elsewhere in code. Only things returned will become available to the 'global' environment.

Rule 2: Functions can look outside, but shouldn't...

Things can get complicated when a function looks outside. We tackle this by carefully specifying arguments with relevant names.








Let's keep programming:

Session 2 – Functions = superpowers.










Recap: Variables

Variables are places to store values for later. There are different types of variables:

- string for text, e.g., "banana" or "I like Python"
- int (integer) for whole numbers, e.g., 1, 5, 2014
- **float** for decimal numbers, e.g., 2.25, 6.1246, 16.2
- **bool** (Boolean) for logic values: *True, False*

my_favourite_fruit = "apple"









Lists

```
planet0 = "Mercury"
planet1 = "Venus"
planet2 = "Earth"
planet3 = "Mars"
planet4 = "Jupyter"
planet5 = "Saturn"
planet6 = "Uranus"
```



planets = ["Mercury", "Venus", "Earth", "Mars", "Jupyter", "Saturn", "Uranus"]








Why use lists?

planets = ["Mercury", "Venus", "Earth", "Mars", "Jupyter", "Saturn", "Uranus"]

- Count how many items are in the list
- Check if a specific item is in the list
- ☑ Find the location of a specific item
- ✓ Add and remove items
- Sort (alphabetically or otherwise)



Pluto (not a planet)







Alternatives to lists

Tuple

```
planets = ("Mercury", "Venus", "Earth", "Mars", "Jupyter", "Saturn", "Uranus")
```

- Uses () instead of []
- Same as a list, except it **cannot be changed** after creating it

Set

```
planets = {"Mercury", "Venus", "Earth", "Mars", "Jupyter", "Saturn", "Uranus"}
```

- Uses {} instead of [] (*list*) or () (*tuple*)
- Same as a list, except:
 - Every item is unique (items cannot be listed twice)
 - Order does not matter and will change (no indexing)







Dictionaries

- Used to store multiple pieces of information about one thing
- Uses key-value pairs: each piece of data (value) has a label (key)

```
mercury = {"name": "Mercury", "day_length": 59, "hottest_temp": 430}
```

• Combining lists and dictionaries is useful for real-world data: We often have multiple pieces of information about lots of different things and want to work with all of it at the same time!








Pair Programming – Reminder

- work with your partner from last week, or find someone new
- switch driver & navigator roles regularly, e.g., after every task in the notebook
- ask us for help!









Let's get programming:

Session 3a – Collections







What are list comprehensions?















How do I get someone to pick the shirts from the wardrobe?

- 1. Say that it is the shirts you want,
- 2. For each item of clothing, check if it is a shirt,
- 3. If it's a shirt, then take it out the wardrobe.







```
shirts = [
   item_of_clothing
   for item in wardrobe:
   if item == shirt
]
```









How do I get someone to pick the shirts from the wardrobe?

- 1. Say that it is the shirts you want,
- 2. For each item of clothing, check if it is a shirt,
- 3. If it's a shirt, then take it out the wardrobe.







Some maths functions that may come in handy...







max() / min()

Get the largest/smallest element in a group. For letters it will mean 'highest/lowest in the alphabet'.

len()

Size of the collection, can be used on lists, dicts, but also on strings.

sum()

Combine all elements. Just used for numbers.







Let's keep programming:

Session 3b – List Comprehensions







Finishing up...

- How to import data
- Additional resources
 - Feedback for us







How to import data

To import data there is a range of methods, the easiest is using the package 'pandas'

Eg.

import pandas as pd
data_frame = pd.read_csv("<Your File Pathway>")







Additional Resources

- This course used (slightly modified) notebooks from Code Storytelling (http://www.codestorytelling.com). We covered badges 1,2,4,5,7, and 8.
 Consider working through some more of the notebooks and watching some of the videos.
- **Think Python** is an introductory Python book with many exercises, free to read online: https://greenteapress.com/wp/think-python-2e/







Feedback for us...

- We hope you've enjoyed the course as much as we did.
- It is really useful for us to hear your feedback


https://forms.office.com/r/YYNrqvuNr8
Should be really quick and only take 5 mins (maximum!)







Thank you from us!



- Getting started with version control: Introduction to git and GitHub
- Introduction to Statistics