

Rajalakshmi Engineering College

Name: Bhargav Venkat DC
Email: 241001032@rajalakshmi.edu.in
Roll no: 241001032
Phone: 9884969277
Branch: REC
Department: IT - Section 1
Batch: 2028
Degree: B.E - IT

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a ". " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.Scanner;
class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}
class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}
class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}
public class Main {
    public static void validateEmail(String email) throws AtTheRateException,
    DotException, DomainException {
        int atIndex = email.indexOf('@');
        int lastAtIndex = email.lastIndexOf('@');

        if (atIndex == -1 || atIndex != lastAtIndex) {
            throw new AtTheRateException("Invalid @ usage");
        }
        if (atIndex == 0 || atIndex == email.length() - 1) {
            throw new AtTheRateException("Invalid @ usage");
        }
        String domainPart = email.substring(atIndex + 1);
        int lastDotAfterAt = domainPart.lastIndexOf('.');
```

```

        if (email.endsWith(".")) {
            throw new DotException("Invalid Dot usage");
        }
        if (domainPart.indexOf('.') == -1) {
            throw new DotException("Invalid Dot usage");
        }
        String[] validDomains = {"in", "com", "net", "biz"};

        if (lastDotAfterAt == -1) {
            throw new DomainException("Invalid Domain");
        }
        String domainExtension = domainPart.substring(lastDotAfterAt + 1);

        boolean isValidDomain = false;
        for (String domain : validDomains) {
            if (domainExtension.equalsIgnoreCase(domain)) {
                isValidDomain = true;
                break;
            }
        }
        if (!isValidDomain) {
            throw new DomainException("Invalid Domain");
        }
    }

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        String email = scanner.nextLine();try {
            validateEmail(email);
        System.out.println("Valid email address");} catch (AtTheRateException e) {
            System.out.println("AtTheRateException: " + e.getMessage());
        System.out.println("Invalid email address");} catch (DotException e) {
            System.out.println("DotException: " + e.getMessage());
        System.out.println("Invalid email address");} catch (DomainException e) {
            System.out.println("DomainException: " + e.getMessage());
        System.out.println("Invalid email address");} catch (Exception e) {
            System.out.println("An unexpected error occurred: " + e.getMessage());
        System.out.println("Invalid email address");} finally {
            scanner.close();}}
    
```

Status : Correct

Marks : 10/10