


Lesson 19: Inference for Several Proportions, Goodness-of-Fit, and Independence

Homework

Solutions


Please note that the steps show rounded numbers, but that the final answers to the problems are calculated without rounding.

Problem	Part	Solution
1	-	The requirements are met because all expected counts are greater than or equal to five




2	-	
3	-	H_0 : Religiosity and frequency of anger are independent H_a : Religiosity and frequency of anger are not independent
4	-	$\chi^2 = 23.474$ $df = 4$
5	-	P-value = 0.0001
6	-	reject the null hypothesis
7	-	There is sufficient evidence to suggest that religiosity and frequency of anger at something beyond one’s control are not independent.
8	-	The requirements are met because all expected counts are greater than or equal to five

Problem	Part	Solution
---------	------	----------



- 9 -
- 10 - H_0 : Family structure and whether a girl goes to college are independent
 H_a : Family structure and whether a girl goes to college are not independent
- 11 - $\chi^2 = 10.357$
 $df = 3$
- 12 - P-value = 0.016
- 13 - reject the null hypothesis
- 14 - There is sufficient evidence to suggest that family structure and whether a girl goes to college are not independent
- 15 - The requirements are met because all expected counts are greater than or equal to five

Problem	Part	Solution
---------	------	----------



16	-	
17	-	H_0 : Gender and PhD status are independent
		H_a : Gender and PhD status are not independent.
18	-	$\chi^2 = 1.932$
		$df = 2$
19	-	P-value = 0.381
20	-	fail to reject the null hypothesis
21	-	There is insufficient evidence to conclude that a student's gender and status in a PhD program are not independent.