Lesson 23: Inference for Bivariate Data

Homework

Solutions

Please note that the steps show rounded numbers, but that the final answers to the problems are calculated without rounding.


•	Proble	m Part	Solution
	1	-	Estimated linear regression equation:

$$\hat{Y} = b_0 + b_1 X$$

True linear regression equation:

$$Y = \beta_0 + \beta_1 X + \epsilon$$

2 - See the wiki for a review of this important concept.



3 A


The appropriate graphs to check for a linear relationship are a scatterplot and a residual plot. The scatterplot seems to show a linear relationship and there is no pattern in the residual plot, so we can conclude that there is a linear relationship in the data.

3


3

 \mathbf{C}

В





The appropriate graph to check for constant variance is a residual plot. There is no pattern in the residual plot, so we can conclude that there is a constant variance in the data.



The appropriate graph to check for a normal error term is a Q-Q plot of the residuals. The points in the plot are close to the line, so we can conclude that there is a normal error term in the data.

Problem Part		Solution	
4	-	r = 0.704	
5	-	$\hat{Y} = -29.859 + 37.72X$	
6	-	Y = 49.73	
7	-	(22.999, 52.441) We are 95% confident that the slope of the true true linear regression	
		line of Lactic with Taste is between 22.999 and 52.441.	
8	-	$H_0: \beta_1 = 0$	
		$H_a: \beta_1 \neq 0$	
9	-	t = 5.249	
10	-	P-value = 0.00001405	
11	-	reject the null hypothesis	
12	-	There is sufficient evidence to suggest that the slope of the true linear regression line	
		does not equal zero. We conclude that there is a linear relationship between the	





The appropriate graphs to check for a linear relationship are a scatterplot and a residual plot. The scatterplot does not seem to show a significant linear relationship, so we cannot conclude that there is a linear relationship in the data.

13


A

13


13

 \mathbf{C}

В



The appropriate graph to check for constant variance is a residual plot. There is no pattern in the residual plot, so we can conclude that there is a constant variance in the data.



The appropriate graph to check for a normal error term is a Q-Q plot of the residuals. The points in the plot are close to the line, so we can conclude that there is a normal error term in the data.

Problem Part		Solution	
14	_	$\hat{Y} = 25,838.626 + -0.034X$	
15	-	Y = 22,401.192	
16	-	(-0.073, 0.004) We are 90% confident that the slope of the true true linear regression line of Lactic with Taste is between -0.073 and 0.004.	
17	-	$H_0: \beta_1 = 0$ $H_a: \beta_1 \neq 0$	
18	-	t = -1.476	
19	-	P-value = 0.144	
20	-	fail to reject the null hypothesis	
21	-	There is insufficient evidence to suggest that the slope of the true linear regression lir does not equal zero. We conclude that there is not a linear relationship between the mileage of a Prius listed for sale and its price.	
22	-	r = -0.181	
23	-	$\hat{Y} = 62.825 + -18.236X$	
24	-	Y = 49.148	
25	-	(-41.855, 5.383) We are 95% confident that the slope of the true true linear regression line of Lead with BRS is between -41.855 and 5.383.	
26	-	$H_0: \beta_1 = 0$ $H_a: \beta_1 \neq 0$	
27	-	t = -1.54	
28	-	P-value = 0.128	
29	-	fail to reject the null hypothesis	
30	-	There is insufficient evidence to suggest that the slope of the true linear regression lindoes not equal zero. We conclude that there is not a linear relationship between a child's level of lead exposure and his or her behavioral rating.	
31	-	d. The actual Y value was 4.5 units higher than the predicted Y value	