

DIGITAL IMAGE PROCESSING

EXPERIMENT 8

Name: N Sai Jyotheesh

Reg No: 21BEC1489

Code:-


```
image=("C:\Users\dsplab\Downloads\c7db7693b0d9c13072ef3b0d749832fe.jpg");
img = imread(image);
% Display original image
figure(1);
imshow(img);
title('Original Image');
% Color image smoothing using mean filter
kernel_size = 5;
smoothed_img = imfilter(img, ones(kernel_size) /
kernel_size^2, 'replicate');
% Display smoothed image
figure(2);
imshow(smoothed_img);
title('Smoothed Image');
% Measure PSNR and SSIM for smoothed image
psnr_smoothed = psnr(smoothed_img, img);
ssim_smoothed = ssim(smoothed_img, img);
% Display PSNR and SSIM values
fprintf('PSNR of smoothed image: %.2f dB\n', psnr_smoothed);
fprintf('SSIM of smoothed image: %.2f\n', ssim_smoothed);
% Color sharpening using Laplacian filtering
laplacian_kernel = [-1 -1 -1; -1 8 -1; -1 -1 -1];
sharpened_img = img - imfilter(img, laplacian_kernel,
'replicate');
% Display sharpened image
figure(3);
imshow(sharpened_img);
title('Sharpened Image');
% Measure PSNR and SSIM for sharpened image
psnr_sharpened = psnr(sharpened_img, img);
ssim_sharpened = ssim(sharpened_img, img);
```

```

% Display PSNR and SSIM values
fprintf('PSNR of sharpened image: %.2f dB\n', psnr_sharpened);
fprintf('SSIM of sharpened image: %.2f\n', ssim_sharpened);
% Sharpening on smoothed image
sharpened_smoothed = smoothed_img - imfilter(smoothed_img,
laplacian_kernel, 'replicate');
% Display sharpened smoothed image
figure(4);
imshow(sharpened_smoothed);
title('Sharpened Smoothed Image');
% Measure PSNR and SSIM for sharpened smoothed image
psnr_sharpened_smoothed = psnr(sharpened_smoothed, img);
ssim_sharpened_smoothed = ssim(sharpened_smoothed, img);
% Display PSNR and SSIM values
fprintf('PSNR of sharpened smoothed image: %.2f dB\n',
psnr_sharpened_smoothed);
fprintf('SSIM of sharpened smoothed image: %.2f\n',
ssim_sharpened_smoothed);
% Smoothing on sharpened image
smoothed_sharpened = imfilter(sharpened_img, ones(kernel_size)
/ kernel_size^2, 'replicate');
% Display smoothed sharpened image
figure(5);
imshow(smoothed_sharpened);
title('Smoothed Sharpened Image');
% Measure PSNR and SSIM for smoothed sharpened image
psnr_smoothed_sharpened = psnr(smoothed_sharpened, img);
ssim_smoothed_sharpened = ssim(smoothed_sharpened, img);
% Display PSNR and SSIM values
fprintf('PSNR of smoothed sharpened image: %.2f dB\n',
psnr_smoothed_sharpened);
fprintf('SSIM of smoothed sharpened image: %.2f\n',
ssim_smoothed_sharpened);

```

Output:-



Sharpened Image



Sharpened Smoothed Image



Smoothed Sharpened Image



Command Window

```
PSNR of smoothed image: 22.79 dB
SSIM of smoothed image: 0.69
PSNR of sharpened image: 12.45 dB
SSIM of sharpened image: 0.03
PSNR of sharpened smoothed image: 21.25 dB
SSIM of sharpened smoothed image: 0.64
PSNR of smoothed sharpened image: 15.43 dB
SSIM of smoothed sharpened image: 0.53
PSNR of smoothed image: 22.79 dB
SSIM of smoothed image: 0.69
PSNR of sharpened image: 12.45 dB
SSIM of sharpened image: 0.03
PSNR of sharpened smoothed image: 21.25 dB
SSIM of sharpened smoothed image: 0.64
PSNR of smoothed sharpened image: 15.43 dB
SSIM of smoothed sharpened image: 0.53
PSNR of smoothed image: 26.04 dB
SSIM of smoothed image: 0.92
PSNR of sharpened image: 14.67 dB
SSIM of sharpened image: 0.57
PSNR of sharpened smoothed image: 24.12 dB
SSIM of sharpened smoothed image: 0.90
PSNR of smoothed sharpened image: 18.20 dB
SSIM of smoothed sharpened image: 0.86
```