DIGITAL IMAGE PROCESSING

LAB-8

SAIRAMA KRISHNA SRIKAR GANESWARAM

21BEC1594

EXPERIMENT:

USE "STRAYY NIGHT" AS INPUT IMAGE, DOWNLOAD FROM GOOGLE. DO COLOR IMAGE SMOOTHENINH USING MEAN FILTER, VISUALIZE IT. MEASURE THE QUALITY OF THE OUTPUT USING (PSNR AND SSIM) ONE LINE COMAND IN MATLAB, ALSO DO COLOR SHARPENING USING LAPLACIAN FILTER. EVALUATE YOUR OUTPUT USING VISUALIZATION PSNR, SSIM.

FINALLY APPLY SHARPENNING FILTER ON SMOOOTHENING IMAGE, EVALUATE AND DO VICE VERSA TOO.

TOTALLY 4 OUTPUTS.

CODE:

```
image ="C:\Users\dsplab\Downloads\Van Gogh - Starry Night -
_Google Art Project.jpq"
; img = imread(image);
% Display original image
figure(1); imshow(img);
title('Original Image');
% Color image smoothing using mean filter kernel size = 5;
smoothed img = imfilter(img, ones(kernel size) /
kernel size^2, 'replicate');
% Display smoothed image
figure(2);
imshow(smoothed img);
title('Smoothed Image'); %
Measure PSNR and SSIM for
smoothed image psnr smoothed =
psnr(smoothed img, img);
ssim smoothed =
ssim(smoothed img, img); %
Display PSNR and SSIM values
fprintf('PSNR of smoothed
image: %.2f dB\n',
psnr smoothed); fprintf('SSIM
of smoothed image: %.2f\n',
ssim smoothed);
% Color sharpening using Laplacian filtering laplacian kernel
= [-1 \ -1 \ -1; \ -1 \ 8 \ -1; \ -1 \ -1 \ -1];
sharpened img = img - imfilter(img, laplacian kernel, 'replicate');
% Display sharpened image
figure (3);
imshow(sharpened img);
title('Sharpened Image');
% Measure PSNR and SSIM for sharpened image
psnr sharpened = psnr(sharpened img, img);
ssim sharpened = ssim(sharpened img, img);
% Display PSNR and SSIM values fprintf('PSNR of sharpened
image: %.2f dB\n', psnr sharpened); fprintf('SSIM of
sharpened image: %.2f\n', ssim sharpened);
% Sharpening on smoothed image
sharpened smoothed = smoothed img -
imfilter(smoothed_img, laplacian kernel, 'replicate'); %
Display sharpened smoothed image figure (4);
imshow(sharpened smoothed); title('Sharpened Smoothed
Image');
% Measure PSNR and SSIM for sharpened smoothed image psnr sharpened smoothed
= psnr(sharpened smoothed, img); ssim sharpened smoothed =
ssim(sharpened smoothed, img);
% Display PSNR and SSIM values
fprintf('PSNR of sharpened smoothed image: %.2f dB\n',
psnr sharpened smoothed);
```

```
fprintf('SSIM of sharpened smoothed image:
%.2f\n', ssim_sharpened_smoothed); % Smoothing on
sharpened image
smoothed_sharpened = imfilter(sharpened_img, ones(kernel_size)
/ kernel_size^2, 'replicate'); % Display smoothed sharpened image
figure(5); imshow(smoothed_sharpened); title('Smoothed Sharpened
Image');
% Measure PSNR and SSIM for smoothed sharpened image psnr_smoothed_sharpened
= psnr(smoothed_sharpened, img); ssim_smoothed_sharpened =
ssim(smoothed_sharpened, img);
% Display PSNR and SSIM values
fprintf('PSNR of smoothed sharpened image: %.2f dB\n',
psnr_smoothed_sharpened);
fprintf('SSIM of smoothed sharpened image: %.2f\n', ssim smoothed sharpened)
```

OUTPUT: ORIGINAL IMAGE:



SMOOTHED IMAGE:



SHARPENED IMAGE:



SHARPENED SMOOTHED IMAGE:



SMOOTHED SHARPENED IMAGE:

