
GeoNode Developers Workshop Documentation

Release 2.0

GeoNode

February 05, 2013

CONTENTS

1	Introduction to GeoNode development	3
1.1	GeoNode Components	3
1.2	Standards	4
1.3	GeoNode Architecture	6
1.4	Development References	7
2	Development Prerequisites and Core Modules	9
2.1	GeoNode's Development Prerequisites	9
2.2	GeoNode's Core Modules	10
3	Customized GeoNode Projects	11
3.1	Setting up your GeoNode Project	11
3.2	Theming your GeoNode Project	15
3.3	Adding Additional Modules to your GeoNode Project	15
3.4	Integrating your Project with other Systems	15
4	Setting up a GeoNode development environment	17
4.1	GeoNode Development Tools	17
4.2	Git Repository Setup	17
4.3	Installing GeoNode's Python Package	17
4.4	Pavement.py and Paver	17
4.5	Manually Deploying your Development Environment	17
5	GeoNode APIs	19
6	GeoNode development and debugging	21
7	GeoNode's development process	23
7.1	GeoNode's Issue Tracking System	23
7.2	Testing in GeoNode	23
7.3	GeoNode's Patch Review Process	23
7.4	GeoNode Improvement Proposals	23
7.5	GeoNode's Roadmap Process	23

Welcome to the GeoNode Developers Workshop! This workshop will teach how to develop with and for the [GeoNode](#) software application.

INTRODUCTION TO GEONODE DEVELOPMENT

This module will introduce you to the components that GeoNode is built with, the standards that it supports and the services it provides based on those standards, and an overview its architecture.

GeoNode is a web based GIS tool, and as such, in order to do development on GeoNode itself or to integrate it into your own application, you should be familiar with basic web development concepts as well as with general GIS concepts.

A set of reference links on these topics is included at the end of this module.

1.1 GeoNode Components

GeoNode's architecture is based on a set of core tools and libraries that provide the building blocks on which the application is built. Having a basic understanding of each of these components is critical to your success as developer working with GeoNode.

Lets look at each of these components and discuss how they are used within the GeoNode application.

1.1.1 Django

GeoNode is based on [Django](#) which is a high level Python web development framework that encourages rapid development and clean pragmatic design. Django is based on the Model View Controller ([MVC](#)) architecture pattern, and as such, GeoNode models layers, maps and other modules with Django's [Model](#) module and and these models are used via Django's [ORM](#) in views which contain the business logic of the GeoNode application and are used to drive HTML templates to display the web pages within the application.

1.1.2 GeoServer

[GeoServer](#) is a an open source software server written in Java that provides OGC compliant services which publish data from many spatial data sources. GeoServer is used as the core GIS component inside GeoNode and is used to render the layers in a GeoNode instance, create map tiles from the layers, provide for downloading those layers in various formats and to allow for transactional editing of those layers.

1.1.3 GeoExplorer

[GeoExplorer](#) is a web application, based on the [GeoExt](#) framework, for composing and publishing web maps with OGC and other web based GIS Services. GeoExplorer is used inside GeoNode to provide many of the GIS and

cartography functions that are a core part of the application.

1.1.4 PostgreSQL and PostGIS

PostgreSQL and **PostGIS** are the database components that store and manage spatial data and information for GeoNode and the django modules that it is composed of, pycsw and GeoServer. All of these tables and data are stored within a geonode database in PostgreSQL. GeoServer uses PostGIS to store and manage spatial vector data for each layer which are stored as a separate table in the database.

1.1.5 pycsw

pycsw is an OGC CSW server implementation written in Python. GeoNode uses pycsw to provide an OGC compliant standards-based CSW metadata and catalogue component of spatial data infrastructures, supporting popular geospatial metadata standards such as Dublin Core, ISO 19115, FGDC and DIF.

1.1.6 Geospatial Python Libraries

GeoNode leverages several geospatial python libraries including **gsconfig** and **OWSLib**. gsconfig is used to communicate with GeoServer's REST Configuration API to configure GeoNode layers in GeoServer. OWSLib is used to communicate with GeoServer's OGC services and can be used to communicate with other OGC services.

1.1.7 Django Pluggables

GeoNode uses a set of Django plugins which are usually referred to as pluggables. Each of these pluggables provides a particular set of functionality inside the application from things like Registration and Profiles to interactivity with external sites. Being based on Django enables GeoNode to take advantage of the large ecosystem of these pluggables out there, and while a specific set is included in GeoNode itself, many more are available for use in applications based on GeoNode.

1.1.8 jQuery

jQuery is a feature-rich javascript library that is used within GeoNode to provide an interactive and responsive user interface as part of the application. GeoNode uses several jQuery plugins to provide specific pieces of functionality, and the GeoNode development team often adds new features to the interface by adding additional plugins.

1.1.9 Bootstrap

Bootstrap is a front-end framework for laying out and styling the pages that make up the GeoNode application. It is designed to ensure that the pages render and look and behave the same across all browsers. GeoNode customizes bootstraps default style and its relatively easy for developers to customize their own GeoNode based site using existing Bootstrap themes or by customizing the styles directly.

1.2 Standards

GeoNode is based on a set of Open Geospatial Consortium (OGC) standards. These standards enable GeoNode installations to be interoperable with a wide variety of tools that support these OGC standards and enable federation

with other OGC compliant services and infrastructure. Reference links about these standards are also included at the end of this module.

GeoNode is also based on Web Standards ...

1.2.1 Open Geospatial Consortium (OGC) Standards

Web Map Service (WMS)

The Web Map Service (WMS) specification defines an interface for requesting rendered map images across the web. It is used within GeoNode to display maps in the pages of the site and in the GeoExplorer application to display rendered layers based on default or custom styles.

Web Feature Service (WFS)

The Web Feature Service (WFS) specification defines an interface for reading and writing geographic features across the web. It is used within GeoNode to enable downloading of vector layers in various formats and within GeoExplorer to enable editing of Vector Layers that are stored in a GeoNode.

Web Coverage Service (WCS)

The Web Coverage Service (WCS) specification defines an interface for reading and writing geospatial raster data as “coverages” across the web. It is used within GeoNode to enable downloading of raster layers in various formats.

Catalogue Service for Web (CSW)

The Catalogue Service for Web (CSW) specification defines an interface for exposing a catalogue of geospatial meta-data across the web. It is used within GeoNode to enable any application to search GeoNode’s catalogue or to provide federated search that includes a set of GeoNode layers within another application.

Tile Mapping Service (TMS/WMTS)

The Tile Mapping Service (TMS) specification defines an interface for retrieving rendered map tiles over the web. It is used within GeoNode to enable serving of a cache of rendered layers to be included in GeoNode’s web pages or within the GeoExplorer mapping application. Its purpose is to improve performance on the client vs asking the WMS for rendered images directly.

1.2.2 Web Standards

HTML

CSS

REST

1.3 GeoNode Architecture

1.3.1 Django Architecture

- MVC
- WSGI

1.3.2 GeoNode and GeoServer

- Configuration via the REST API
- Authentication and Authorization

1.3.3 GeoNode and PostgreSQL/PostGIS

- Configuration and Application Information
- Vector Data Layer Storage

1.3.4 GeoNode and pycsw

GeoNode is built with pycsw embedded as the default CSW server component.

Publishing

Since pycsw is embedded in GeoNode, layers published within GeoNode are automatically published to pycsw and discoverable via CSW. No additional configuration or actions are required to publish layers, maps or documents to pycsw.

Discovery

GeoNode's CSW endpoint is deployed available at <http://localhost:8000/catalogue/csw> and is available for clients to use for standards-based discovery. See <http://pycsw.org/docs/tools.html> for a list of CSW clients and tools.

1.3.5 Javascript in GeoNode

- GeoExplorer
- jQuery Functionality

1.4 Development References

1.4.1 Basic Web based GIS Concepts and Background

- OGC Services
 - <http://www.opengeospatial.org/>
 - http://en.wikipedia.org/wiki/Open_Geospatial_Consortium
- Web Application Architecture
 - http://en.wikipedia.org/wiki/Web_application
 - <http://www.w3.org/2001/tag/2010/05/WebApps.html>
 - <http://www.amazon.com/Web-Application-Architecture-Principles-Protocols/dp/047051860X>
- AJAX and REST
 - [http://en.wikipedia.org/wiki/Ajax_\(programming\)](http://en.wikipedia.org/wiki/Ajax_(programming))
 - http://en.wikipedia.org/wiki/Representational_state_transfer
- OpenGeo Suite
 - <http://workshops.opengeo.org/suiteintro/>
 - <http://suite.opengeo.org/opengeo-docs/>
- GeoServer Administration
 - <http://suite.opengeo.org/opengeo-docs/geoserver/>
 - <https://docs.google.com/a/opengeo.org/presentation/d/15fvUDYg0TO6WGFQIMLM2J1qiTVBYpfjCp0aQBDT0GrM/edit#>
 - <http://suite.opengeo.org/docs/sysadmin/index.html#sysadmin>
- PostgreSQL and PostGIS Administration - <http://workshops.opengeo.org/postgis-intro/> - <http://workshops.opengeo.org/postgis-spatialdbtips/>

1.4.2 Core development tools and libraries

- python
 - <http://docs.python.org/2/tutorial/>
 - <http://www.learnpython.org/>
 - <http://learnpythonthehardway.org/book/>
- django
 - <https://docs.djangoproject.com/en/dev/intro/tutorial01/>
 - <https://code.djangoproject.com/wiki/Tutorials>
- javascript
 - <http://www.crockford.com/javascript/inheritance.html>
 - <http://geoext.org/tutorials/quickstart.html>
- jquery
 - <http://www.w3schools.com/jquery/default.asp>

- http://docs.jquery.com/Tutorials:Getting_Started_with_jQuery
 - <http://www.jquery-tutorial.net/>
- bootstrap
 - <http://twitter.github.com/bootstrap/>
 - <http://www.w3resource.com/twitter-bootstrap/tutorial.php>
- geotools/geoscript/geoserver
 - <http://docs.geotools.org/stable/tutorials/feature/csv2shp.html>
 - <http://geoscript.org/tutorials/index.html>
 - <http://docs.geotools.org/stable/tutorials/>
 - <https://github.com/dwins/gsconfig.py/blob/master/README.rst>
- geopython
 - <http://pycsw.org/docs/documentation.html>
 - <http://geopython.github.com/OWSLib/>
 - <https://github.com/toblerity/shapely>
 - <https://github.com/sgillies/Fiona>
 - <http://pypi.python.org/pypi/pyproj>
- gdal/ogr
 - http://www.gdal.org/gdal_utilities.html
 - http://www.gdal.org/ogr_utilities.html

DEVELOPMENT PREREQUISITES AND CORE MODULES

This module will introduce you to the

2.1 GeoNode's Development Prerequisites

2.1.1 Basic Shell Tools

`ssh`

`sudo`

`apt`

2.1.2 Python Development Tools

`virtualenv`

`pip`

`miscellaneous`

- `shell`
- `ipython`
- `pdb`

2.1.3 Django

HTTP Request Response

Management Commands

Django Admin Interface

Template Tags

2.2 GeoNode's Core Modules

2.2.1 layers

2.2.2 maps

2.2.3 security

2.2.4 search

2.2.5 catalogue

2.2.6 geoserver

2.2.7 geoexplorer

2.2.8 Static Site

Templates

CSS

Javascript

CUSTOMIZED GEONODE PROJECTS

This module will teach you about how to setup your own GeoNode based project and how to customize your project by changing the theme, adding additional modules and how to integrate your project with other systems. When complete, you should understand how Downstream GeoNode projects work, and how to setup your own for your own use cases and needs.

3.1 Setting up your GeoNode Project

This section will walk you through the steps necessary to setup your own GeoNode project. It assumes that you have installed GeoNode from the ubuntu packages and that you have a working GeoNode site.

3.1.1 Setup Steps

If you are working remotely, You should first connect to the machine that has your GeoNode installed on it. You will need to perform the following steps in a directory where you intend to keep your newly created project.

1. Activate GeoNode's Virtual Environment:

```
$ source /var/lib/geonode/bin/activate
```

2. Create your GeoNode project from the Template:

```
$ django-admin.py startproject --template=https://github.com/GeoNode/geonode-project/zipball/master my_geonode
$ cd my_geonode
```

3. Update your local_settings.py:

You will need to check the local_settings.py that is included with the template project and be sure that it reflects your own local environment. You should pay particular attention to the Database settings especially if you intend to reuse the database that was setup with your base GeoNode installation.

4. Synchronize your Database:

```
$ python manage.py syncdb --all
```

5. Run the test server:

```
$ python manage.py runserver
```

6. Visit your new GeoNode Site.


<http://localhost:8000>

3.1.2 Source Code Revision Control


It is recommended that you immediately put your new project under source code revision control. The GeoNode development team uses Git and GitHub purpose and recommends that you do the same. If you do not already have a GitHub account, it is recommended that you set one up. A full review of Git and distributed Source Code Revision Control systems is beyond the scope of this tutorial, but you may find the [Git Book](#) useful if you are not already familiar with these concepts.

1. Create a new Repository in GitHub:


You should use the GitHub user interface to create a new repository for your new project.



Creating a new GitHub Repository From GitHub's Homepage



Specifying new GitHub Repository Parameters



Your new Empty GitHub Repository

2. Initialize your own repository:

```
$ git init
```

3. Add the remote repository reference to your local git configuration:

```
$ git remote add
```

4. Add your project files to the repository:

```
$ git add .
```

5. Commit your changes:

```
$ git commit -am "Initial commit"
```

6. Push to the remote repository:

```
$ git push origin master
```

3.1.3 Deploying your GeoNode Project

Now that your own project is setup, you will need to replace the existing default configuration with configuration for your own project in order to visit your new project site.

1. Update Apache Configuration

2. Check GeoServer Configuration
3. Check Database Configuration

3.1.4 Staying in Sync with Mainline GeoNode

One of the primary reasons that we setup your own GeoNode project using this method is so that you can stay in sync with mainline geonode as the core GeoNode development team makes new releases. Your own project should not be adversely affected by these upstream changes, but you will receive bug fixes and other improvements by staying in sync.

1. Upgrade GeoNode:

```
$ apt-get update
$ apt-get install geonode
```

2. Verify that your new project works with the upgraded GeoNode:

```
$ python manage.py runserver
```

Visit <http://localhost:8000/>

3.2 Theming your GeoNode Project

3.2.1 Logos and Graphics

3.2.2 Templates and Static Pages

3.2.3 Cascading Style Sheets

3.2.4 Other Theming Options

Bootswatch

3.3 Adding Additional Modules to your GeoNode Project

3.3.1 Intro to Django Pluggables

3.3.2 Adding your own Django Module

3.3.3 Adding a 3rd Party Blog Module

3.3.4 Adding Other Modules

3.4 Integrating your Project with other Systems

3.4.1 Third Party Integration Overview

3.4.2 OGC Services

3.4.3 Google Earth

3.4.4 qGIS

3.4.5 OpenStreetMap

3.4.6 Wordpress

3.4.7 MapBox

SETTING UP A GEONODE DEVELOPMENT ENVIRONMENT

This module will lead you through the steps necessary to install a GeoNode development environment.

4.1 GeoNode Development Tools

4.2 Git Repository Setup

4.3 Installing GeoNode's Python Package

4.4 Pavement.py and Paver

4.5 Manually Deploying your Development Environment

GEONODE APIS

GEONODE DEVELOPMENT AND DEBUGGING

GEONODE'S DEVELOPMENT PROCESS

7.1 GeoNode's Issue Tracking System

7.2 Testing in GeoNode

7.2.1 Unit Tests

7.2.2 Integration Tests

7.2.3 Javascript Tests

7.3 GeoNode's Patch Review Process

7.4 GeoNode Improvement Proposals

7.5 GeoNode's Roadmap Process

Introduction to GeoNode development Learn about GeoNode's core components, its Architecture, the tools it is developed with and the standards it supports.

Development Prerequisites and Core Modules Learn about the pre-requisites you will need in order to develop with GeoNode. Take a look at its core modules and how they work together to provide a complete web mapping tool.

Customized GeoNode Projects Learn how existing projects leverage GeoNode and create your own GeoNode based project.

Setting up a GeoNode development environment Learn how to set up a GeoNode development environment so you can contribute to GeoNode's core.

GeoNode APIs Learn about the APIs GeoNode leverages and provides.

GeoNode development and debugging Learn how to debug GeoNode instances and projects.

GeoNode's development process Learn about GeoNode's development process and how to work with the GeoNode community.