[Hands-on] 15. Helm

자주 사용되는 Helm 명령어들을 실습해 보겠습니다.

먼저 어떤 명령어들이 있는지 살펴볼까요?

```
ubuntu@ip-10-0-1-161:~$ helm --help
The Kubernetes package manager
Common actions for Helm:
  helm search:
                 search for charts
 helm pull:
                 download a chart to your local directory to view
 helm install:
                 upload the chart to Kubernetes
                 list releases of charts
 helm list:
Environment variables:
  Name
                                       Description
                                      set an alternative location for storing cached files.
                                      set an alternative location for storing Helm configuration.
                                      set an alternative location for storing Helm data.
                                      indicate whether or not Helm is running in Debug mode
                                      set the backend storage driver. Values are: configmap, secret, memory, sql.
 $HELM_DRIVER_SQL_CONNECTION_STRING | set the connection string the SQL storage driver should use.
                                      set the maximum number of helm release history.
                                      set the namespace used for the helm operations.
                                      disable plugins. Set HELM_NO_PLUGINS=1 to disable plugins.
                                      set the path to the plugins directory
...생략...
```

명령어: helm --help

이제 설치(install)를 한 번 진행해볼까요?

먼저 Repository를 add해줍니다.

ubuntu@ip-10-0-1-161:~\$ helm repo add bitnami https://charts.bitnami.com/bitnami "bitnami" has been added to your repositories

명령어: helm repo add bitnami https://charts.bitnami.com/bitnami

Repository 목록도 볼 수 있습니다.

ubuntu@ip-10-0-1-161:~\$ helm repo list NAME URL bitnami https://charts.bitnami.com/bitnami

명령어: helm repo list

검색도 가능하구요.

ubuntu@ip-10-0-1-161:~\$ helm search	CHART VERSION	APP VERSION	DESCRIPTION
bitnami/airflow	12.5.12	2.3.2	Apache Airflow is a tool to express and execute
bitnami/apache	9.1.13	2.4.54	Apache HTTP Server is an open-source HTTP serve
bitnami/argo-cd	3.4.4	2.4.3	Argo CD is a continuous delivery tool for Kuber
bitnami/argo-workflows	2.3.5	3.3.8	Argo Workflows is meant to orchestrate Kubernet
bitnami/aspnet-core	3.4.10	6.0.6	ASP.NET Core is an open-source framework for we
bitnami/cassandra	9.2.7	4.0.4	Apache Cassandra is an open source distributed
bitnami/cert-manager	0.7.1	1.8.2	Cert Manager is a Kubernetes add-on to automate
bitnami/common	1.16.0	1.16.0	A Library Helm Chart for grouping common logic
bitnami/concourse	1.3.7	7.8.1	Concourse is an automation system written in Go
bitnami/consul	10.7.3	1.12.2	HashiCorp Consul is a tool for discovering and
bitnami/contour	8.0.4	1.21.1	Contour is an open source Kubernetes ingress co
bitnami/contour-operator	1.2.1	1.20.1	The Contour Operator extends the Kubernetes API
생략			

명령어: helm search repo bitnami

Wordpress를 한 번 찾아볼까요?

```
ubuntu@ip-10-0-1-161:~$helm search repo wordpressNAMECHART VERSIONAPP VERSIONDESCRIPTIONbitnami/wordpress15.0.76.0.0WordPress is the world's most popular blogging ...bitnami/wordpress-intel2.0.76.0.0WordPress for Intel is the most popular bloggin...
```

명령어: helm search repo wordpress

이제 설치를 진행해 보겠습니다.

```
ubuntu@ip-10-0-1-161:~$ helm repo update
Hang tight while we grab the latest from your chart repositories...
...Successfully got an update from the "bitnami" chart repository
Update Complete. *Happy Helming!*
```

명령어: helm repo update

```
ubuntu@ip-10-0-1-161:~$ helm install my-wordpress bitnami/wordpress
NAME: my-wordpress
LAST DEPLOYED: Thu Jul 7 16:28:16 2022
NAMESPACE: default
STATUS: deployed
REVISION: 1
TEST SUITE: None
NOTES:
CHART NAME: wordpress
CHART VERSION: 15.0.7
APP VERSION: 6.0.0
** Please be patient while the chart is being deployed **
Your WordPress site can be accessed through the following DNS name from within your cluster:
    my-wordpress.default.svc.cluster.local (port 80)
To access your WordPress site from outside the cluster follow the steps below:
1. Get the WordPress URL by running these commands:
```

앞장에서 계속

```
NOTE: It may take a few minutes for the LoadBalancer IP to be available.

Watch the status with: 'kubectl get svc --namespace default -w my-wordpress'

export SERVICE_IP=$(kubectl get svc --namespace default my-wordpress --include "{{ range (index .status.loadBalancer.ingress 0) }}{{ echo "WordPress URL: http://$SERVICE_IP/" echo "WordPress Admin URL: http://$SERVICE_IP/admin"

2. Open a browser and access WordPress using the obtained URL.

3. Login with the following credentials below to see your blog:

echo Username: user

echo Password: $(kubectl get secret --namespace default my-wordpress -o jsonpath="{.data.wordpress-password}" | base64 -d)
```

```
명령어: helm repo update , helm install my-wordpress bitnami/wordpress
```

설치된 Helm chart는 Release라고 합니다. Release의 목록은 다음 명령으로 조회할 수 있구요.

```
ubuntu@ip-10-0-1-161:~$ helm list

NAME NAMESPACE REVISION UPDATED STATUS CHART APP VERSION

my-wordpress default 1 2022-07-07 16:28:16.316510487 +0000 UTC deployed wordpress-15.0.7 6.0.0
```

명령어: helm list

쿠버네티스 명령어로 어떤 리소스들이 생성됐나 볼까요?

```
ubuntu@ip-10-0-1-161:~$ kubectl get all
NAME
                                    READY
                                           STATUS
                                                     RESTARTS
                                                                AGE
pod/my-wordpress-56bff78c5d-szzbg
                                   1/1
                                                                3m40s
                                           Running
                                                     0
pod/my-wordpress-mariadb-0
                                    1/1
                                           Running
                                                                3m39s
                                                     0
NAME
                               TYPE
                                             CLUSTER-IP
                                                             EXTERNAL-IP
                                                                           PORT(S)
                                                                                                        AGE
service/kubernetes
                               ClusterIP
                                             10.96.0.1
                                                                                                        3d5h
                                                                           443/TCP
                                                             <none>
                              LoadBalancer
service/my-wordpress
                                             10.103.84.122
                                                             <pending>
                                                                           80:30798/TCP,443:31520/TCP
                                                                                                        3m40s
service/my-wordpress-mariadb
                              ClusterIP
                                             10.110.56.55
                                                                           3306/TCP
                                                              <none>
                                                                                                        3m40s
NAME
                                      UP-TO-DATE
                                                   AVAILABLE
                                                               AGE
                                                               3m40s
deployment.apps/my-wordpress
                              1/1
NAME
                                                                     AGE
                                          DESIRED
                                                   CURRENT
                                                             READY
replicaset.apps/my-wordpress-56bff78c5d
                                                                     3m40s
NAME
                                        READY
                                                AGE
statefulset.apps/my-wordpress-mariadb
                                       1/1
                                                3m40s
```

명령어: kubectl get all

와우~ 뭔가 Wordpress 소프트웨어에 필요한 모든게 한 번에 설치가 된 것 같네요. 패키지로...

이게 바로 Helm 이랍니다.

chart를 다운로드(pull)도 해볼게요.

```
ubuntu@ip-10-0-1-161:~$ helm pull bitnami/wordpress --version 15.0.7
ubuntu@ip-10-0-1-161:~$ ls wordpress*
wordpress-15.0.7.tgz
```

명령어: helm pull bitnami/wordpress --version 15.0.7

tar 파일로 받아지네요.

압축도 풀어볼까요?

```
ubuntu@ip-10-0-1-161:~$ tar -xvf wordpress-15.0.7.tgz
wordpress/Chart.yaml
wordpress/Chart.lock
wordpress/values.yaml
wordpress/values.schema.json
wordpress/templates/NOTES.txt
wordpress/templates/_helpers.tpl
wordpress/templates/config-secret.yaml
wordpress/templates/deployment.yaml
wordpress/templates/externaldb-secrets.yaml
wordpress/templates/externaldb-secrets.yaml
wordpress/templates/externaldb-secrets.yaml
wordpress/templates/extra-list.yaml
...생략...
```

명령어: tar -xvf wordpress-15.0.7.tgz

어떤 파일들이 있는지 한 번 살펴보겠습니다.

```
ubuntu@ip-10-0-1-161:~$ tree ./wordpress
./wordpress
├─ Chart.lock
  Chart.yaml
   README.md
   charts
    -- common
         — Chart.yaml
           README.md
           templates
            _ _affinities.tpl
            — _capabilities.tpl
             — _errors.tpl
             — _images.tpl
              — _ingress.tpl
             _ _labels.tpl
             _ _names.tpl
```

명령어: tree ./wordpress

여기까지 Helm 에 대해 알아보았습니다.

수고하셨습니다. ("·૽૾_·૽)ゞ