

Analysis of control time series

Load libraries

```
library(dplyr)

##
## Attaching package: 'dplyr'
##
## The following objects are masked from 'package:stats':
##
##     filter, lag
##
## The following objects are masked from 'package:base':
##
##     intersect, setdiff, setequal, union

library(ggplot2)
```

Read data

```
setwd('~/Documents/code/wasps/output/')
wasps.control <- read.csv("wasps CONTROL-EXPERIMENT-table.csv", skip=6)
```

Select the variables we need. Also determine total wild and GM populations and do some renaming.

```
wasps.sel <- wasps.control %>%
  select(1:2, 11, 15, 21:25) %>%
  rename(type1.pop = sum..item.1.pops..of.the.habitable.land,
         type2.pop = sum..item.2.pops..of.the.habitable.land) %>%
  mutate(gm.pop = type1.pop + type2.pop,
         wild.pop = total.pop - gm.pop)
```

Determine initial populations, and add to the data, and use to calculate population relative to initial.

```
wasps.start.pop <- wasps.sel %>%
  filter(X.step. == 0) %>%
  select('X.run.number.', 'total.pop') %>%
  rename(initial.pop = total.pop)

wasps.sel <- wasps.sel %>%
  merge(wasps.start.pop, all.x=TRUE) %>%
  mutate(relative.pop = total.pop / initial.pop)
```

Limit analysis to `r.mean==2`


At least until we get a handle on things

```
wasps.to_analyse <- wasps.sel %>%
  filter(r.mean==2)
```

Time series of the occupancy and population relative to initial


Note how population bottoms out in more mobile populations, but recovers to higher levels on reinvasion.

```
ggplot(wasps.to_analyse, aes(x=X.step., group=X.run.number.)) +
  geom_line(aes(y=prop.occupied, colour='Occupied area'), lwd=0.5, alpha=0.25) +
  geom_line(aes(y=relative.pop, colour='Population'), lwd=0.25, alpha=0.25) +
  labs(x = 'Time, years', y='Fraction of maximum', colour='Parameter') +
  facet_grid(p.ldd ~ lambda.1, labeller=label_both, as.table=FALSE)
```



The wild and GM population time series

```
ggplot(wasps.to_analyse, aes(x=X.step., group=X.run.number.)) +
  geom_line(aes(y=wild.pop, colour='Wild'), lwd=0.5, alpha=0.25) +
  geom_line(aes(y=gm.pop, colour='GM'), lwd=0.25, alpha=0.25) +
  labs(x='Time, years', y='Population', colour='Parameter') +
  facet_grid(p.ldd ~ lambda.1, labeller=label_both, as.table=FALSE)
```



State space

Just an experiment - note $t > 150$

```
ggplot(filter(wasps.to_analyse, X.step > 150),
  aes(x=wild.pop, y=gm.pop, group=X.run.number.)) +
  geom_point(size=0.1, alpha=0.25) +
  labs(x='Wild', y='GM') +
  facet_grid(p.ldd ~ lambda.1, labeller=label_both, as.table=FALSE)
```

