

DSO 560 Group Project Part II

Due 11:59pm PST, Monday May 11th

All available data will be uploaded to the **threadtogether** PostgreSQL database, available at

Host: **threadtogether.ychennay.com**

User: **dso560_student**

Password: **(in class)**

Port: **5432**

If your group would like to use the database to create temporary tables, please message me and I will create a group-specific user/password for your team to log in as.

Deliverables:

- **A notebook** that allows a user to enter inputs (defined below) – either product IDs or product descriptions and details, and returns recommended outfits.
- **Submit this code to the same Github repository** (with instructor ychennay added as collaborator containing your group's product attribution tool/app code base) you uploaded for Part I.

Database Tables:

- **outfit_combinations_view:** a view lists outfits curated by the subject matter expert (SME) stylist:
 - **outfit_id:** identifies the outfit – a combination of product IDs
 - **product_id:** the product ID of the piece of clothing
 - **outfit_item_type:** the part of the outfit the recommendation is for

The view is also available as a CSV file here: **https://dso-560-nlp-text-analytics.s3.amazonaws.com/outfit_combinations.csv**

Objectives:

Outfit recommendations: Based upon the **outfit_combinations** view, build a model/algorithm that will accept 1 of the following inputs for outfit type:

- a shoe
- a bottom
- a top
- an accessory
- a one-piece

And return a recommendation for an outfit for a “similar” aesthetic or fashion based upon the outfit collections generated by the subject matter expert (SME) stylist.

The inputs can be either

A. **product IDs**

B. **Free form text: brand, brand category, details, and description** (like the input for Part I).

Example A

INPUT (Product IDs – what I pass in to the model): <ul style="list-style-type: none">shoe: Penelope Mid Cap Toe Pump (01DMBRYVA2ZFDYRYY5TRQZJTBD)
OUTPUT (Recommended Outfit Combination – what is returned from the model (highlighted yellow are its recommendations for the outfit): <ul style="list-style-type: none">shoe: Penelope Mid Cap Toe Pump (01DMBRYVA2ZFDYRYY5TRQZJTBD)bottom: Slim Knit Skirt (01DMBRYVA2P5H24WK0HTK4R0A1)accessory: medium margaux leather satchel (01DMBRYVA2S5T9W793F4CY41HE)top: Rib Mock Neck Tank (01DMBRYVA2PEPWFTT7RMP5AA1T)

Please make sure to handle the edge case where a mistype product ID is typed in – in this case, return a list of suggested product IDs that might match.

Example B

INPUT (Product Descriptions): <ul style="list-style-type: none">bottom: <i>DESCRIPTION: slim fitting, straight leg pant with a center back zipper and slightly cropped leg – BRAND: Reformation</i>
OUTPUT (Recommended Outfit Combination): <ul style="list-style-type: none">bottom: Marlon Pant (01DPKMH0D252JKMAA27MFCT5GM)shoe: Giulia Satin Heel (01DPKNHQD6GPTKV97CFQRJDHE)accessory: Cassi Belt Bag (01DPEHS0XH9PDD1GH5ZE4P43A2)

The model should give reasonable recommendations for similar products. For instance, if I provide in as input the following product description:

<i>Sexy silky, a-line mini skirt zipper Benson skirt</i>
--

The model should be able to identify this as a close match against **Product ID 01DPKMGJ33SDFXM7XHGPQJWQ12**, the **Benson skirt**, which has an actual product description of

Sexy silky. This is an a-line mini skirt with a center back zipper. The Benson pairs well with the Hailee Top.

and recommend this product ID as the outfit's **bottom**, and from there, return recommendations for a **top**, or an **accessory**, or **shoe** (at least two recommendations). **Note: If you match a product that already exists in the outfit combinations, you can simply return the rest of its outfit recommendations from that same table.**

My test queries will be similar to these – I will pick a few products, change up their wording a bit, use some synonyms, use similar words, but expect that your model should be able to find a similar product.

Scoring Rubric	Points Available			
	1pt	2pts	3pts	4pts
The model will be tested by running 4 test queries, and returns expected matches (like the example above).	No results are returned	Basic results are returned but they do actually make sense and are not similar in any way to the product query.	3/4 test queries submitted with a free-form product description are returned with products that are actually “similar”.	4/4 test queries submitted with a free-form product description are returned with products that are actually “similar”.
The model handles both product IDs and also production descriptions + brand names (free-form text) as inputs	No (0 pts)		Yes (2 pts)	
Code is documented with thought process easily visible to instructor/client to review	No (0 pts)		Yes (2 pts)	
Code is published to a Github repository with team members added as collaborators	No (0 pt)		Yes (1 pt)	
All group members have submitted 360	No (0 pt)		Yes (1 pt)	

feedback reviews by deadline		
---	--	--