

# Cucumber Report

May 12, 2025, 7:47:04 PM

**Start : May 12, 7:46:57.903 PM**

**End : May 12, 7:47:02.483 PM**

**Duration : 4.580 s**

Features







PASSED - 0  
FAILED - 10  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 296  
SKIPPED - 0

Steps

PASSED - 0  
FAILED - 0  
SKIPPED - 1521



<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Array Page of DSAlgo portal</u>	2.491 s	61	0	61	0	302	0	0	302
<u>Data Structures - Introduction</u>	0.285 s	7	0	7	0	42	0	0	42
<u>Graph</u>	0.462 s	18	0	18	0	54	0	0	54
<u>Home Page</u>	0.229 s	9	0	9	0	35	0	0	35
<u>Login Functionality</u>	0.390 s	7	0	7	0	37	0	0	37
<u>Queue Page of DSAlgo portal</u>	0.645 s	30	0	30	0	150	0	0	150
<u>Register Page</u>	0.260 s	11	0	11	0	55	0	0	55
<u>Stack functionality</u>	0.237 s	21	0	21	0	105	0	0	105
<u>Tree Datastructure</u>	0.900 s	83	0	83	0	496	0	0	496
<u>Linked list functionality</u>	0.436 s	49	0	49	0	245	0	0	245

#	Feature Name	Scenario Name
1	<u>Array Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to "Practice Questions" Page from "Arrays in Python" page</u>
2		<u>Verify that user is able to see output for valid python code for "Arrays in Python" try Editor page</u>
3		<u>Verify that user receives error when click on Run button for "Arrays in Python" try Editor page</u>
4		<u>Verify that user receives error when click on Run button for "Arrays in Python" try Editor page</u>
5		<u>Verify that user receives error when click on Run button for "Arrays in Python" try Editor page</u>
6		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Search the array" question</u>
7		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Max Consecutive Ones" question</u>

#	Feature Name	Scenario Name
8	<u>Array Page of DSAlgo portal</u>	<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Find Numbers with Even Number of Digits" question</u>
9		<u>Verify that user is able to navigate to Array data structure page</u>
10		<u>Verify that user is able to navigate to Array data structure page</u>
11		<u>Verify that user is able to navigate to "try Editor" page for "Arrays in Python" page</u>
12		<u>Verify that user is able to navigate to "Search the array" Page from Practice question page of "Arrays in Python" page</u>
13		<u>Verify that user is able to navigate to "Arrays in Python" page</u>
14		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Search the array" question</u>
15		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Search the array" question</u>
16		<u>Verify that user is able to run valid python code for "Search the array" question</u>

#	Feature Name	Scenario Name
17	<u>Array Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to "Max Consecutive Ones" Page from Practice question page of "Arrays in Python" page</u>
18		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Max Consecutive Ones" question</u>
19		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Search the array" question</u>
20		<u>Verify that user is able to run valid python code for "Max Consecutive Ones" question</u>
21		<u>Verify that user is able to successfully submit valid correct python code for "Search the array" question</u>
22		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Max Consecutive Ones" question</u>
23		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Max Consecutive Ones" question</u>

#	Feature Name	Scenario Name
24	<u>Array Page of DSAlgo portal</u>	<u>Verify that user receives <i>NameError, SyntaxError</i> for invalid python code on running "Find Numbers with Even Number of Digits" question</u>
25		<u>Verify that user is able to navigate to "Find Numbers with Even Number of Digits" Page from Practice question page of "Arrays in Python" page</u>
26		<u>Verify that user is able to successfully submit valid correct python code for "Max Consecutive Ones" question</u>
27		<u>Verify that user receives <i>NameError, SyntaxError</i> for invalid python code on running "Find Numbers with Even Number of Digits" question</u>
28		<u>Verify that user receives error on submitting invalid python code, incorrect code for "Squares of a Sorted Array" question</u>
29		<u>Verify that user is able to run valid python code for "Find Numbers with Even Number of Digits" question</u>
30		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Find Numbers with Even Number of Digits" question</u>

#	Feature Name	Scenario Name
31	<u>Array Page of DSAlgo portal</u>	<u>Verify that user is able to successfully submit valid correct python code for "Find Numbers with Even Number of Digits" question</u>
32		<u>Verify that user is able to navigate to "Squares of a Sorted Array" Page from Practice question page of "Arrays in Python" page</u>
33		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Squares of a Sorted Array" question</u>
34		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Squares of a Sorted Array" question</u>
35		<u>Verify that user is able to run valid python code for "Squares of a Sorted Array" question</u>
36		<u>Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page</u>
37		<u>Verify that user receives error on submitting invalid python code, incorrect code for "Squares of a Sorted Array" question</u>

#	Feature Name	Scenario Name
38	<u>Array Page of DSAlgo portal</u>	<u>Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try Editor page</u>
39		<u>Verify that user receives error when click on Run button without entering code for "Applications of Array" page</u>
40		<u>Verify that user is able to successfully submit valid correct python code for "Squares of a Sorted Array" question</u>
41		<u>Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page</u>
42		<u>Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page</u>
43		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor</u>
44		<u>User submits different codes and receives an alert</u>
45		<u>User submits different codes and receives an alert</u>
46		<u>Verify that user is able to navigate to "Arrays Using List" page</u>

#	Feature Name	Scenario Name
47	<u>Array Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to "try Editor" page for "Arrays Using List" page</u>
48		<u>Verify that user is able to see output for valid python code for "Arrays Using List" try Editor page</u>
49		<u>Verify that user is able to navigate to "Practice Questions" Page from "Arrays Using List" page</u>
50		<u>Verify that user is able to navigate to "try Editor" page for "Basic Operations in Lists" page</u>
51		<u>Verify that user is able to navigate to "Basic Operations in Lists" page</u>
52		<u>Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try Editor page</u>
53		<u>Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try Editor page</u>
54		<u>Verify that user is able to see output for valid python code for "Basic Operations in Lists"try Editor page</u>

#	Feature Name	Scenario Name
55	<u>Array Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to "Practice Questions" Page from "Basic Operations in Lists" page</u>
56		<u>Verify that user is able to navigate to "Applications of Array" page</u>
57		<u>Verify that user is able to navigate to "try Editor" page for "Applications of Array" page</u>
58		<u>Verify that user receives error when click on Run button without entering code for "Applications of Array" page</u>
59		<u>Verify that user receives error when click on Run button without entering code for "Applications of Array" page</u>
60		<u>Verify that user is able to see output for valid python code for "Applications of Array" try Editor page</u>
61		<u>Verify that user is able to navigate to "Practice Questions" Page for "Applications of Array" try Editor page</u>
62	<u>Data Structures - Introduction</u>	<u>Verify that user is able to navigate to "Data Structures - Introduction" page</u>
63		<u>Verify that user is able to navigate to "Practice Questions" page</u>

#	Feature Name	Scenario Name
64	<u>Data Structures - Introduction</u>	<u>Verify that user is able to navigate to "Time Complexity" page</u>
65		<u>Verify that user is able to navigate to "Try here" in "Time Complexity" page</u>
66		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor</u>
67		<u>Verify that user receives error when click on Run button without entering code</u>
68		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor</u>
69	<u>Graph</u>	<u>Verify that user is able to click on graphs Get started button of Graph on the home page after giving valid username and password</u>
70		<u>Verify that user is able to click on the sublink Graph from the Tree page</u>
71		<u>Verify that user able to see warning message while selecting Graph from the dropdown Data Structures without Sign in</u>
72		<u>Verify that user able to see warning message on clicking "Get Started" buttons of "Graph" on the home page without Sign in</u>

#	Feature Name	Scenario Name
73	<u>Graph</u>	<i>Verify that user is able to click on the button Try here &gt;&gt; from the sublink Graph page</i>
74		<i>Verify that user is able to type python code in the text area of sublink Graph page</i>
75		<i>User submits different codes and receives an alert</i>
76		<i>User submits different codes and receives an alert</i>
77		<i>User submits different codes and receives an alert</i>
78		<i>Verify user is able to navigate to the previous page sublink Graph on clicking browser back button</i>
79		<i>Verify that user is able to click on the button Try here &gt;&gt; from the Graph Representations page</i>
80		<i>Verify that user is able to type python code in the text area of Graph Representations page</i>
81		<i>User submits different codes and receives an alert</i>

#	Feature Name	Scenario Name
82	<u>Graph</u>	User submits different codes and receives an alert
83		User submits different codes and receives an alert
84		Verify that user is able to click on the link Graph Representations from the Graph page
85		Verify user is able to navigate to the previous page Graph Representations on clicking browser back button
86		Verify that user is view the page content in Practice Questions while clicking the link practice questions
87	<u>Home Page</u>	Verify warning message when selecting Stack without signing in
88		Verify that the user is able to navigate to the home page
89		Verify that the user can view Data Structures dropdown options without signing in
90		Verify warning message when selecting Arrays without signing in
91		Verify warning message when selecting Linked List without signing in

#	Feature Name	Scenario Name
92	<u>Home Page</u>	<u>Verify warning message when selecting Queue without signing in</u>
93		<u>Verify warning message when selecting Tree without signing in</u>
94		<u>Verify warning message when selecting Graph without signing in</u>
95		<u>Verify that the user stays on the same page when clicking elsewhere</u>
96	<u>Login Functionality</u>	<u>Verify user receives error message when username and password fields are blank during Login</u>
97		<u>Verify user receives error message when username and password fields are blank during Login</u>
98		<u>Verify user receives error message for Invalid Username and Password during Login</u>
99		<u>Verify user receives error message for Invalid Username and Password during Login</u>
10-0		<u>Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page</u>

#	Feature Name	Scenario Name
10-1	<u>Login Functionality</u>	<u>Verify that user receives error when click on Run button for "Implementation using array" try Editor page</u>
10-2		<u>Verify user enters username and password fields</u>
10-3	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to Queue data structure page</u>
10-4		<u>Verify that user is able to navigate to Queue data structure page</u>
10-5		<u>Verify that user is able to navigate to "Implementation of Queue in Python" page</u>
10-6		<u>Verify that user is able to navigate to "try Editor" page for "Implementation of Queue in Python" page</u>
10-7		<u>Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page</u>
10-8		<u>Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page</u>
10-9		<u>Verify that user is able to navigate to "Implementation using collections. deque" page</u>

#	Feature Name	Scenario Name
11-0	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user is able to see output for valid python code for "Implementation of Queue in Python" try Editor page</u>
11-1		<u>Verify that user is able to navigate to "Practice Questions" Page for "Implementation of Queue in Python" page</u>
11-2		<u>Verify that user is able to navigate to "try Editor" page for "Implementation using collections.deque" page</u>
11-3		<u>Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page</u>
11-4		<u>Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page</u>
11-5		<u>Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page</u>
11-6		<u>Verify that user receives error when click on Run button for "Implementation using array" try Editor page</u>

#	Feature Name	Scenario Name
11-7	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user receives error when click on Run button for "Queue Operations" try Editor page</u>
11-8		<u>Verify that user is able to see output for valid python code for "Implementation using collections.deque" try Editor page</u>
11-9		<u>Verify that user receives error when click on Run button for "Implementation using array" try Editor page</u>
12-0		<u>Verify that user is able to navigate to "Implementation using array" page</u>
12-1		<u>Verify that user is able to navigate to "Queue Operations" page</u>
12-2		<u>Verify that user is able to navigate to "try Editor" page for "Implementation using array" page</u>
12-3		<u>Verify that user is able to see output for valid python code for "Implementation using array" try Editor page</u>
12-4		<u>Verify that the user is able to enter valid username in the username field</u>
12-5		<u>: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor page</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
12-6	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to "try Editor" page for "Queue Operations" page</u>
12-7		<u>Verify that user is able to see output for valid python code for "Queue Operations" try Editor page</u>
12-8		<u>Verify that user receives error when click on Run button for "Queue Operations" try Editor page</u>
12-9		<u>Verify that user receives error when click on Run button for "Queue Operations" try Editor page</u>
13-0		<u>Verify that user gets an error message upon entering invalid username</u>
13-1		<u>Verify that user gets an error message upon entering invalid username</u>
13-2		<u>Verify pop-up message when password and password confirmation fields are left blank</u>
13-3	<u>Register Page</u>	<u>Verify that User is able to launch ds-algo portal</u>
13-4		<u>Verify that the user is able to enter valid username in the username field</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
13-5	<u>Register Page</u>	<u>Verify that the user is able to enter valid username in the username field</u>
13-6		<u>Verify that the user gets error upon entering invalid passwords</u>
13-7		<u>Verify that user gets an error message upon entering invalid username</u>
13-8		<u>Verify that the user is able to enter valid passwords in the field</u>
13-9		<u>Verify that the user is able to enter valid passwords in the field</u>
14-0		<u>Verify that the user gets error upon entering invalid passwords</u>
14-1		<u>Verify that the user gets error upon entering invalid passwords</u>
14-2		<u>: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor page</u>
14-3		<u>Verify pop-up message when password and password confirmation fields are left blank</u>
14-4	<u>Stack functionality</u>	<u>Verify that user is able to navigate to "Operations in Stack" page</u>
14-5		<u>Verify that user is able to navigate to Stack data structure page</u>
14-6		<u>Verify that user is able to navigate to Stack data structure page</u>

#	Feature Name	Scenario Name
14-7	<u>Stack functionality</u>	: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor page
14-8		Verify that user receives error when click on Run button for "Implementation" try Editor page
14-9		Verify that user is able to navigate to "try Editor" page for "Operations in Stack" page
15-0		Verify that user is able to see output for valid python code for "Operations in Stack" try Editor page
15-1		Verify that user is able to navigate to "Practice Questions" Page from "Operations in Stack" page
15-2		Verify that user is able to navigate to "Implementation" page
15-3		Verify that user is able to navigate to "try Editor" page for "Implementation" page
15-4		Verify that user receives error when click on Run button for "Implementation" try Editor page

#	Feature Name	Scenario Name
15-5	<u>Stack functionality</u>	<u>Verify that user receives error when click on Run button for "Implementation" try Editor page</u>
15-6		<u>Verify that user receives error when click on Run button for "Applications" try Editor page</u>
15-7		<u>Verify that user is able to navigate to "Practice Questions" Page from "Implementation" page</u>
15-8		<u>Verify that user is able to navigate to "Applications" page</u>
15-9		<u>Verify that user is able to see output for valid python code for "Implementation" try Editor page</u>
16-0		<u>Verify that user is able to navigate to "try Editor" page for "Applications" page</u>
16-1		<u>Verify that user receives error when click on Run button for "Applications" try Editor page</u>
16-2		<u>Verify that user receives error when click on Run button for "Applications" try Editor page</u>

#	Feature Name	Scenario Name
16-3	<u>Stack functionality</u>	<u>Verify that user is able to navigate to "Practice Questions" Page from "Applications" page</u>
16-4		<u>Verify that user is able to see output for valid python code for "Applications" try Editor page</u>
16-5	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Tree" data structure page</u>
16-6		<u>Verify that user is able to navigate to "Tree" data structure page</u>
16-7		<u>Verify that user is able to navigate to "Overview of Trees" page</u>
16-8		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Overview of Trees" page</u>
16-9		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Overview of Trees" page</u>
17-0		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Terminologies" page</u>
17-1		<u>Verify that user is able to navigate to "Try Editor" page for "Overview of Trees" page</u>

#	Feature Name	Scenario Name
17-2	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Try Editor" page for "Terminologies" page</u>
17-3		<u>Verify that user receives error when click on Run button without entering code for "Overview of Trees" page</u>
17-4		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Overview of Trees" page</u>
17-5		<u>Verify that user is able to navigate to "Terminologies" page</u>
17-6		<u>Verify that user receives error when click on Run button without entering code for "Terminologies" page</u>
17-7		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Terminologies" page</u>
17-8		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Terminologies" page</u>
17-9		<u>Verify that user is able to navigate to "Try Editor" page for "Types of Trees" page</u>

#	Feature Name	Scenario Name
18-0	<u>Tree Datastructure</u>	<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Types of Trees" page</u>
18-1		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Tree Traversals" page</u>
18-2		<u>Verify that user receives error when click on Run button without entering code for "Types of Trees" page</u>
18-3		<u>Verify that user is able to navigate to "Types of Trees" page</u>
18-4		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Trees" page</u>
18-5		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Trees" page</u>
18-6		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Traversals-Illustration" page</u>
18-7		<u>Verify that user is able to navigate to "Tree Traversals" page</u>

#	Feature Name	Scenario Name
18-8	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Try Editor" page for "Tree Traversals" page</u>
18-9		<u>Verify that user receives error when click on Run button without entering code for "Tree Traversals" page</u>
19-0		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Tree Traversals" page</u>
19-1		<u>Verify that user is able to navigate to "Traversals-Illustration" page</u>
19-2		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Tree Traversals" page</u>
19-3		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Traversals-Illustration" page</u>
19-4		<u>Verify that user is able to navigate to "Try Editor" page for "Traversals-Illustration" page</u>
19-5		<u>Verify that user receives error when click on Run button without entering code for "Traversals-Illustration" page</u>

#	Feature Name	Scenario Name
19-6	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Trees" page</u>
19-7		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Traversals-Illustration" page</u>
19-8		<u>Verify that user is able to navigate to "Binary Trees" page</u>
19-9		<u>Verify that user receives error when click on Run button without entering code for "Binary Trees" page</u>
20-0		<u>Verify that user is able to navigate to "Try Editor" page for "Binary Trees" page</u>
20-1		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Trees" page</u>
20-2		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Trees" page</u>
20-3		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Binary Trees" page</u>

#	Feature Name	Scenario Name
20-4	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Types of Binary Trees" page</u>
20-5		<u>Verify that user is able to navigate to "Try Editor" page for "Types of Binary Trees" page</u>
20-6		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Types of Binary Trees" page</u>
20-7		<u>Verify that user receives error when click on Run button without entering code for "Types of Binary Trees" page</u>
20-8		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation in Python" page</u>
20-9		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation of Binary Trees" page</u>
21-0		<u>Verify that user is able to navigate to "Implementation in Python" page</u>
21-1		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Binary Trees" page</u>

#	Feature Name	Scenario Name
21-2	<u>Tree Datastructure</u>	<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation in Python" page</u>
21-3		<u>Verify that user receives error when click on Run button without entering code for "Implementation in Python" page</u>
21-4		<u>Verify that user is able to navigate to "Try Editor" page for "Implementation in Python" page</u>
21-5		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation in Python" page</u>
21-6		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Tree Traversals" page</u>
21-7		<u>Verify that user is able to navigate to "Binary Tree Traversals" page</u>
21-8		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Tree Traversals" page</u>
21-9		<u>Verify that user receives error when click on Run button without entering code for "Binary Tree Traversals" page</u>

#	Feature Name	Scenario Name
22-0	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Try Editor" page for "Binary Tree Traversals" page</u>
22-1		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Tree Traversals" page</u>
22-2		<u>Verify that user is able to navigate to "Implementation of Binary Trees" page</u>
22-3		<u>Verify that user is able to navigate to "Try Editor" page for "Implementation of Binary Trees" page</u>
22-4		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation of Binary Trees" page</u>
22-5		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Applications of Binary trees" page</u>
22-6		<u>Verify that user receives error when click on Run button without entering code for "Implementation of Binary Trees" page</u>

#	Feature Name	Scenario Name
22-7	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation of Binary Trees" page</u>
22-8		<u>Verify that user is able to navigate to "Try Editor" page for "Applications of Binary trees" page</u>
22-9		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Applications of Binary trees" page</u>
23-0		<u>Verify that user is able to navigate to "Applications of Binary trees" page</u>
23-1		<u>Verify that user receives error when click on Run button without entering code for "Applications of Binary trees" page</u>
23-2		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Applications of Binary trees" page</u>
23-3		<u>Verify that user is able to navigate to "Binary Search Trees" page</u>
23-4		<u>Verify that user is able to navigate to "Try Editor" page for "Binary Search Trees" page</u>

#	Feature Name	Scenario Name
23-5	<u>Tree Datastructure</u>	<u>Verify that user receives error when click on Run button without entering code for "Binary Search Trees" page</u>
23-6		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Search Trees" page</u>
23-7		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Search Trees" page</u>
23-8		<u>Verify that user is able to navigate to "Implementation Of BST" page</u>
23-9		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Search Trees" page</u>
24-0		<u>Verify that user is able to navigate to "Try Editor" page for "Implementation Of BST" page</u>
24-1		<u>Verify that user receives error when click on Run button without entering code for "Implementation Of BST" page</u>
24-2		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation Of BST" page</u>

#	Feature Name	Scenario Name
24-3	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation Of BST" page</u>
24-4		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation Of BST" page</u>
24-5		<u>Verify that user receives error when click on Run button for "Introduction" try Editor page</u>
24-6		<u>Verify that user receives error when click on Run button for "Introduction" try Editor page</u>
24-7		<u>Verify that user is able to navigate to " Practice Questions " page</u>
24-8	<u>Linked list functionality</u>	<u>Verify that user is able to navigate to Linked List data structure page</u>
24-9		<u>Verify that user is able to navigate to "Introduction" page</u>
25-0		<u>Verify that user is able to navigate to Linked List data structure page</u>
25-1		<u>Verify that user is able to navigate to "try Editor" page for "Introduction" page</u>

#	Feature Name	Scenario Name
25-2	<u><a href="#">Linked list functionality</a></u>	<u><a href="#">Verify that user receives error when click on Run button for "Introduction" try Editor page</a></u>
25-3		<u><a href="#">Verify that user is able to see output for valid python code for "Introduction" try Editor page</a></u>
25-4		<u><a href="#">Verify that user is able to navigate to "Creating Linked list" page</a></u>
25-5		<u><a href="#">Verify that user is able to navigate to "try Editor" page for "Creating Linked list" page</a></u>
25-6		<u><a href="#">Verify that user receives error when click on Run button for "Creating Linked list" try Editor page</a></u>
25-7		<u><a href="#">Verify that user receives error when click on Run button for "Creating Linked list" try Editor page</a></u>
25-8		<u><a href="#">Verify that user receives error when click on Run button for "Creating Linked list" try Editor page</a></u>
25-9		<u><a href="#">Verify that user receives error when click on Run button for " Types of Linked list" try Editor page</a></u>


#	Feature Name	Scenario Name
26-0	<u>Linked list functionality</u>	<i>Verify that user receives error when click on Run button for " Types of Linked list" try Editor page</i>
26-1		<i>Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page</i>
26-2		<i>Verify that user receives error when click on Run button for "Insertion" try Editor page</i>
26-3		<i>Verify that user is able to navigate to "Practice Questions" Page for "Introduction" page</i>
26-4		<i>Verify that user is able to see output for valid python code for "Creating Linked list" try Editor page</i>
26-5		<i>Verify that user is able to navigate to "Practice Questions" Page for "Creating Linked list" page</i>
26-6		<i>Verify that user is able to navigate to "Types of Linked list" page</i>
26-7		<i>Verify that user receives error when click on Run button for " Types of Linked list" try Editor page</i>

#	Feature Name	Scenario Name
26-8	<u>Linked list functionality</u>	<i>Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page</i>
26-9		<i>Verify that user is able to navigate to "try Editor" page for "Types of Linked list" page</i>
27-0		<i>Verify that user is able to see output for valid python code for "Types of Linked list" try Editor page</i>
27-1		<i>Verify that user is able to navigate to "Implement Linked List in Python" page</i>
27-2		<i>Verify that user is able to navigate to "try Editor" page for "Types of Linked list" page</i>
27-3		<i>Verify that user is able to navigate to "Practice Questions" Page for "Types of Linked list" page</i>
27-4		<i>Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page</i>


#	Feature Name	Scenario Name
27-5	<u>Linked list functionality</u>	<u>Verify that user receives error when click on Run button for "Traversal" try Editor page</u>
27-6		<u>Verify that user receives error when click on Run button for "Deletion" try Editor page</u>
27-7		<u>Verify that user is able to navigate to "Practice Questions" Page for "Implement Linked List in Python" page</u>
27-8		<u>Verify that user is able to see output for valid python code for "Implement Linked List in Python" try Editor page</u>
27-9		<u>Verify that user is able to navigate to "Traversal" page</u>
28-0		<u>Verify that user is able to navigate to "try Editor" page for "Traversal" page</u>
28-1		<u>Verify that user receives error when click on Run button for "Traversal" try Editor page</u>
28-2		<u>Verify that user receives error when click on Run button for "Traversal" try Editor page</u>

#	Feature Name	Scenario Name
28-3	<u><a href="#">Linked list functionality</a></u>	<u><a href="#">Verify that user is able to see output for valid python code for "Traversal" try Editor page</a></u>
28-4		<u><a href="#">Verify that user is able to navigate to "Practice Questions" Page for Traversal page</a></u>
28-5		<u><a href="#">Verify that user is able to navigate to "Insertion" page</a></u>
28-6		<u><a href="#">Verify that user receives error when click on Run button for "Insertion" try Editor page</a></u>
28-7		<u><a href="#">Verify that user receives error when click on Run button for "Insertion" try Editor page</a></u>
28-8		<u><a href="#">Verify that user receives error when click on Run button for "Deletion" try Editor page</a></u>
28-9		<u><a href="#">Verify that user is able to navigate to "try Editor" page for "Insertion" page</a></u>
29-0		<u><a href="#">Verify that user is able to see output for valid python code for "Insertion" try Editor page</a></u>
29-1		<u><a href="#">Verify that user is able to navigate to "Deletion" page</a></u>

#	Feature Name	Scenario Name
29-2	<u>Linked list functionality</u>	<u>Verify that user is able to navigate to "Practice Questions" Page for Insertion page</u>
29-3		<u>Verify that user is able to navigate to "try Editor" page for "Deletion" page</u>
29-4		<u>Verify that user receives error when click on Run button for "Deletion" try Editor page</u>
29-5		<u>Verify that user is able to see output for valid python code for "Deletion" try Editor page</u>
29-6		<u>Verify that user is able to navigate to "Practice Questions" Page for Deletion page</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Array Page of DSAlgo portal</u>	61	0	61	0	2.491 s
2	<u>Data Structures - Introduction</u>	7	0	7	0	0.285 s
3	<u>Graph</u>	18	0	18	0	0.462 s
4	<u>Home Page</u>	9	0	9	0	0.229 s
5	<u>Login Functionality</u>	7	0	7	0	0.390 s
6	<u>Queue Page of DSAlgo portal</u>	30	0	30	0	0.645 s
7	<u>Register Page</u>	11	0	11	0	0.260 s
8	<u>Stack functionality</u>	21	0	21	0	0.237 s
9	<u>Tree Datastructure</u>	83	0	83	0	0.900 s
10	<u>Linked list functionality</u>	49	0	49	0	0.436 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Array Page of DSAalgo portal</u>	<u>Verify that user is able to navigate to "Practice Questions" Page from "Arrays in Python" page</u>	5	0	0	5	1.062 s
2		<u>Verify that user is able to see output for valid python code for "Arrays in Python" try Editor page</u>	5	0	0	5	1.053 s
3		<u>Verify that user receives error when click on Run button for "Arrays in Python" try Editor page</u>	5	0	0	5	1.047 s
4		<u>Verify that user receives error when click on Run button for "Arrays in Python" try Editor page</u>	5	0	0	5	1.023 s
5		<u>Verify that user receives error when click on Run button for "Arrays in Python" try Editor page</u>	5	0	0	5	1.008 s
6		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Search the array" question</u>	5	0	0	5	0.086 s
7		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Max Consecutive Ones" question</u>	5	0	0	5	0.158 s


\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Array Page of DSAalgo portal</u>	<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Find Numbers with Even"</u>	5	0	0	5	0.078 s
9		<u>Verify that user is able to navigate to Array data structure page</u>	5	0	0	5	1.048 s
10		<u>Verify that user is able to navigate to Array data structure page</u>	5	0	0	5	1.029 s
11		<u>Verify that user is able to navigate to "try Editor" page for "Arrays in Python" page</u>	5	0	0	5	1.020 s
12		<u>Verify that user is able to navigate to "Search the array" Page from Practice question page of "Arrays in Python" page</u>	5	0	0	5	1.022 s
13		<u>Verify that user is able to navigate to "Arrays in Python" page</u>	5	0	0	5	1.009 s
14		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Search the array" question</u>	5	0	0	5	0.222 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
15		<u>Verify that user receives <code>NameError</code>, <code>SyntaxError</code> for invalid python code on running "Search the array" question</u>	5	0	0	5	0.103 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Array Page of DSAalgo portal</u>	<u>Verify that user is able to run valid python code for "Search the array" question</u>	5	0	0	5	0.020 s
17		<u>Verify that user is able to navigate to "Max Consecutive Ones" Page from Practice question page of "Arrays in *</u>	5	0	0	5	0.109 s
18		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Max Consecutive Ones" question</u>	5	0	0	5	0.224 s
19		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Search the array" question</u>	5	0	0	5	0.097 s
20		<u>Verify that user is able to run valid python code for "Max Consecutive Ones" question</u>	5	0	0	5	0.137 s
21		<u>Verify that user is able to successfully submit valid correct python code for "Search the array" question</u>	5	0	0	5	0.165 s
22		<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Max Consecutive Ones" question</u>	5	0	0	5	0.100 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Array Page of DSAgo portal</u>	<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Max Consecutive Ones" question</u>	5	0	0	5	0.182 s
24		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Find Numbers with Even Number *</u>	5	0	0	5	0.060 s
25		<u>Verify that user is able to navigate to "Find Numbers with Even Number of Digits" Page from Practice question page *</u>	5	0	0	5	0.100 s
26		<u>Verify that user is able to successfully submit valid correct python code for "Max Consecutive Ones" question</u>	5	0	0	5	0.087 s
27		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Find Numbers with Even Number *</u>	5	0	0	5	0.076 s
28		<u>Verify that user receives error on submitting invalid python code, incorrect code for "Squares of a Sorted Array" question</u>	5	0	0	5	0.130 s
29		<u>Verify that user is able to run valid python code for "Find Numbers with Even Number of Digits" question</u>	5	0	0	5	0.072 s

\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>Array Page of DSAalgo portal</u>	<u>Verify that user receives error on submitting invalid python code, incorrect answer for "Find Numbers with Even"</u>	5	0	0	5	0.095 s
31		<u>Verify that user is able to successfully submit valid correct python code for "Find Numbers with Even Number of Digi"</u>	5	0	0	5	0.095 s
32		<u>Verify that user is able to navigate to "Squares of a Sorted Array" Page from Practice question page of "Arrays in"</u>	5	0	0	5	0.149 s
33		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Squares of a Sorted Array" question</u>	5	0	0	5	0.112 s
34		<u>Verify that user receives NameError, SyntaxError for invalid python code on running "Squares of a Sorted Array" question</u>	5	0	0	5	0.125 s
35		<u>Verify that user is able to run valid python code for "Squares of a Sorted Array" question</u>	5	0	0	5	0.095 s
36		<u>Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page</u>	5	0	0	5	0.085 s


\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
37	<a href="#">Array Page of DSAalgo portal</a>	<a href="#">Verify that user receives error on submitting invalid python code, incorrect code for "Squares of a Sorted Array" question</a>	5	0	0	5	0.168 s
38		<a href="#">Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try *</a>	5	0	0	5	0.099 s
39		<a href="#">Verify that user receives error when click on Run button without entering code for "Applications of Array" page</a>	5	0	0	5	0.188 s
40		<a href="#">Verify that user is able to successfully submit valid correct python code for "Squares of a Sorted Array" question</a>	5	0	0	5	0.107 s
41		<a href="#">Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page</a>	5	0	0	5	0.059 s
42		<a href="#">Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page</a>	5	0	0	5	0.242 s
43		<a href="#">Verify that user is able to see output for valid python code in Time Complexity Try Editor</a>	6	0	0	6	0.143 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
44		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.083 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
45	<u>Array Page of DSAalgo portal</u>	<u>User submits different codes and receives an alert</u>	3	0	0	3	0.152 s
46		<u>Verify that user is able to navigate to "Arrays Using List" page</u>	5	0	0	5	0.118 s
47		<u>Verify that user is able to navigate to "try Editor" page for "Arrays Using List" page</u>	5	0	0	5	0.131 s
48		<u>Verify that user is able to see output for valid python code for "Arrays Using List" try Editor page</u>	5	0	0	5	0.100 s
49		<u>Verify that user is able to navigate to "Practice Questions" Page from "Arrays Using List" page</u>	5	0	0	5	0.085 s
50		<u>Verify that user is able to navigate to "try Editor" page for "Basic Operations in Lists" page</u>	5	0	0	5	0.065 s
51		<u>Verify that user is able to navigate to "Basic Operations in Lists" page</u>	5	0	0	5	0.076 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
52		<i>Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try *</i>	5	0	0	5	0.094 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
53	<u><a href="#">Array Page of DSAalgo portal</a></u>	<u><a href="#">Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try *</a></u>	5	0	0	5	0.183 s
54		<u><a href="#">Verify that user is able to see output for valid python code for "Basic Operations in Lists"try Editor page</a></u>	5	0	0	5	0.154 s
55		<u><a href="#">Verify that user is able to navigate to "Practice Questions" Page from "Basic Operations in Lists" page</a></u>	5	0	0	5	0.118 s
56		<u><a href="#">Verify that user is able to navigate to "Applications of Array" page</a></u>	5	0	0	5	0.055 s
57		<u><a href="#">Verify that user is able to navigate to "try Editor" page for "Applications of Array" page</a></u>	5	0	0	5	0.079 s
58		<u><a href="#">Verify that user receives error when click on Run button without entering code for "Applications of Array" page</a></u>	5	0	0	5	0.031 s
59		<u><a href="#">Verify that user receives error when click on Run button without entering code for "Applications of Array" page</a></u>	5	0	0	5	0.156 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<a href="#"><u>Array Page of DSAalgo portal</u></a>	<a href="#"><u>Verify that user is able to see output for valid python code for "Applications of Array" try Editor page</u></a>	5	0	0	5	0.056 s
61		<a href="#"><u>Verify that user is able to navigate to "Practice Questions" Page for "Applications of Array" try Editor page</u></a>	5	0	0	5	0.170 s
62	<a href="#"><u>Data Structures - Introduction</u></a>	<a href="#"><u>Verify that user is able to navigate to "Data Structures - Introduction" page</u></a>	6	0	0	6	0.032 s
63		<a href="#"><u>Verify that user is able to navigate to "Practice Questions" page</u></a>	6	0	0	6	0.106 s
64		<a href="#"><u>Verify that user is able to navigate to "Time Complexity" page</u></a>	6	0	0	6	0.141 s
65		<a href="#"><u>Verify that user is able to navigate to "Try here" in "Time Complexity" page</u></a>	6	0	0	6	0.061 s
66		<a href="#"><u>Verify that user receives error for invalid python code in Time Complexity Try Editor</u></a>	6	0	0	6	0.177 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
67	<u>Data Structures - Introduction</u>	<u>Verify that user receives error when click on Run button without entering code</u>	6	0	0	6	0.043 s
68		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor</u>	6	0	0	6	0.202 s
69	<u>Graph</u>	<u>Verify that user is able to click on graphs Get started button of Graph on the home page after giving valid username and *</u>	3	0	0	3	0.101 s
70		<u>Verify that user is able to click on the sublink Graph from the Tree page</u>	3	0	0	3	0.105 s
71		<u>Verify that user able to see warning message while selecting Graph from the dropdown Data Structures without Sign in</u>	3	0	0	3	0.042 s
72		<u>Verify that user able to see warning message on clicking "Get Started" buttons of "Graph" on the home page without *</u>	3	0	0	3	0.105 s
73		<u>Verify that user is able to click on the button Try here &gt;&gt; from the sublink Graph page</u>	3	0	0	3	0.082 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Graph</u>	<u>Verify that user is able to type python code in the text area of sublink Graph page</u>	3	0	0	3	0.065 s
75		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.137 s
76		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.125 s
77		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.012 s
78		<u>Verify user is able to navigate to the previous page sublink Graph on clicking browser back button</u>	3	0	0	3	0.087 s
79		<u>Verify that user is able to click on the button Try here &gt;&gt;</u> <u>from the Graph Representations page</u>	3	0	0	3	0.013 s
80		<u>Verify that user is able to type python code in the text area of Graph Representations page</u>	3	0	0	3	0.088 s
81		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.166 s
82		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.097 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
83		<u>User submits different codes and receives an alert</u>	3	0	0	3	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
84	<u>Graph</u>	<u>Verify that user is able to click on the link Graph Representations from the Graph page</u>	3	0	0	3	0.086 s
85		<u>Verify user is able to navigate to the previous page Graph Representations on clicking browser back button</u>	3	0	0	3	0.136 s
86		<u>Verify that user is view the page content in Practice Questions while clicking the link practice questions</u>	3	0	0	3	0.134 s
87	<u>Home Page</u>	<u>Verify warning message when selecting Stack without signing in</u>	4	0	0	4	0.081 s
88		<u>Verify that the user is able to navigate to the home page</u>	3	0	0	3	0.072 s
89		<u>Verify that the user can view Data Structures dropdown options without signing in</u>	4	0	0	4	0.203 s
90		<u>Verify warning message when selecting Arrays without signing in</u>	4	0	0	4	0.067 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
91		<i>Verify warning message when selecting Linked List without <u>signing in</u></i>	4	0	0	4	0.098 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
92	<u>Home Page</u>	<u>Verify warning message when selecting Queue without signing in</u>	4	0	0	4	0.030 s
93		<u>Verify warning message when selecting Tree without signing in</u>	4	0	0	4	0.073 s
94		<u>Verify warning message when selecting Graph without signing in</u>	4	0	0	4	0.130 s
95		<u>Verify that the user stays on the same page when clicking elsewhere</u>	4	0	0	4	0.045 s
96	<u>Login Functionality</u>	<u>Verify user receives error message when username and password fields are blank during Login</u>	5	0	0	5	0.144 s
97		<u>Verify user receives error message when username and password fields are blank during Login</u>	5	0	0	5	0.104 s
98		<u>Verify user receives error message for Invalid Username and Password during Login</u>	5	0	0	5	0.079 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
99	<u>Login Functionality</u>	<u>Verify user receives error message for Invalid Username and Password during Login</u>	5	0	0	5	0.131 s
10-0		<u>Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page</u>	5	0	0	5	0.122 s
10-1		<u>Verify that user receives error when click on Run button for "Implementation using array" try Editor page</u>	5	0	0	5	0.053 s
10-2		<u>Verify user enters username and password fields</u>	7	0	0	7	0.124 s
10-3	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to Queue data structure page</u>	5	0	0	5	0.060 s
10-4		<u>Verify that user is able to navigate to Queue data structure page</u>	5	0	0	5	0.043 s
10-5		<u>Verify that user is able to navigate to "Implementation of Queue in Python" page</u>	5	0	0	5	0.042 s


#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
10-6		<u>Verify that user is able to navigate to "try Editor" page for "Implementation of Queue in Python" page</u>	5	0	0	5	0.034 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page</u>	5	0	0	5	0.137 s
10-8		<u>Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page</u>	5	0	0	5	0.029 s
10-9		<u>Verify that user is able to navigate to "Implementation using collections.deque" page</u>	5	0	0	5	0.038 s
11-0		<u>Verify that user is able to see output for valid python code for "Implementation of Queue in Python" try Editor page</u>	5	0	0	5	0.082 s
11-1		<u>Verify that user is able to navigate to "Practice Questions" Page for "Implementation of Queue in Python" page</u>	5	0	0	5	0.085 s
11-2		<u>Verify that user is able to navigate to "try Editor" page for "Implementation using collections.deque" page</u>	5	0	0	5	0.163 s
11-3		<u>Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page</u>	5	0	0	5	0.044 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page</u>	5	0	0	5	0.122 s
11-5		<u>Verify that user receives error when click on Run button for "Implementation using collections.deque" try Editor page</u>	5	0	0	5	0.065 s
11-6		<u>Verify that user receives error when click on Run button for "Implementation using array" try Editor page</u>	5	0	0	5	0.082 s
11-7		<u>Verify that user receives error when click on Run button for "Queue Operations" try Editor page</u>	5	0	0	5	0.151 s
11-8		<u>Verify that user is able to see output for valid python code for "Implementation using collections.deque" try Editor page</u>	5	0	0	5	0.056 s
11-9		<u>Verify that user receives error when click on Run button for "Implementation using array" try Editor page</u>	5	0	0	5	0.053 s
12-0		<u>Verify that user is able to navigate to "Implementation using array" page</u>	5	0	0	5	0.184 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-1	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user is able to navigate to "Queue Operations" page</u>	5	0	0	5	0.053 s
12-2		<u>Verify that user is able to navigate to "try Editor" page for "Implementation using array" page</u>	5	0	0	5	0.112 s
12-3		<u>Verify that user is able to see output for valid python code for "Implementation using array" try Editor page</u>	5	0	0	5	0.052 s
12-4		<u>Verify that the user is able to enter valid username in the username field</u>	5	0	0	5	0.120 s
12-5		<u>: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor *</u>	5	0	0	5	0.027 s
12-6		<u>Verify that user is able to navigate to "try Editor" page for "Queue Operations" page</u>	5	0	0	5	0.081 s
12-7		<u>Verify that user is able to see output for valid python code for "Queue Operations" try Editor page</u>	5	0	0	5	0.118 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-8	<u>Queue Page of DSAlgo portal</u>	<u>Verify that user receives error when click on Run button for "Queue Operations" try Editor page</u>	5	0	0	5	0.063 s
12-9		<u>Verify that user receives error when click on Run button for "Queue Operations" try Editor page</u>	5	0	0	5	0.070 s
13-0		<u>Verify that user gets an error message upon entering invalid username</u>	5	0	0	5	0.063 s
13-1		<u>Verify that user gets an error message upon entering invalid username</u>	5	0	0	5	0.061 s
13-2		<u>Verify pop-up message when password and password confirmation fields are left blank</u>	5	0	0	5	0.037 s
13-3	<u>Register Page</u>	<u>Verify that User is able to launch ds-algo portal</u>	5	0	0	5	0.075 s
13-4		<u>Verify that the user is able to enter valid username in the username field</u>	5	0	0	5	0.101 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
13-5		<u>Verify that the user is able to enter valid username in the username field</u>	5	0	0	5	0.041 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-6	<u>Register Page</u>	<u>Verify that the user gets error upon entering invalid passwords</u>	5	0	0	5	0.040 s
13-7		<u>Verify that user gets an error message upon entering invalid username</u>	5	0	0	5	0.057 s
13-8		<u>Verify that the user is able to enter valid passwords in the field</u>	5	0	0	5	0.081 s
13-9		<u>Verify that the user is able to enter valid passwords in the field</u>	5	0	0	5	0.070 s
14-0		<u>Verify that the user gets error upon entering invalid passwords</u>	5	0	0	5	0.027 s
14-1		<u>Verify that the user gets error upon entering invalid passwords</u>	5	0	0	5	0.039 s
14-2		<u>: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor *</u>	5	0	0	5	0.034 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-3	<u>Register Page</u>	<u>Verify pop-up message when password and password confirmation fields are left blank</u>	5	0	0	5	0.057 s
14-4	<u>Stack functionality</u>	<u>Verify that user is able to navigate to "Operations in Stack" page</u>	5	0	0	5	0.022 s
14-5		<u>Verify that user is able to navigate to Stack data structure page</u>	5	0	0	5	0.041 s
14-6		<u>Verify that user is able to navigate to Stack data structure page</u>	5	0	0	5	0.036 s
14-7		<u>: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor *</u>	5	0	0	5	0.039 s
14-8		<u>Verify that user receives error when click on Run button for "Implementation" try Editor page</u>	5	0	0	5	0.045 s
14-9		<u>Verify that user is able to navigate to "try Editor" page for "Operations in Stack" page</u>	5	0	0	5	0.116 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-0	<u>Stack functionality</u>	<u>Verify that user is able to see output for valid python code for "Operations in Stack" try Editor page</u>	5	0	0	5	0.037 s
15-1		<u>Verify that user is able to navigate to "Practice Questions" Page from "Operations in Stack" page</u>	5	0	0	5	0.029 s
15-2		<u>Verify that user is able to navigate to "Implementation" page</u>	5	0	0	5	0.055 s
15-3		<u>Verify that user is able to navigate to "try Editor" page for "Implementation" page</u>	5	0	0	5	0.040 s
15-4		<u>Verify that user receives error when click on Run button for "Implementation" try Editor page</u>	5	0	0	5	0.056 s
15-5		<u>Verify that user receives error when click on Run button for "Implementation" try Editor page</u>	5	0	0	5	0.035 s
15-6		<u>Verify that user receives error when click on Run button for "Applications" try Editor page</u>	5	0	0	5	0.041 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
15-7		<u>Verify that user is able to navigate to "Practice Questions"</u> <u>Page from "Implementation" page</u>	5	0	0	5	0.040 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-8	<u>Stack functionality</u>	<u>Verify that user is able to navigate to "Applications" page</u>	5	0	0	5	0.034 s
15-9		<u>Verify that user is able to see output for valid python code for "Implementation" try Editor page</u>	5	0	0	5	0.094 s
16-0		<u>Verify that user is able to navigate to "try Editor" page for "Applications" page</u>	5	0	0	5	0.109 s
16-1		<u>Verify that user receives error when click on Run button for "Applications" try Editor page</u>	5	0	0	5	0.055 s
16-2		<u>Verify that user receives error when click on Run button for "Applications" try Editor page</u>	5	0	0	5	0.062 s
16-3		<u>Verify that user is able to navigate to "Practice Questions" Page from "Applications" page</u>	5	0	0	5	0.033 s
16-4		<u>Verify that user is able to see output for valid python code for "Applications" try Editor page</u>	5	0	0	5	0.057 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
16-5	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Tree" data structure page</u>	6	0	0	6	0.042 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-6	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Tree" data structure page</u>	6	0	0	6	0.030 s
16-7		<u>Verify that user is able to navigate to "Overview of Trees" page</u>	6	0	0	6	0.054 s
16-8		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Overview of Trees" page</u>	6	0	0	6	0.083 s
16-9		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Overview of Trees" page</u>	6	0	0	6	0.037 s
17-0		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Terminologies" page</u>	6	0	0	6	0.046 s
17-1		<u>Verify that user is able to navigate to "Try Editor" page for "Overview of Trees" page</u>	6	0	0	6	0.031 s
17-2		<u>Verify that user is able to navigate to "Try Editor" page for "Terminologies" page</u>	6	0	0	6	0.043 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-3	<u>Tree Datastructure</u>	<u>Verify that user receives error when click on Run button without entering code for "Overview of Trees" page</u>	6	0	0	6	0.037 s
17-4		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Overview of Trees" page</u>	6	0	0	6	0.044 s
17-5		<u>Verify that user is able to navigate to "Terminologies" page</u>	6	0	0	6	0.067 s
17-6		<u>Verify that user receives error when click on Run button without entering code for "Terminologies" page</u>	6	0	0	6	0.046 s
17-7		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Terminologies" page</u>	6	0	0	6	0.062 s
17-8		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Terminologies" page</u>	6	0	0	6	0.054 s
17-9		<u>Verify that user is able to navigate to "Try Editor" page for "Types of Trees" page</u>	6	0	0	6	0.021 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
18-0		<i>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Types of Trees" page</i>	6	0	0	6	0.020 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-1	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Tree Traversals" page</u>	6	0	0	6	0.052 s
18-2		<u>Verify that user receives error when click on Run button without entering code for "Types of Trees" page</u>	6	0	0	6	0.040 s
18-3		<u>Verify that user is able to navigate to "Types of Trees" page</u>	6	0	0	6	0.058 s
18-4		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Trees" page</u>	6	0	0	6	0.055 s
18-5		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Trees" page</u>	6	0	0	6	0.052 s
18-6		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Traversals-Illustration" page</u>	6	0	0	6	0.037 s
18-7		<u>Verify that user is able to navigate to "Tree Traversals" page</u>	6	0	0	6	0.044 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
18-8		<u>Verify that user is able to navigate to "Try Editor" page for "Tree Traversals" page</u>	6	0	0	6	0.037 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-9	<u>Tree Datastructure</u>	<u>Verify that user receives error when click on Run button without entering code for "Tree Traversals" page</u>	6	0	0	6	0.059 s
19-0		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Tree Traversals" page</u>	6	0	0	6	0.037 s
19-1		<u>Verify that user is able to navigate to "Traversals-Illustration" page</u>	6	0	0	6	0.035 s
19-2		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Tree Traversalss" page</u>	6	0	0	6	0.076 s
19-3		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Traversals-Illustration" page</u>	6	0	0	6	0.036 s
19-4		<u>Verify that user is able to navigate to "Try Editor" page for "Traversals-Illustration" page</u>	6	0	0	6	0.025 s
19-5		<u>Verify that user receives error when click on Run button without entering code for "Traversals-Illustration" page</u>	6	0	0	6	0.053 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-6	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Trees" page</u>	6	0	0	6	0.044 s
19-7		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Traversals-Illustration" page</u>	6	0	0	6	0.034 s
19-8		<u>Verify that user is able to navigate to "Binary Trees" page</u>	6	0	0	6	0.039 s
19-9		<u>Verify that user receives error when click on Run button without entering code for "Binary Trees" page</u>	6	0	0	6	0.041 s
20-0		<u>Verify that user is able to navigate to "Try Editor" page for "Binary Trees" page</u>	6	0	0	6	0.056 s
20-1		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Trees" page</u>	6	0	0	6	0.053 s
20-2		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Trees" page</u>	6	0	0	6	0.029 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
20-3		<i>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Binary Trees" page</i>	6	0	0	6	0.059 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20-4	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to "Types of Binary Trees" page</u>	6	0	0	6	0.060 s
20-5		<u>Verify that user is able to navigate to "Try Editor" page for "Types of Binary Trees" page</u>	6	0	0	6	0.062 s
20-6		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Types of Binary Trees" page</u>	6	0	0	6	0.031 s
20-7		<u>Verify that user receives error when click on Run button without entering code for "Types of Binary Trees" page</u>	6	0	0	6	0.022 s
20-8		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation in Python" *</u>	6	0	0	6	0.043 s
20-9		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation of Binary" *</u>	6	0	0	6	0.060 s
21-0		<u>Verify that user is able to navigate to "Implementation in Python" page</u>	6	0	0	6	0.023 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-1	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Binary Trees" page</u>	6	0	0	6	0.026 s
21-2		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation in Python" *</u>	6	0	0	6	0.029 s
21-3		<u>Verify that user receives error when click on Run button without entering code for "Implementation in Python" page</u>	6	0	0	6	0.090 s
21-4		<u>Verify that user is able to navigate to "Try Editor" page for "Implementation in Python" page</u>	6	0	0	6	0.045 s
21-5		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation in Python" *</u>	6	0	0	6	0.032 s
21-6		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Tree Traversals" *</u>	6	0	0	6	0.074 s
21-7		<u>Verify that user is able to navigate to "Binary Tree Traversals" page</u>	6	0	0	6	0.030 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-8	<u>Tree Datastructure</u>	<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Tree Traversals" *</u>	6	0	0	6	0.048 s
21-9		<u>Verify that user receives error when click on Run button without entering code for "Binary Tree Traversals" page</u>	6	0	0	6	0.043 s
22-0		<u>Verify that user is able to navigate to "Try Editor" page for "Binary Tree Traversals" page</u>	6	0	0	6	0.160 s
22-1		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Tree Traversals" *</u>	6	0	0	6	0.063 s
22-2		<u>Verify that user is able to navigate to "Implementation of Binary Trees" page</u>	6	0	0	6	0.072 s
22-3		<u>Verify that user is able to navigate to "Try Editor" page for "Implementation of Binary Trees" page</u>	6	0	0	6	0.054 s
22-4		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation of Binary" *</u>	6	0	0	6	0.034 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
22-5	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Applications of Binary tre *</u>	6	0	0	6	0.046 s
22-6		<u>Verify that user receives error when click on Run button without entering code for "Implementation of Binary Trees" *</u>	6	0	0	6	0.033 s
22-7		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation of Binary *</u>	6	0	0	6	0.038 s
22-8		<u>Verify that user is able to navigate to "Try Editor" page for "Applications of Binary trees" page</u>	6	0	0	6	0.062 s
22-9		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Applications of Binary tre *</u>	6	0	0	6	0.022 s
23-0		<u>Verify that user is able to navigate to "Applications of Binary trees" page</u>	6	0	0	6	0.085 s
23-1		<u>Verify that user receives error when click on Run button without entering code for "Applications of Binary trees" page</u>	6	0	0	6	0.032 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
23-2	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Applications of Binary tree" page</u>	6	0	0	6	0.060 s
23-3		<u>Verify that user is able to navigate to "Binary Search Trees" page</u>	6	0	0	6	0.051 s
23-4		<u>Verify that user is able to navigate to "Try Editor" page for "Binary Search Trees" page</u>	6	0	0	6	0.087 s
23-5		<u>Verify that user receives error when click on Run button without entering code for "Binary Search Trees" page</u>	6	0	0	6	0.044 s
23-6		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Search Trees" page</u>	6	0	0	6	0.028 s
23-7		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Search Trees" page</u>	6	0	0	6	0.042 s
23-8		<u>Verify that user is able to navigate to "Implementation Of BST" page</u>	6	0	0	6	0.041 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
23-9	<u>Tree Datastructure</u>	<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Search Trees" page</u>	6	0	0	6	0.039 s
24-0		<u>Verify that user is able to navigate to "Try Editor" page for "Implementation Of BST" page</u>	6	0	0	6	0.070 s
24-1		<u>Verify that user receives error when click on Run button without entering code for "Implementation Of BST" page</u>	6	0	0	6	0.071 s
24-2		<u>Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation Of BST" *</u>	6	0	0	6	0.054 s
24-3		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation Of BST" *</u>	6	0	0	6	0.036 s
24-4		<u>Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation Of BST" *</u>	6	0	0	6	0.051 s
24-5		<u>Verify that user receives error when click on Run button for "Introduction" try Editor page</u>	5	0	0	5	0.037 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
24-6	<u>Tree Datastructure</u>	<u>Verify that user receives error when click on Run button for "Introduction" try Editor page</u>	5	0	0	5	0.060 s
24-7		<u>Verify that user is able to navigate to " Practice Questions " page</u>	6	0	0	6	0.063 s
24-8	<u>Linked list functionality</u>	<u>Verify that user is able to navigate to Linked List data structure page</u>	5	0	0	5	0.041 s
24-9		<u>Verify that user is able to navigate to "Introduction" page</u>	5	0	0	5	0.024 s
25-0		<u>Verify that user is able to navigate to Linked List data structure page</u>	5	0	0	5	0.031 s
25-1		<u>Verify that user is able to navigate to "try Editor" page for "Introduction" page</u>	5	0	0	5	0.024 s
25-2		<u>Verify that user receives error when click on Run button for "Introduction" try Editor page</u>	5	0	0	5	0.033 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
25-3		<u>Verify that user is able to see output for valid python code for "Introduction" try Editor page</u>	5	0	0	5	0.039 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25-4	<u>Linked list functionality</u>	<u>Verify that user is able to navigate to "Creating Linked list" page</u>	5	0	0	5	0.023 s
25-5		<u>Verify that user is able to navigate to "try Editor" page for "Creating Linked list" page</u>	5	0	0	5	0.042 s
25-6		<u>Verify that user receives error when click on Run button for "Creating Linked list" try Editor page</u>	5	0	0	5	0.032 s
25-7		<u>Verify that user receives error when click on Run button for "Creating Linked list" try Editor page</u>	5	0	0	5	0.043 s
25-8		<u>Verify that user receives error when click on Run button for "Creating Linked list" try Editor page</u>	5	0	0	5	0.049 s
25-9		<u>Verify that user receives error when click on Run button for "Types of Linked list" try Editor page</u>	5	0	0	5	0.038 s
26-0		<u>Verify that user receives error when click on Run button for "Types of Linked list" try Editor page</u>	5	0	0	5	0.041 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
26-1	<u>Linked list functionality</u>	<u>Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page</u>	5	0	0	5	0.053 s
26-2		<u>Verify that user receives error when click on Run button for "Insertion" try Editor page</u>	5	0	0	5	0.027 s
26-3		<u>Verify that user is able to navigate to "Practice Questions" Page for "Introduction" page</u>	5	0	0	5	0.055 s
26-4		<u>Verify that user is able to see output for valid python code for "Creating Linked list" try Editor page</u>	5	0	0	5	0.029 s
26-5		<u>Verify that user is able to navigate to "Practice Questions" Page for "Creating Linked list" page</u>	5	0	0	5	0.045 s
26-6		<u>Verify that user is able to navigate to "Types of Linked list" page</u>	5	0	0	5	0.030 s
26-7		<u>Verify that user receives error when click on Run button for "Types of Linked list" try Editor page</u>	5	0	0	5	0.034 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
26-8	<u><a href="#">Linked list functionality</a></u>	<u><a href="#">Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page</a></u>	5	0	0	5	0.038 s
26-9		<u><a href="#">Verify that user is able to navigate to "try Editor" page for "Types of Linked list" page</a></u>	5	0	0	5	0.065 s
27-0		<u><a href="#">Verify that user is able to see output for valid python code for "Types of Linked list" try Editor page</a></u>	5	0	0	5	0.036 s
27-1		<u><a href="#">Verify that user is able to navigate to "Implement Linked List in Python" page</a></u>	5	0	0	5	0.025 s
27-2		<u><a href="#">Verify that user is able to navigate to "try Editor" page for "Types of Linked list" page</a></u>	5	0	0	5	0.038 s
27-3		<u><a href="#">Verify that user is able to navigate to "Practice Questions" Page for "Types of Linked list" page</a></u>	5	0	0	5	0.051 s
27-4		<u><a href="#">Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page</a></u>	5	0	0	5	0.041 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27-5	<u>Linked list functionality</u>	<u>Verify that user receives error when click on Run button for "Traversal" try Editor page</u>	5	0	0	5	0.056 s
27-6		<u>Verify that user receives error when click on Run button for "Deletion" try Editor page</u>	5	0	0	5	0.040 s
27-7		<u>Verify that user is able to navigate to "Practice Questions" Page for "Implement Linked List in Python" page</u>	5	0	0	5	0.023 s
27-8		<u>Verify that user is able to see output for valid python code for "Implement Linked List in Python" try Editor page</u>	5	0	0	5	0.036 s
27-9		<u>Verify that user is able to navigate to "Traversal" page</u>	5	0	0	5	0.053 s
28-0		<u>Verify that user is able to navigate to "try Editor" page for "Traversal" page</u>	5	0	0	5	0.035 s
28-1		<u>Verify that user receives error when click on Run button for "Traversal" try Editor page</u>	5	0	0	5	0.035 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
28-2		<u>Verify that user receives error when click on Run button for "Traversal" try Editor page</u>	5	0	0	5	0.085 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
28-3	<u>Linked list functionality</u>	<u>Verify that user is able to see output for valid python code for "Traversal" try Editor page</u>	5	0	0	5	0.032 s
28-4		<u>Verify that user is able to navigate to "Practice Questions" Page for Traversal page</u>	5	0	0	5	0.039 s
28-5		<u>Verify that user is able to navigate to "Insertion" page</u>	5	0	0	5	0.031 s
28-6		<u>Verify that user receives error when click on Run button for "Insertion" try Editor page</u>	5	0	0	5	0.037 s
28-7		<u>Verify that user receives error when click on Run button for "Insertion" try Editor page</u>	5	0	0	5	0.023 s
28-8		<u>Verify that user receives error when click on Run button for "Deletion" try Editor page</u>	5	0	0	5	0.041 s
28-9		<u>Verify that user is able to navigate to "try Editor" page for "Insertion" page</u>	5	0	0	5	0.051 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
29-0		<u>Verify that user is able to see output for valid python code</u> <u>for "Insertion" try Editor page</u>	5	0	0	5	0.030 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29-1	<u>Linked list functionality</u>	<u>Verify that user is able to navigate to "Deletion" page</u>	5	0	0	5	0.041 s
29-2		<u>Verify that user is able to navigate to "Practice Questions" Page for Insertion page</u>	5	0	0	5	0.054 s
29-3		<u>Verify that user is able to navigate to "try Editor" page for "Deletion" page</u>	5	0	0	5	0.035 s
29-4		<u>Verify that user receives error when click on Run button for "Deletion" try Editor page</u>	5	0	0	5	0.039 s
29-5		<u>Verify that user is able to see output for valid python code for "Deletion" try Editor page</u>	5	0	0	5	0.022 s
29-6		<u>Verify that user is able to navigate to "Practice Questions" Page for Deletion page</u>	5	0	0	5	0.032 s

## Array Page of DSAlgo portal




Verify that user is able to navigate to "Practice Questions" Page from "Arrays in Python" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.845 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.010 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.055 s
3	Given The user is in the Arrays in Python page	SKIPPED	0.001 s
4	When The user clicks Practice Questions button	SKIPPED	0.000 s
5	Then The user should be redirected to Practice page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.030 s

Verify that user is able to see output for valid python code for "Arrays in Python" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.831 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.009 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.006 s
4	Given The user is in the Arrays in Python tryEditor page	SKIPPED	0.000 s
5	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "TryCode" and 4  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.034 s


### Verify that user receives error when click on Run button for "Arrays in Python" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.870 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.032 s
3	Given The user is in the Arrays in Python tryEditor page	SKIPPED	0.002 s
4	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.062 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Arrays in Python" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.882 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.011 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.002 s
3	Given The user is in the Arrays in Python tryEditor page	SKIPPED	0.004 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.006 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.068 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Arrays in Python" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.851 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.021 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.004 s
3	Given The user is in the Arrays in Python tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.038 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error on submitting invalid python code, incorrect answer for "Search the array" question




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.016 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.004 s
4	Given The user is on the practice question editor of Search the array question	SKIPPED	0.002 s
5	When The user write the code from "PracticeQns" and 3 in Editor and Click the Submit Button	SKIPPED	0.000 s
6	Then The user should see a message from "PracticeQns" and 3  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.016 s

Verify that user receives NameError, SyntaxError for invalid python code on running "Max Consecutive Ones" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.003 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is on the practice question editor of Max Consecutive Ones question	SKIPPED	0.026 s
4	When The user write the invalid code from "PracticeQns" and 1 in Editor and click the Run Button	SKIPPED	0.001 s
5	Then The user should able to see error message in alert window from "PracticeQns" and 1	SKIPPED	0.022 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


**Verify that user receives error on submitting invalid python code, incorrect answer for "Find Numbers with Even Number of Digits" question**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.008 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is on the practice question editor of Find Numbers with Even Number of Digits question	SKIPPED	0.000 s
4	When The user write the code from "PracticeQns" and 4 in Editor and Click the Submit Button	SKIPPED	0.011 s
5	Then The user should see a message from "PracticeQns" and 4	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.011 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Verify that user is able to navigate to Array data structure page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.866 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.021 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
4	When The user clicks the Get Started button in Array Panel	SKIPPED	0.008 s
5	Then The user should be directed to ARRAY Data Structure Page	SKIPPED	0.002 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.039 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Verify that user is able to navigate to Array data structure page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.866 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.017 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.005 s
4	Given The user is in the Home page after Sign in	SKIPPED	0.001 s
5	When The user select Array item from the drop down menu	SKIPPED	0.002 s
6	Then The user should be directed to ARRAY Data Structure Page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.026 s


### Verify that user is able to navigate to "try Editor" page for "Arrays in Python" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.854 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.012 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.053 s
3	Given The user is in the Arrays in Python page	SKIPPED	0.001 s
4	When The user clicks Try Here button in Arrays in Python page	SKIPPED	0.007 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.024 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Search the array" Page from Practice question page of "Arrays in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.861 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.013 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.008 s
3	Given The user is on the Practice question page of Arrays in Python page	SKIPPED	0.001 s
4	When The user clicks the Search the array link	SKIPPED	0.004 s
5	Then The user should be redirected to Question page of Search the array link	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.033 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Arrays in Python" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.874 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
4	Given The user is in the Array page after Sign in	SKIPPED	0.000 s
5	When The user clicks Arrays in Python button	SKIPPED	0.000 s
6	Then The user should be redirected to Arrays in Python page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.038 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives NameError, SyntaxError for invalid python code on running "Search the array" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.092 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is on the practice question editor of Search the array question	SKIPPED	0.000 s
4	When The user write the invalid code from "PracticeQns" and 1 in Editor and click the Run Button	SKIPPED	0.018 s
5	Then The user should able to see error message in alert window from "PracticeQns" and 1	SKIPPED	0.009 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.025 s


Verify that user receives NameError, SyntaxError for invalid python code on running "Search the array" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.005 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.004 s
3	Given The user is on the practice question editor of Search the array question	SKIPPED	0.001 s
4	When The user write the invalid code from "PracticeQns" and 2 in Editor and click the Run Button	SKIPPED	0.001 s
5	Then The user should able to see error message in alert window from "PracticeQns" and 2	SKIPPED	0.011 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.023 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to run valid python code for "Search the array" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.008 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the practice question editor of Search the array question	SKIPPED	0.002 s
4	When The user write the valid code from "PracticeQns" and 5 in Editor and click the Run Button	SKIPPED	0.001 s
5	Then The user should able to see output in the console from "PracticeQns" and 5	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user is able to navigate to "Max Consecutive Ones" Page from Practice question page of "Arrays in Python" page**




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.046 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.004 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.002 s
4	Given The user is on the Practice question page of Arrays in Python page	SKIPPED	0.001 s
5	When The user clicks the Max Consecutive Ones link	SKIPPED	0.002 s
6	Then The user should be redirected to Question page of Max Consecutive Ones link  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

**Verify that user receives NameError, SyntaxError for invalid python code on running "Max Consecutive Ones" question**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.017 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the practice question editor of Max Consecutive Ones question	SKIPPED	0.001 s
4	When The user write the invalid code from "PracticeQns" and 2 in Editor and click the Run Button	SKIPPED	0.032 s
5	Then The user should able to see error message in alert window from "PracticeQns" and 2	SKIPPED	0.023 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.013 s


### Verify that user receives error on submitting invalid python code, incorrect answer for "Search the array" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.016 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the practice question editor of Search the array question	SKIPPED	0.000 s
4	When The user write the code from "PracticeQns" and 4 in Editor and Click the Submit Button	SKIPPED	0.006 s
5	Then The user should see a message from "PracticeQns" and 4	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.023 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to run valid python code for "Max Consecutive Ones" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.023 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.007 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.007 s
3	Given The user is on the practice question editor of Max Consecutive Ones question	SKIPPED	0.004 s
4	When The user write the valid code from "PracticeQns" and 7 in Editor and click the Run Button	SKIPPED	0.001 s
5	Then The user should able to see output in the console from "PracticeQns" and 7	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to successfully submit valid correct python code for "Search the array" question




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.009 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.014 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.005 s
4	Given The user is on the practice question editor of Search the array question	SKIPPED	0.028 s
5	When The user write the code from "PracticeQns" and 6 in Editor and Click the Submit Button	SKIPPED	0.000 s
6	Then The user should see a message from "PracticeQns" and 6	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error on submitting invalid python code, incorrect answer for "Max Consecutive Ones" question




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.003 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.004 s
4	Given The user is on the practice question editor of Max Consecutive Ones question	SKIPPED	0.001 s
5	When The user write the code from "PracticeQns" and 3 in Editor and Click the Submit Button	SKIPPED	0.001 s
6	Then The user should see a message from "PracticeQns" and 3  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s

**Verify that user receives error on submitting invalid python code, incorrect answer for "Max Consecutive Ones" question**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.024 s
	1 Given The user is on the Home page and clicks Sign In 2 When The user gets data from excel sheet "Valid_Login" and 1 for the login page 3 Given The user is on the practice question editor of Max Consecutive Ones question 4 When The user write the code from "PracticeQns" and 4 in Editor and Click the Submit Button 5 Then The user should see a message from "PracticeQns" and 4		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.017 s


**Verify that user receives NameError, SyntaxError for invalid python code on running "Find Numbers with Even Number of Digits" question**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
	1 Given The user is on the Home page and clicks Sign In 2 When The user gets data from excel sheet "Valid_Login" and 1 for the login page 3 Given The user is on the practice question editor of Find Numbers with Even Number of Digits question 4 When The user write the invalid code from "PracticeQns" and 2 in Editor and click the Run Button 5 Then The user should able to see error message in alert window from "PracticeQns" and 2		
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user is able to navigate to "Find Numbers with Even Number of Digits" Page from Practice question page of "Arrays in Python" page**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.008 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.005 s
3	Given The user is on the Practice question page of Arrays in Python page	SKIPPED	0.001 s
4	When The user clicks the Find Numbers with Even Number of Digits link	SKIPPED	0.009 s
5	Then The user should be redirected to Question page of Find Numbers with Even Number of Digits link	SKIPPED	0.007 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user is able to successfully submit valid correct python code for "Max Consecutive Ones" question**




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.004 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.007 s
4	Given The user is on the practice question editor of Max Consecutive Ones question	SKIPPED	0.001 s
5	When The user write the code from "PracticeQns" and 8 in Editor and Click the Submit Button	SKIPPED	0.001 s
6	Then The user should see a message from "PracticeQns" and 8  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

Verify that user receives NameError, SyntaxError for invalid python code on running "Find Numbers with Even Number of Digits" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.011 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.004 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.003 s
3	Given The user is on the practice question editor of Find Numbers with Even Number of Digits question	SKIPPED	0.000 s
4	When The user write the invalid code from "PracticeQns" and 1 in Editor and click the Run Button	SKIPPED	0.001 s
5	Then The user should able to see error message in alert window from "PracticeQns" and 1	SKIPPED	0.005 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s


**Verify that user receives error on submitting invalid python code, incorrect code for "Squares of a Sorted Array" question**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.031 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the practice question editor of Squares of a Sorted Array question	SKIPPED	0.007 s
4	When The user write the code from "PracticeQns" and 3 in Editor and Click the Submit Button	SKIPPED	0.000 s
5	Then The user should see a message from "PracticeQns" and 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.017 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to run valid python code for "Find Numbers with Even Number of Digits" question




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.009 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.008 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.009 s
4	Given The user is on the practice question editor of Find Numbers with Even Number of Digits question	SKIPPED	0.001 s
5	When The user write the valid code from "PracticeQns" and 9 in Editor and click the Run Button	SKIPPED	0.001 s
	Then The user should able to see output in the console from "PracticeQns" and 9	SKIPPED	0.007 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s

### Verify that user receives error on submitting invalid python code, incorrect answer for "Find Numbers with Even Number of Digits" question




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.009 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.005 s
4	Given The user is on the practice question editor of Find Numbers with Even Number of Digits question	SKIPPED	0.000 s
5	When The user write the code from "PracticeQns" and 3 in Editor and Click the Submit Button	SKIPPED	0.000 s
6	Then The user should see a message from "PracticeQns" and 3  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.023 s

**Verify that user is able to successfully submit valid correct python code for "Find Numbers with Even Number of Digits" question**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.003 s
3	Given The user is on the practice question editor of Find Numbers with Even Number of Digits question	SKIPPED	0.001 s
4	When The user write the code from "PracticeQns" and 10 in Editor and Click the Submit Button	SKIPPED	0.003 s
5	Then The user should see a message from "PracticeQns" and 10	SKIPPED	0.014 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


**Verify that user is able to navigate to "Squares of a Sorted Array" Page from Practice question page of "Arrays in Python" page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.008 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.005 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.006 s
3	Given The user is on the Practice question page of Arrays in Python page	SKIPPED	0.009 s
4	When The user clicks the Squares of a Sorted Array link	SKIPPED	0.001 s
5	Then The user should be redirected to Question page of Squares of a Sorted Array link	SKIPPED	0.026 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.046 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user receives NameError, SyntaxError for invalid python code on running "Squares of a Sorted Array" question**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.021 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.010 s
3	Given The user is on the practice question editor of Squares of a Sorted Array question	SKIPPED	0.000 s
4	When The user write the invalid code from "PracticeQns" and 1 in Editor and click the Run Button	SKIPPED	0.001 s
5	Then The user should able to see error message in alert window from "PracticeQns" and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.029 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user receives NameError, SyntaxError for invalid python code on running "Squares of a Sorted Array" question**



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.008 s
4	Given The user is on the practice question editor of Squares of a Sorted Array question	SKIPPED	0.000 s
5	When The user write the invalid code from "PracticeQns" and 2 in Editor and click the Run Button	SKIPPED	0.001 s
6	Then The user should able to see error message in alert window from "PracticeQns" and 2  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.048 s


### Verify that user is able to run valid python code for "Squares of a Sorted Array" question



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.029 s
3	Given The user is on the practice question editor of Squares of a Sorted Array question	SKIPPED	0.001 s
4	When The user write the valid code from "PracticeQns" and 11 in Editor and click the Run Button	SKIPPED	0.000 s
5	Then The user should able to see output in the console from "PracticeQns" and 11	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.018 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.004 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.004 s
3	Given The user is in the tryEditor page of Arrays Using List	SKIPPED	0.002 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.006 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user receives error on submitting invalid python code, incorrect code for "Squares of a Sorted Array" question**




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
4	Given The user is on the practice question editor of Squares of a Sorted Array question	SKIPPED	0.001 s
5	When The user write the code from "PracticeQns" and 4 in Editor and Click the Submit Button	SKIPPED	0.001 s
6	Then The user should see a message from "PracticeQns" and 4	SKIPPED	0.024 s
7	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try Editor page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.009 s
3	Given The user is in the tryEditor page of Basic Operations in Lists	SKIPPED	0.010 s
4	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s


### Verify that user receives error when click on Run button without entering code for "Applications of Array" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the tryEditor page of Applications of Array	SKIPPED	0.031 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.036 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to successfully submit valid correct python code for "Squares of a Sorted Array" question



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.015 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.017 s
3	Given The user is on the practice question editor of Squares of a Sorted Array question	SKIPPED	0.005 s
4	When The user write the code from "PracticeQns" and 12 in Editor and Click the Submit Button	SKIPPED	0.000 s
5	Then The user should see a message from "PracticeQns" and 12	SKIPPED	0.003 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.008 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the tryEditor page of Arrays Using List	SKIPPED	0.001 s
4	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.028 s

### Verify that user receives error when click on Run button without entering code for "Arrays Using List" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.010 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.012 s
3	Given The user is in the tryEditor page of Arrays Using List	SKIPPED	0.008 s
4	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.014 s
5	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.029 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.055 s


### Verify that user is able to see output for valid python code in Time Complexity Try Editor



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.048 s


#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.005 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is in the "Assessment" page in Data structures-Introduction	SKIPPED	0.001 s
5	When The user enters "DataStructures" and 1 clicks the Run Button in Time Complexity tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "DataStructures" and 1 in Time Complexity tryEditor page	SKIPPED	0.009 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### User submits different codes and receives an alert




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.008 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the try here textarea of sublink Graph page	SKIPPED	0.000 s
2	When I enter the code from excel sheet 'Graph' and 5	SKIPPED	0.048 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 5	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## User submits different codes and receives an alert



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.030 s
1	Given The user is on the try here textarea of Graph Representations page	SKIPPED	0.000 s
2	When I enter the code from excel sheet 'Graph' and 4	SKIPPED	0.000 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 4	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.032 s


## Verify that user is able to navigate to "Arrays Using List" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined	FAILED	0.010 s


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.032 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.018 s
3	Given The user is in the Array page after Sign in	SKIPPED	0.001 s
4	When The user clicks Arrays Using List button	SKIPPED	0.011 s
5	Then The user should be redirected to Arrays Using List page	SKIPPED	0.002 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.012 s

### Verify that user is able to navigate to "try Editor" page for "Arrays Using List" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.015 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.004 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.010 s
3	Given The user is in the Arrays Using List page	SKIPPED	0.014 s
4	When The user clicks Try Here button in Arrays Using List page	SKIPPED	0.008 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.009 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

## Verify that user is able to see output for valid python code for "Arrays Using List" try Editor page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.008 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.007 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the tryEditor page of Arrays Using List	SKIPPED	0.005 s
4	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.014 s
5	Then The user should able to see output in the console from "TryCode" and 4	SKIPPED	0.007 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

## Verify that user is able to navigate to "Practice Questions" Page from "Arrays Using List" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.003 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.005 s
3	Given The user is in the Arrays Using List page	SKIPPED	0.004 s
4	When The user clicks Practice Questions button	SKIPPED	0.008 s
5	Then The user should be redirected to Practice page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.002 s


### Verify that user is able to navigate to "try Editor" page for "Basic Operations in Lists" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.006 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Basic Operations in Lists page	SKIPPED	0.008 s
4	When The user clicks Try Here button in Basic Operations in Lists page	SKIPPED	0.008 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.008 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s


#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Basic Operations in Lists" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.011 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.004 s
3	Given The user is in the Array page after Sign in	SKIPPED	0.009 s
4	When The user clicks Basic Operations in Lists button	SKIPPED	0.008 s
5	Then The user should be redirected to Basic Operations in Lists page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.006 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.010 s
4	Given The user is in the tryEditor page of Basic Operations in Lists	SKIPPED	0.006 s
5	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "TryCode" and 1  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.025 s

Verify that user receives error when click on Run button without entering code for "Basic Operations in Lists" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.011 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.014 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.028 s
3	Given The user is in the tryEditor page of Basic Operations in Lists	SKIPPED	0.001 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.052 s


### Verify that user is able to see output for valid python code for "Basic Operations in Lists"try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.010 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the tryEditor page of Basic Operations in Lists	SKIPPED	0.016 s
4	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.031 s
5	Then The user should able to see output in the console from "TryCode" and 4	SKIPPED	0.013 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.038 s


#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page from "Basic Operations in Lists" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.031 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.016 s
3	Given The user is in the Basic Operations in Lists page	SKIPPED	0.000 s
4	When The user clicks Practice Questions button	SKIPPED	0.001 s
5	Then The user should be redirected to Practice page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Applications of Array" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.025 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Array page after Sign in	SKIPPED	0.000 s
4	When The user clicks Applications of Array button	SKIPPED	0.000 s
5	Then The user should be redirected to Applications of Array page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.026 s


### Verify that user is able to navigate to "try Editor" page for "Applications of Array" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.028 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.039 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Applications of Array page	SKIPPED	0.000 s
4	When The user clicks Try Here button in Applications of Array page	SKIPPED	0.001 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button without entering code for "Applications of Array" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.017 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the tryEditor page of Applications of Array	SKIPPED	0.001 s
4	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from "TryCode" and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button without entering code for "Applications of Array" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the tryEditor page of Applications of Array	SKIPPED	0.000 s
4	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.048 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s

### Verify that user is able to see output for valid python code for "Applications of Array" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.041 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the tryEditor page of Applications of Array	SKIPPED	0.001 s
5	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "TryCode" and 4  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s

### Verify that user is able to navigate to "Practice Questions" Page for "Applications of Array" try Editor page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Applications of Array page	SKIPPED	0.001 s
4	When The user clicks Practice Questions button	SKIPPED	0.000 s
5	Then The user should be redirected to Practice page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.024 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Data Structures - Introduction




## Verify that user is able to navigate to "Data Structures - Introduction" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is in the Home page after Sign In	SKIPPED	0.000 s
5	When The user clicks the "Get Started" button in Data Structures - Introduction	SKIPPED	0.001 s
6	Then The user should be redirected to "Data Structures-Introduction" in Data structures-Introduction	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.025 s


### Verify that user is able to navigate to "Practice Questions" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.022 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is in the "Time Complexity" page in Data structures-Introduction	SKIPPED	0.000 s
5	When The user clicks the Practice Questions button in Time Complexity page	SKIPPED	0.000 s
6	Then The user should be redirected to "Practice Questions" in Data structures-Introduction	SKIPPED	0.004 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null	FAILED	0.028 s


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Time Complexity" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.008 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.007 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.030 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is in the "Data Structures-Introduction" page in Data structures-Introduction	SKIPPED	0.000 s
5	When The user clicks the Time Complexity button	SKIPPED	0.000 s
6	Then The user should be redirected to "Time Complexity" in Data structures-Introduction	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Try here" in "Time Complexity" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is in the "Time Complexity" page in Data structures-Introduction	SKIPPED	0.000 s
5	When The user clicks the Try here button in Time Complexity page	SKIPPED	0.000 s
6	Then The user should be redirected to "Assessment" in Data structures-Introduction	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is in the "Assessment" page in Data structures-Introduction	SKIPPED	0.001 s
5	When The user enters "DataStructures" and 3 clicks the Run Button in Time Complexity tryEditor page	SKIPPED	0.012 s
6	Then The user should able to see a error message from "DataStructures" and 3 on Time Complexity tryEditor popup	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s


### Verify that user receives error when click on Run button without entering code



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.030 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is in the "Assessment" page in Data structures-Introduction	SKIPPED	0.000 s
5	When The user clicks the Run button in Data structures-Introduction tryEditor page	SKIPPED	0.001 s
6	Then The user should able to see a error message from "DataStructures" and 4 on Time Complexity tryEditor popup	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.066 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.003 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.013 s
4	Given The user is in the "Assessment" page in Data structures-Introduction	SKIPPED	0.001 s
5	When The user enters "DataStructures" and 2 clicks the Run Button in Time Complexity tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "DataStructures" and 2 in Time Complexity tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.020 s

### Graph




**Verify that user is able to click on graphs Get started button of Graph on the home page after giving valid username and password**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.022 s
1	Given The user is on the Home page	SKIPPED	0.010 s
2	When The user gets data from excel sheet 'Valid_Login' and 1 for the login page and clicks Graphs Get Started button	SKIPPED	0.000 s
3	Then The user should able to redirect to the Graph page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

**Verify that user is able to click on the sublink Graph from the Tree page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Graph page	SKIPPED	0.001 s
2	When The user clicks on the sublink Graph on the Graph page	SKIPPED	0.021 s
3	Then The user should redirect to the sublink Graph page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.012 s


**Verify that user able to see warning message while selecting Graph from the dropdown Data Structures without Sign in**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined	FAILED	0.021 s


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page	SKIPPED	0.000 s
2	When The user selects Graph from Data Structures dropdown	SKIPPED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user able to see warning message on clicking "Get Started" buttons of "Graph" on the home page without Sign in**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.019 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page	SKIPPED	0.000 s
2	When The user clicks Get Started buttons of Graph on the homepage without Sign in	SKIPPED	0.025 s
3	Then The user should able to see an warning message_graph "You are not logged in"	SKIPPED	0.003 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

**Verify that user is able to click on the button Try here >> from the sublink Graph page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.024 s
1	Given The user is on the sublink Graph page	SKIPPED	0.001 s
2	When The user clicks on the button Try here >>> from the sublink Graph page	SKIPPED	0.011 s
3	Then The user should able to redirect to a new page with text area for trying the code	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.028 s


### Verify that user is able to type python code in the text area of sublink Graph page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
1	Given The user is on the try here textarea of sublink Graph page	SKIPPED	0.000 s
2	When The user gets python code from excel sheet 'Graph' and 1 for the tryeditor and click run button	SKIPPED	0.001 s
3	Then The user should able to get the result from excel sheet 'Graph' and 1	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

### User submits different codes and receives an alert




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.020 s
1	Given The user is on the try here textarea of sublink Graph page	SKIPPED	0.000 s
2	When I enter the code from excel sheet 'Graph' and 4	SKIPPED	0.001 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

### User submits different codes and receives an alert



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the try here textarea of sublink Graph page	SKIPPED	0.001 s
2	When I enter the code from excel sheet 'Graph' and 2	SKIPPED	0.000 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.071 s


### User submits different codes and receives an alert



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s


#	Step / Hook Details	Status	Duration
1	Given The user is on the try here textarea of sublink Graph page	SKIPPED	0.001 s
2	When I enter the code from excel sheet 'Graph' and 6	SKIPPED	0.000 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 6	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

### Verify user is able to navigate to the previous page sublink Graph on clicking browser back button




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given The user is on the try here textarea of sublink Graph page	SKIPPED	0.000 s
2	When The user try to click on the browser back button	SKIPPED	0.000 s
3	Then The user should be able to navigate to the previous page from the try here page ie, Graph page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.081 s

### Verify that user is able to click on the button Try here >>> from the Graph Representations page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Graph Representations page	SKIPPED	0.000 s
2	When The user clicks on the button Try here >>> from the Graph Representations page	SKIPPED	0.000 s
3	Then The user should able to redirect to a new page with text area for trying the code	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s


### Verify that user is able to type python code in the text area of Graph Representations page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.018 s


#	Step / Hook Details	Status	Duration
1	Given The user is on the try here textarea of Graph Representations page	SKIPPED	0.002 s
2	When The user gets python code from excel sheet 'Graph' and 1 for the tryeditor and click run button	SKIPPED	0.000 s
3	Then The user should able to get the result from excel sheet 'Graph' and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### User submits different codes and receives an alert




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the try here textarea of Graph Representations page	SKIPPED	0.089 s
2	When I enter the code from excel sheet 'Graph' and 5	SKIPPED	0.000 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 5	SKIPPED	0.031 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

### User submits different codes and receives an alert



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.083 s
1	Given The user is on the try here textarea of Graph Representations page	SKIPPED	0.001 s
2	When I enter the code from excel sheet 'Graph' and 2	SKIPPED	0.003 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.006 s


### User submits different codes and receives an alert



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s


#	Step / Hook Details	Status	Duration
1	Given The user is on the try here textarea of Graph Representations page	SKIPPED	0.000 s
2	When I enter the code from excel sheet 'Graph' and 6	SKIPPED	0.001 s
3	Then The user should be able to receive an alert message from excel sheet 'Graph' and 6	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

### Verify that user is able to click on the link Graph Representations from the Graph page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.055 s
1	Given The user is on the Graph page	SKIPPED	0.000 s
2	When The user clicks on the link Graph Representations on the Graph page	SKIPPED	0.000 s
3	Then The user should redirect to the Graph Representations page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s

### Verify user is able to navigate to the previous page Graph Representations on clicking browser back button



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the try here textarea of Graph Representations page	SKIPPED	0.000 s
2	When The user try to click on the browser back button	SKIPPED	0.000 s
3	Then The user should be able to navigate to the previous page from the try here page ie, Graph Representations page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	SKIPPED	0.000 s
		FAILED	0.012 s

### Verify that user is view the page content in Practice Questions while clicking the link practice questions




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.051 s

#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph page	SKIPPED	0.000 s
2	When The user clicks on the link Practice Questions on the Graph page	SKIPPED	0.000 s
3	Then The user should redirect to the Practice Questions page	SKIPPED	0.013 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s

## Home Page




## Verify warning message when selecting Stack without signing in



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.044 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	When User selects Stack from the dropdown without signing in	SKIPPED	0.001 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.030 s

### Verify that the user is able to navigate to the home page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.040 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Then User should be able to navigate to the home page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

### Verify that the user can view Data Structures dropdown options without signing in



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.043 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	When User clicks on the Data Structures dropdown	SKIPPED	0.000 s
4	Then User should be able to see the options: Arrays, Linked List, Stack, Queue, Tree, Graph in the dropdown menu	SKIPPED	0.017 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.019 s


### Verify warning message when selecting Arrays without signing in



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined	FAILED	0.011 s


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	When User selects Arrays from the dropdown without signing in	SKIPPED	0.000 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s

### Verify warning message when selecting Linked List without signing in




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given User is in the ds-algo launch page	SKIPPED	0.021 s
2	When User clicks the Get Started button	SKIPPED	0.018 s
3	When User selects Linked List from the dropdown without signing in	SKIPPED	0.000 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s

### Verify warning message when selecting Queue without signing in



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	When User selects Queue from the dropdown without signing in	SKIPPED	0.000 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s


### Verify warning message when selecting Tree without signing in



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined	FAILED	0.009 s


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.011 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	When User selects Tree from the dropdown without signing in	SKIPPED	0.000 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s

### Verify warning message when selecting Graph without signing in



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.008 s
3	When User selects Graph from the dropdown without signing in	SKIPPED	0.015 s
4	Then User should be able to see a warning message You are not logged in	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

### Verify that the user stays on the same page when clicking elsewhere




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
1	Given User is in the ds-algo launch page	SKIPPED	0.001 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	When User clicks on the launch page other than the Get Started	SKIPPED	0.000 s
4	Then User should stay in the same launch page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.017 s

## Login Functionality




Verify user receives error message when username and password fields are blank during Login



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
2	Given User is in the ds-algo launch page	SKIPPED	0.001 s
3	When User clicks the Get Started button	SKIPPED	0.000 s
4	Given The user clicks the Sign In link	SKIPPED	0.000 s
5	When The user gets data from excel sheet 'Login' and 1 for the login page	SKIPPED	0.000 s
6	Then The error message appears below Username and Password textbox like "Please fill out this field."  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.039 s


### Verify user receives error message when username and password fields are blank during Login



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.052 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given The user clicks the Sign In link	SKIPPED	0.000 s
4	When The user gets data from excel sheet 'Login' and 2 for the login page	SKIPPED	0.000 s
5	Then The error message appears below Username and Password textbox like "Please fill out this field."	SKIPPED	0.008 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify user receives error message for Invalid Username and Password during Login



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.033 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given The user clicks the Sign In link	SKIPPED	0.000 s
4	When The user gets invalid data from excel sheet 'Login' and 3 for the login page	SKIPPED	0.003 s
5	Then The user should be able to see an error message "Invalid Username and Password"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.034 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify user receives error message for Invalid Username and Password during Login




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.040 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given User is in the ds-algo launch page	SKIPPED	0.021 s
3	When User clicks the Get Started button	SKIPPED	0.000 s
4	Given The user clicks the Sign In link	SKIPPED	0.000 s
5	When The user gets invalid data from excel sheet 'Login' and 4 for the login page	SKIPPED	0.000 s
6	Then The user should be able to see an error message "Invalid Username and Password"	SKIPPED	0.014 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.013 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.006 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.002 s
4	Given The user is in the Implementation of Queue in Python tryEditor page	SKIPPED	0.000 s
5	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)		
7	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.034 s


### Verify that user receives error when click on Run button for "Implementation using array" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Implementation using array tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.005 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.015 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify user enters username and password fields




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.039 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given The user clicks the Sign In link	SKIPPED	0.000 s
4	When The user gets data from excel sheet 'Valid_Login' and 1 for the login page	SKIPPED	0.000 s
5	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
6	And The user clicks Sign Out	SKIPPED	0.000 s
7	Then The user should be redirected to home page with message "Logged out successfully"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Queue Page of DSAlgo portal




## Verify that user is able to navigate to Queue data structure page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.035 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
5	When The user select Queue item from the drop down menu	SKIPPED	0.000 s
6	Then The user should be directed to Queue Data Structure Page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.022 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to Queue data structure page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.013 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
4	When The user clicks the Get Started button in Queue Panel	SKIPPED	0.000 s
5	Then The user should be directed to Queue Data Structure Page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.028 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Implementation of Queue in Python" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.011 s
4	Given The user is in the Queue page	SKIPPED	0.000 s
5	When The user clicks Implementation of Queue in Python button	SKIPPED	0.000 s
6	Then The user should be redirected to Implementation of Queue in Python page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


### Verify that user is able to navigate to "try Editor" page for "Implementation of Queue in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation of Queue in Python page	SKIPPED	0.000 s
4	When The user clicks Try Here button in Implementation of Queue in Python page	SKIPPED	0.000 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.051 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.011 s
3	Given The user is in the Implementation of Queue in Python tryEditor page	SKIPPED	0.027 s
4	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.041 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implementation of Queue in Python" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation of Queue in Python tryEditor page	SKIPPED	0.001 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.000 s
AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.017 s	

### Verify that user is able to navigate to "Implementation using collections.deque" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.032 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Queue page	SKIPPED	0.000 s
5	When The user clicks Implementation using collections.dequeue button	SKIPPED	0.000 s
6	Then The user should be redirected to Implementation using collections.dequeue page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s


Verify that user is able to see output for valid python code for "Implementation of Queue in Python" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Implementation of Queue in Python tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see output in the console from "TryCode" and 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.028 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Practice Questions" Page for "Implementation of Queue in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.020 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation of Queue in Python page	SKIPPED	0.000 s
4	When The user clicks Practice Questions button	SKIPPED	0.000 s
5	Then The user should be redirected to Practice page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "try Editor" page for "Implementation using collections.dequeue" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.026 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Implementation using collections.dequeue page	SKIPPED	0.000 s
5	When The user clicks Try Here button in Implementation using collections.dequeue page	SKIPPED	0.001 s
6	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.037 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.049 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implementation using collections.dequeue" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.011 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Implementation using collections.dequeue tryEditor page	SKIPPED	0.000 s
5	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "TryCode" and 2  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s


### Verify that user receives error when click on Run button for "Implementation using collections.dequeue" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.038 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation using collections.dequeue tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.030 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Implementation using collections.dequeue" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.014 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation using collections.dequeue tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.025 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implementation using array" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.023 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation using array tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.000 s
AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s	

### Verify that user receives error when click on Run button for "Queue Operations" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.051 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Queue Operations tryEditor page	SKIPPED	0.000 s
5	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "TryCode" and 1  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.032 s

Verify that user is able to see output for valid python code for "Implementation using collections.deque" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.027 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation using collections.dequeue tryEditor page	SKIPPED	0.001 s
4	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see output in the console from "TryCode" and 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


### Verify that user receives error when click on Run button for "Implementation using array" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation using array tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 1	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Implementation using array" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Queue page	SKIPPED	0.035 s
4	When The user clicks Implementation using array button	SKIPPED	0.041 s
5	Then The user should be redirected to Implementation using array page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Queue Operations" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.030 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Queue page	SKIPPED	0.000 s
4	When The user clicks Queue Operations button	SKIPPED	0.000 s
5	Then The user should be redirected to Queue Operations page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


### Verify that user is able to navigate to "try Editor" page for "Implementation using array" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the Implementation using array page	SKIPPED	0.001 s
4	When The user clicks Try Here button in Implementation using array page	SKIPPED	0.000 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.034 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to see output for valid python code for "Implementation using array" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.019 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Implementation using array tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see output in the console from "TryCode" and 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that the user is able to enter valid username in the username field




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	<b>FAILED</b>	0.043 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given User is in the ds-algo launch page	SKIPPED	0.000 s
3	When User clicks the Get Started button	SKIPPED	0.000 s
4	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
5	When User enters data from excel sheet 'Register' and 2 for the username field	SKIPPED	0.000 s
6	Then User should be able to enter username from "Register" and 2 and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	<b>FAILED</b>	0.027 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
4	Given The user is in the Operations in Stack tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet in "TryCode" and the 2 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)		
7	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s


### Verify that user is able to navigate to "try Editor" page for "Queue Operations" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the Queue Operations page	SKIPPED	0.005 s
4	When The user clicks Try Here button in Queue Operations page	SKIPPED	0.000 s
5	Then The user should be redirected to a page having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.025 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to see output for valid python code for "Queue Operations" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.048 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Queue Operations tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see output in the console from "TryCode" and 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.019 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Queue Operations" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.043 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Queue Operations tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify that user receives error when click on Run button for "Queue Operations" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Queue Operations tryEditor page	SKIPPED	0.000 s
4	When The user enters "TryCode" and 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from "TryCode" and 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.036 s


### Verify that user gets an error message upon entering invalid username



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 6 for the username field	SKIPPED	0.001 s
5	Then User gets error message for username in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user gets an error message upon entering invalid username



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.030 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.025 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 7 for the username field	SKIPPED	0.000 s
5	Then User gets error message for username in the Register page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		

#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify pop-up message when password and password confirmation fields are left blank




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 14 for blank fields	SKIPPED	0.000 s
5	Then User gets error message in register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Register Page




## Verify that User is able to launch ds-algo portal




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.010 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User is in the home page after launching ds-algo portal page	SKIPPED	0.000 s
4	When User clicks Register link in the home page	SKIPPED	0.000 s
5	Then User should be able to navigate to Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

## Verify that the user is able to enter valid username in the username field



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.033 s
1	Given User is in the ds-algo launch page	SKIPPED	0.012 s
2	When User clicks the Get Started button	SKIPPED	0.001 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 1 for the username field	SKIPPED	0.000 s
5	Then User should be able to enter username from "Register" and 1 and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.042 s


### Verify that the user is able to enter valid username in the username field



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 3 for the username field	SKIPPED	0.001 s
5	Then User should be able to enter username from "Register" and 3 and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.017 s


#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that the user gets error upon entering invalid passwords




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters invalid data from excel sheet 'Register' and 12 for the password field	SKIPPED	0.000 s
5	Then User gets an error message for password in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

### Verify that user gets an error message upon entering invalid username



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.037 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given User is in the ds-algo launch page	SKIPPED	0.001 s
3	When User clicks the Get Started button	SKIPPED	0.000 s
4	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
5	When User enters invalid data from excel sheet 'Register' and 5 for the username field	SKIPPED	0.000 s
6	Then User gets error message for username in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that the user is able to enter valid passwords in the field



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 9 for the password fields	SKIPPED	0.000 s
5	Then User should be able to enter password 'Register' and 9 and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.029 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that the user is able to enter valid passwords in the field



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.013 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 8 for the password fields	SKIPPED	0.000 s
5	Then User should be able to enter password 'Register' and 8 and click Register button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.022 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that the user gets error upon entering invalid passwords




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.021 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given User is in the ds-algo launch page	SKIPPED	0.000 s
3	When User clicks the Get Started button	SKIPPED	0.000 s
4	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
5	When User enters invalid data from excel sheet 'Register' and 11 for the password field	SKIPPED	0.000 s
6	Then User gets an error message for password in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that the user gets error upon entering invalid passwords




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.016 s
1	Given User is in the ds-algo launch page	SKIPPED	0.000 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.001 s
4	When User enters invalid data from excel sheet 'Register' and 10 for the password field	SKIPPED	0.000 s
5	Then User gets an error message for password in the Register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Operations in Stack tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 3 and clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify pop-up message when password and password confirmation fields are left blank




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given User is in the ds-algo launch page	SKIPPED	0.006 s
2	When User clicks the Get Started button	SKIPPED	0.000 s
3	Given User navigates to register page after clicking register link	SKIPPED	0.000 s
4	When User enters data from excel sheet 'Register' and 13 for blank feilds	SKIPPED	0.000 s
5	Then User gets error message in register page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Stack functionality




Verify that user is able to navigate to "Operations in Stack" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.011 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Stack page after Sign in	SKIPPED	0.001 s
4	When The user clicks Operations in Stack button	SKIPPED	0.000 s
5	Then The user should be redirected to Operations in Stack page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Verify that user is able to navigate to Stack data structure page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
4	When The user clicks the Getting Started button in Stack Panel	SKIPPED	0.000 s
5	Then The user be directed to Stack Data Structure Page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s

## Verify that user is able to navigate to Stack data structure page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
4	When The user select Stack item from the dropdown menu	SKIPPED	0.000 s
5	Then The user be directed to Stack Data Structure Page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


: Verify that user receives error when click on Run button without entering code for "Operations in Stack" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.002 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Operations in Stack tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 1 and clicks the Run Button in tryEditor page	SKIPPED	0.002 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.012 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implementation" try Editor page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.010 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 3 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s

### Verify that user is able to navigate to "try Editor" page for "Operations in Stack" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.020 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Operations in Stack page	SKIPPED	0.000 s
5	When The user clicks Try Here button in Operations in Stack page	SKIPPED	0.000 s
6	Then The user should be redirected to a page having an try Editor with a Run button to test  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s


### Verify that user is able to see output for valid python code for "Operations in Stack" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.014 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Operations in Stack tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 4 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Practice Questions" Page from "Operations in Stack" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the Operations in Stack page	SKIPPED	0.000 s
4	When The user clicks Practice Questions button page	SKIPPED	0.000 s
5	Then The user should be redirected to Practice page links	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.011 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Implementation" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.018 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Stack page after Sign in	SKIPPED	0.000 s
5	When The user clicks Implementation button	SKIPPED	0.000 s
6	Then The user should be redirected to Implementation page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.015 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "try Editor" page for "Implementation" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Implementation page	SKIPPED	0.000 s
5	When The user clicks Try Here button in Implementation page	SKIPPED	0.002 s
6	Then The user should be redirected to a page having an try Editor with a Run button to test  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s


### Verify that user receives error when click on Run button for "Implementation" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.005 s
3	Given The user is in the Implementation tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 1 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Implementation" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 2 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Applications" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.006 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Applications tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet in "TryCode" and the 3 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.019 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page from "Implementation" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Implementation page	SKIPPED	0.000 s
5	When The user clicks Practice Questions button	SKIPPED	0.000 s
6	Then The user should be redirected to Practice page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.006 s


### Verify that user is able to navigate to "Applications" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.008 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Stack page after Sign in	SKIPPED	0.000 s
4	When The user clicks Applications button	SKIPPED	0.000 s
5	Then The user should be redirected to Applications page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to see output for valid python code for "Implementation" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.019 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implementation tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 4 and clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.042 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "try Editor" page for "Applications" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.019 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Applications page	SKIPPED	0.002 s
4	When The user clicks Try Here button in Applications page	SKIPPED	0.000 s
5	Then The user should be redirected to a page having an try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s

### Verify that user receives error when click on Run button for "Applications" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Applications tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet in "TryCode" and the 1 and clicks the Run Button in tryEditor page	SKIPPED	0.001 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 1  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.036 s


### Verify that user receives error when click on Run button for "Applications" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Applications tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 2 and clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Practice Questions" Page from "Applications" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.015 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Applications page	SKIPPED	0.000 s
4	When The user clicks Practice Questions button	SKIPPED	0.000 s
5	Then The user should be redirected to Practice page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		

#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to see output for valid python code for "Applications" try Editor page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.007 s
3	Given The user is in the Applications tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet in "TryCode" and the 4 and clicks the Run Button in tryEditor page	SKIPPED	0.010 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Tree Datastructure




## Verify that user is able to navigate to "Tree" data structure page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
5	When The user clicks the Getting Started button in TreePanel	SKIPPED	0.000 s
6	Then The user should be directed to "Tree" in Tree Data Structure	SKIPPED	0.009 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s

## Verify that user is able to navigate to "Tree" data structure page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
5	When The user select Tree item from the drop down menu	SKIPPED	0.000 s
6	Then The user should be directed to "Tree" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s


### Verify that user is able to navigate to "Overview of Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.016 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Overview of Trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Overview of Trees" in Tree Data Structure	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.019 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Overview of Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.023 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Overview of Trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Overview of Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Overview of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.019 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Terminologies" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.021 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Terminologies" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s


### Verify that user is able to navigate to "Try Editor" page for "Overview of Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.009 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Overview of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Overview of Trees" page in Tree Data Structure	SKIPPED	0.001 s
6	Then The user should be directed to Try Editor page to test "Overview of Trees"	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s

### Verify that user is able to navigate to "Try Editor" page for "Terminologies" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.015 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.019 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Terminologies" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Terminologies" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Terminologies"	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify that user receives error when click on Run button without entering code for "Overview of Trees" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.011 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Overview of Trees" page in Tree Data Structure	SKIPPED	0.001 s
6	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
7	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.015 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Overview of Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Overview of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.013 s


### Verify that user is able to navigate to "Terminologies" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Terminologies" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Terminologies" in Tree Data Structure	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s

### Verify that user receives error when click on Run button without entering code for "Terminologies" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.009 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Terminologies" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Terminologies" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.017 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Terminologies" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.018 s
7	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.016 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)		
8	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.006 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Terminologies" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.015 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Terminologies" page in Tree Data Structure	SKIPPED	0.007 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


### Verify that user is able to navigate to "Try Editor" page for "Types of Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.008 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Types of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Types of Trees" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Types of Trees"	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Types of Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.002 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Tree Traversals" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.012 s

### Verify that user receives error when click on Run button without entering code for "Types of Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.008 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s


### Verify that user is able to navigate to "Types of Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.016 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Types of Trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Types of Trees" in Tree Data Structure	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.025 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.016 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Trees" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.015 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.005 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Types of Trees" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
7	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.012 s

Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Traversals-Illustration" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.016 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Traversals-Illustration" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s


### Verify that user is able to navigate to "Tree Traversals" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Tree Traversals" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Tree Traversals" in Tree Data Structure	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.013 s

### Verify that user is able to navigate to "Try Editor" page for "Tree Traversals" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.006 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Tree Traversals"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.013 s

### Verify that user receives error when click on Run button without entering code for "Tree Traversals" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.020 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Tree Traversals" page in Tree Data Structure	SKIPPED	0.001 s
6	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
7	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Tree Traversals" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.011 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s


### Verify that user is able to navigate to "Traversals-Illustration" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.019 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.002 s
5	When The user clicks "Traversals-Illustration" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Traversals-Illustration" in Tree Data Structure	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.013 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Tree Traversals" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.018 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is on the Try Editor page of "Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.020 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Traversals-Illustration" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Traversals-Illustration" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.002 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

### Verify that user is able to navigate to "Try Editor" page for "Traversals-Illustration" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Traversals-Illustration" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Traversals-Illustration" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Traversals-Illustration"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


### Verify that user receives error when click on Run button without entering code for "Traversals-Illustration" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Traversals-Illustration" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.017 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Traversals-Illustration" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Traversals-Illustration" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s

### Verify that user is able to navigate to "Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.020 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.012 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user clicks "Binary Trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Binary Trees" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s


### Verify that user receives error when click on Run button without entering code for "Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s

### Verify that user is able to navigate to "Try Editor" page for "Binary Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.022 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Binary Trees" page in Tree Data Structure	SKIPPED	0.001 s
6	Then The user should be directed to Try Editor page to test "Binary Trees"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Trees" page in Tree Data Structure	SKIPPED	0.015 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.010 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


**Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Binary Trees" page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.011 s


#	Step / Hook Details	Status	Duration
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.009 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.013 s

### Verify that user is able to navigate to "Types of Binary Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.014 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.020 s
5	When The user clicks "Types of Binary Trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Types of Binary Trees" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify that user is able to navigate to "Try Editor" page for "Types of Binary Trees" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user on the "Types of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user clicks "Try Here" button in "Types of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
7	Then The user should be directed to Try Editor page to test "Types of Binary Trees"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Types of Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.009 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.012 s


### Verify that user receives error when click on Run button without entering code for "Types of Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.018 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation in Python" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.002 s
4	Given The user is on the Try Editor page of "Implementation in Python" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.019 s

## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation of Binary Trees" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Implementation of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
7	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s

### Verify that user is able to navigate to "Implementation in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Implementation in Python" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Implementation in Python" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s


**Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Types of Binary Trees" page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Types of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s

## Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation in Python" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Implementation in Python" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.010 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s

## Verify that user receives error when click on Run button without entering code for "Implementation in Python" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.021 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.018 s
4	Given The user is on the Try Editor page of "Implementation in Python" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
2	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.026 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Try Editor" page for "Implementation in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.022 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user on the "Implementation in Python" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Implementation in Python" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Implementation in Python"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s


### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.009 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is on the Try Editor page of "Implementation in Python" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

**Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Tree Traversals" page**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is on the Try Editor page of "Binary Tree Traversals" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s

**Verify that user is able to navigate to "Binary Tree Traversals" page**




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.008 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.014 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user clicks "Binary Tree Traversals" link in Tree Data Structure	SKIPPED	0.000 s
7	Then The user should be directed to "Binary Tree Traversals" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)		
8	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Tree Traversals" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.006 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


### Verify that user receives error when click on Run button without entering code for "Binary Tree Traversals" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.020 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s

### Verify that user is able to navigate to "Try Editor" page for "Binary Tree Traversals" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.013 s
4	Given The user on the "Binary Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Binary Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Binary Tree Traversals"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s

### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Tree Traversals" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.003 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Binary Tree Traversals" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.001 s
7	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.039 s

### Verify that user is able to navigate to "Implementation of Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.021 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Implementation of Binary Trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Implementation of Binary Trees" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s


### Verify that user is able to navigate to "Try Editor" page for "Implementation of Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.025 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.019 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Implementation of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Implementation of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Implementation of Binary Trees"	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s

## Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation of Binary Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Implementation of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.001 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.007 s

## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Applications of Binary trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.011 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Applications of Binary trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

### Verify that user receives error when click on Run button without entering code for "Implementation of Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.002 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.020 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Implementation of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.001 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


### Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation of Binary Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Implementation of Binary Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.017 s

### Verify that user is able to navigate to "Try Editor" page for "Applications of Binary trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.013 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Applications of Binary trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Applications of Binary trees" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Applications of Binary trees"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Applications of Binary trees" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.012 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Applications of Binary trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
2	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Applications of Binary trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.016 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.026 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Applications of Binary trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Applications of Binary trees" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.023 s


### Verify that user receives error when click on Run button without entering code for "Applications of Binary trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.013 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.010 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Applications of Binary trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s

**Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Applications of Binary trees" page**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.011 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Applications of Binary trees" page in Tree Data Structure	SKIPPED	0.003 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s

**Verify that user is able to navigate to "Binary Search Trees" page**




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.019 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Binary Search Trees" link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to "Binary Search Trees" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s

### Verify that user is able to navigate to "Try Editor" page for "Binary Search Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.022 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Binary Search Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Binary Search Trees" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Binary Search Trees"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.018 s


### Verify that user receives error when click on Run button without entering code for "Binary Search Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.021 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Search Trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Search Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.018 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Search Trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Binary Search Trees" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.017 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Search Trees" page in Tree Data Structure	SKIPPED	0.001 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s

### Verify that user is able to navigate to "Implementation Of BST" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Tree" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Implementation Of BST" link in Tree Data Structure	SKIPPED	0.010 s
6	Then The user should be directed to "Implementation Of BST" in Tree Data Structure	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s


### Verify that user receives error for invalid python code in Time Complexity Try Editor for "Binary Search Trees" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.009 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.007 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Binary Search Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s

### Verify that user is able to navigate to "Try Editor" page for "Implementation Of BST" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.019 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user on the "Implementation Of BST" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks "Try Here" button in "Implementation Of BST" page in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to Try Editor page to test "Implementation Of BST"	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.031 s

### Verify that user receives error when click on Run button without entering code for "Implementation Of BST" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
5	Given The user is on the Try Editor page of "Implementation Of BST" page in Tree Data Structure	SKIPPED	0.000 s
6	When The user clicks the Run button in Tree Data Structure tryEditor page	SKIPPED	0.001 s
7	Then The user should able to see a error message from "Tree" and 4 on Tree Data Structure tryEditor alert  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.035 s

## Verify that user receives error for invalid python code in Time Complexity Try Editor for "Implementation Of BST" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Implementation Of BST" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 3 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.001 s
6	Then The user should able to see a error message from "Tree" and 3 on Tree Data Structure tryEditor alert	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.032 s


## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation Of BST" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user is on the Try Editor page of "Implementation Of BST" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 1 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
6	Then The user should able to see output in the console from "Tree" and 1 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.006 s

## Verify that user is able to see output for valid python code in Time Complexity Try Editor for "Implementation Of BST" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.030 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.000 s
4	Given The user is on the Try Editor page of "Implementation Of BST" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user enters "Tree" and 2 clicks the Run Button in Tree Data Structure tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see output in the console from "Tree" and 2 on Tree Data Structure tryEditor page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.019 s

## Verify that user receives error when click on Run button for "Introduction" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.010 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.006 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Introduction tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 2  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.011 s


### Verify that user receives error when click on Run button for "Introduction" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Introduction tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.015 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to " Practice Questions " page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.022 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Then The user is in the Home page after Sign In	SKIPPED	0.001 s
4	Given The user on the "Overview of Trees" page in Tree Data Structure	SKIPPED	0.000 s
5	When The user clicks " Practice Questions " link in Tree Data Structure	SKIPPED	0.000 s
6	Then The user should be directed to " Practice Questions " in Tree Data Structure	SKIPPED	0.012 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		

#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Linked list functionality




## Verify that user is able to navigate to Linked List data structure page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.015 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
4	When The user clicks the Get Started button in LinkedList panel	SKIPPED	0.000 s
5	Then The user be directed to Linked List Data Structure Page	SKIPPED	0.014 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

## Verify that user is able to navigate to "Introduction" page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in Linked List after signin	SKIPPED	0.000 s
4	When The user clicks Introduction button	SKIPPED	0.000 s
5	Then The user should be redirected to Introduction page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s

## Verify that user is able to navigate to Linked List data structure page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.002 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Home page after Sign in	SKIPPED	0.000 s
4	When The user select LinkeList from drop down menu	SKIPPED	0.000 s
5	Then The user be directed to Linked List Data Structure Page	SKIPPED	0.002 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


### Verify that user is able to navigate to "try Editor" page for "Introduction" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.004 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Introduction page	SKIPPED	0.000 s
4	When The user clicks Try Here button in Introduction page	SKIPPED	0.000 s
5	Then The user should be in a page of having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Introduction" try Editor page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.004 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Introduction tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to see output for valid python code for "Introduction" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
4	Given The user is in the Introduction tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.021 s


### Verify that user is able to navigate to "Creating Linked list" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in Linked List after signin	SKIPPED	0.000 s
4	When The user clicks the Creating Linked list button	SKIPPED	0.002 s
5	Then The user should be redirected to Creating Linked list page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "try Editor" page for "Creating Linked list" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Creating Linked list page	SKIPPED	0.000 s
4	When The user clicks Try Here button in Creating Linked list page	SKIPPED	0.000 s
5	Then The user should be in a page of having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.018 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Creating Linked list" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Creating Linked list tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.006 s

### Verify that user receives error when click on Run button for "Creating Linked list" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.023 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Creating Linked list tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 1  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.016 s


### Verify that user receives error when click on Run button for "Creating Linked list" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Creating Linked list tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.002 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for " Types of Linked list" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.013 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Types of Linked list tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for " Types of Linked list" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.002 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.015 s
4	Given The user is in the Types of Linked list tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.005 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.005 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.012 s
3	Given The user is in the Implement Linked List in Python tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.001 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s


### Verify that user receives error when click on Run button for "Insertion" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Insertion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Practice Questions" Page for "Introduction" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.024 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Introduction page	SKIPPED	0.000 s
4	When The user clicks the Practice Questions button	SKIPPED	0.000 s
5	Then The user should be redirected to the Practice page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to see output for valid python code for "Creating Linked list" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.011 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Creating Linked list tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)		
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.008 s

### Verify that user is able to navigate to "Practice Questions" Page for "Creating Linked list" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.015 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Creating Linked list page	SKIPPED	0.000 s
5	When The user clicks the Practice Questions button	SKIPPED	0.000 s
6	Then The user should be redirected to the Practice page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


### Verify that user is able to navigate to "Types of Linked list" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in Linked List after signin	SKIPPED	0.000 s
4	When The user clicks the Types of Linked list button	SKIPPED	0.000 s
5	Then The user should be redirected to Types of Linked list page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for " Types of Linked list" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.005 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in the Types of Linked list tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.011 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.010 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implement Linked List in Python tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.002 s
AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.009 s	

### Verify that user is able to navigate to "try Editor" page for "Types of Linked list" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.016 s
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.017 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.007 s
3	Given The user is in the Types of Linked list page	SKIPPED	0.000 s
4	When The user clicks Try Here button in Types of Linked list page	SKIPPED	0.001 s
5	Then The user should be in a page of having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.010 s


**Verify that user is able to see output for valid python code for "Types of Linked list" try Editor page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.004 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Types of Linked list tryEditor page	SKIPPED	0.001 s
4	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Implement Linked List in Python" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.001 s
3	Given The user is in Linked List after signin	SKIPPED	0.000 s
4	When The user clicks the Implement Linked List in Python button	SKIPPED	0.000 s
5	Then The user should be redirected to Implement Linked List in Python page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "try Editor" page for "Types of Linked list" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.004 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Types of Linked list page	SKIPPED	0.000 s
5	When The user clicks Try Here button in Types of Linked list page	SKIPPED	0.000 s
6	Then The user should be in a page of having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page for "Types of Linked list" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.015 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Types of Linked list page	SKIPPED	0.000 s
5	When The user clicks the Practice Questions button	SKIPPED	0.000 s
6	Then The user should be redirected to the Practice page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.016 s


### Verify that user receives error when click on Run button for "Implement Linked List in Python" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implement Linked List in Python tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Traversal" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.012 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.009 s
3	Given The user is in the Traversal tryEditor page	SKIPPED	0.004 s
4	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Deletion" try Editor page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.008 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Deletion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.011 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page for "Implement Linked List in Python" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.007 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Implement Linked List in Python page	SKIPPED	0.000 s
5	When The user clicks the Practice Questions button	SKIPPED	0.000 s
6	Then The user should be redirected to the Practice page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.004 s


**Verify that user is able to see output for valid python code for "Implement Linked List in Python" try Editor page**



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Implement Linked List in Python tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Traversal" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.012 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in Linked List after signin	SKIPPED	0.000 s
4	When The user clicks the Traversal button	SKIPPED	0.001 s
5	Then The user should be redirected to Traversal page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.018 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "try Editor" page for "Traversal" page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.011 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Implement Linked List in Python page	SKIPPED	0.001 s
5	When The user clicks Try Here button in Traversal page	SKIPPED	0.000 s
6	Then The user should be in a page of having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Traversal" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is in the Traversal tryEditor page	SKIPPED	0.000 s
5	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
6	Then The user should able to see a error message from excel sheet "TryCode" and the 2  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.014 s


### Verify that user receives error when click on Run button for "Traversal" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Traversal tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.014 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to see output for valid python code for "Traversal" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.005 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.003 s
3	Given The user is in the Traversal tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page for Traversal page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.007 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.003 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Traversal page after Sign in	SKIPPED	0.000 s
5	When The user clicks the Practice Questions button	SKIPPED	0.000 s
6	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Insertion" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.012 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.015 s
4	Given The user is in Linked List after signin	SKIPPED	0.001 s
5	When The user clicks the Insertion button	SKIPPED	0.000 s
6	Then The user should be redirected to Insertion page  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.003 s


### Verify that user receives error when click on Run button for "Insertion" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Insertion tryEditor page	SKIPPED	0.017 s
4	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Insertion" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.004 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Insertion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 3 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 3	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user receives error when click on Run button for "Deletion" try Editor page




#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.006 s
	Given The user is on the Home page and clicks Sign In		
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Deletion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 1 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 1	SKIPPED	0.000 s
AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.015 s	

### Verify that user is able to navigate to "try Editor" page for "Insertion" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()  java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)	FAILED	0.014 s
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Insertion page after Sign in	SKIPPED	0.000 s
5	When The user clicks Try Here button in Insertion page	SKIPPED	0.001 s
6	Then The user should be in a page of having a try Editor with a Run button to test  AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)	FAILED	0.017 s


### Verify that user is able to see output for valid python code for "Insertion" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Insertion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to navigate to "Deletion" page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.017 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.001 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in Linked List after signin	SKIPPED	0.000 s
4	When The user clicks the Deletion button	SKIPPED	0.000 s
5	Then The user should be redirected to Deletion page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.018 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		


#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page for Insertion page




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.020 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is on the Insertion page after Sign in	SKIPPED	0.000 s
4	When The user clicks the Practice Questions button	SKIPPED	0.000 s
5	Then The user should be redirected to the Practice page	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.014 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "try Editor" page for "Deletion" page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.015 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.000 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Deletion page after Sign in	SKIPPED	0.001 s
5	When The user clicks Try Here button in Deletion page	SKIPPED	0.000 s
6	Then The user should be in a page of having a try Editor with a Run button to test	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.014 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user receives error when click on Run button for "Deletion" try Editor page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.010 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Deletion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 2 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see a error message from excel sheet "TryCode" and the 2	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		


### Verify that user is able to see output for valid python code for "Deletion" try Editor page



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.003 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
1	Given The user is on the Home page and clicks Sign In	SKIPPED	0.002 s
2	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
3	Given The user is in the Deletion tryEditor page	SKIPPED	0.000 s
4	When The user enters excel sheet "TryCode" and the 4 clicks the Run Button in tryEditor page	SKIPPED	0.000 s
5	Then The user should able to see the output in the console from excel sheet "TryCode" and the 4	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null		

#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.teardown(Hooks.java:39)		

### Verify that user is able to navigate to "Practice Questions" Page for Deletion page



#	Step / Hook Details	Status	Duration
1	BEFORE - Hooks.Hooks.setup()	FAILED	0.010 s
	java.lang.RuntimeException: Browser not defined at Hooks.Hooks.setup(Hooks.java:30)		
2	Given The user is on the Home page and clicks Sign In	SKIPPED	0.008 s
3	When The user gets data from excel sheet "Valid_Login" and 1 for the login page	SKIPPED	0.000 s
4	Given The user is on the Deletion page after Sign in	SKIPPED	0.000 s
5	When The user clicks the Practice Questions button	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:39)		