

Predictive Modelling: German Credit Risk

Shahrukh Islam Prithibi, Jade Bouchard, Sophie Yang & Yovindu Don

Table of contents

Summary	2
Introduction	2
Analysis	4
Results and Discussions	5
Conclusion	10
References	10

Summary

The goal of our analysis is to classify whether someone is in a good or bad credit risk position using attributes such as **Credit_History**, **Duration**, and **Residence**. Our best-performing model is a **Random Forest model** which gave us a test score of 0.754 on unseen data, a decent result compared to the **dummy model's** score of 0.699. We also obtained a **accuracy score** of 0.77 **precision score** of 0.676, a **recall score** of 0.424, and **F1 Score** of 0.521. Our model performs decently well in terms of identifying people who are at good credit position. However, if this model is to have a hand in real-world decision-making, precision should be improved to minimize classifying low credit risks as high credit risks (false positives). In addition, more research should be done to ensure the model produces fair and equitable recommendations.

Introduction

First, let's define good and bad credit; bad credit is a person's history and future likelihood of not paying credit card bills on time and good credit is the opposite. Understanding and predicting credit risk is crucial for businesses in the finance sector, as supported by articles from the Journal of Applied Statistics and McKinsey & Company. "Credit risk modelling, namely its component Probability of Default (PD), is very helpful in the consumer credit loan grant decision." (Eliana Costa e Silva and Faria 2020). At an average commercial bank, credit-related assets produce about 40 percent of total revenues; credit-related costs, including provisions and write-offs, account for a significant fraction of expenses" (Goraieb, Kumar, and Pepanides, n.d.). With this in mind, our data science project will develop a predictive model aimed at discerning good from bad credit risk.

Our key question: How can we predict individuals with good or bad credit risk using relevant and representative input features?

The [Statlog \(German Credit Data\)](#) dataset, sourced from the UCI's Machine Learning Repository (Hofmann 1994), can be used for classifying individuals as good or bad credit risks based on a variety of attributes. A cost matrix is required for evaluation, where misclassification costs are outlined. The cost matrix indicates that it is worse to classify a customer as good when they are bad, compared to classifying a customer as bad when they are good. The dataset contains 1000 instances with 20 features. Each feature has a different role, type, and demographic information, summarized as follows. Note: for data types, Bin = Binary, Cat = Categorical, Int = Integer.

Feature	Type	Description
Target Variable (Credit Risk)	Bin	Classifies individuals as either good (= 1) or bad (= 2) credit risks

Feature	Type	Description
Status of existing checking account (Attribute1)	Cat	Indicates the status of the existing checking account in 4 categories, such as the balance amount or absence of a checking account
Duration (Attribute2)	Int	Represents the duration of credit in months
Credit history (Attribute3)	Cat	Describes the credit history of individuals in 3 categories, including whether credits were paid back duly or if there were payment delays
Purpose (Attribute4)	Cat	Specifies the purpose of the credit in 11 categories, like for a car purchase, furniture, education, or business, etc.
Credit amount (Attribute5)	Int	Denotes the amount of credit requested
Savings account/bonds (Attribute6)	Cat	Indicates the status of savings accounts or bonds in categorical brackets of DEM currency
Present employment since (Attribute7)	Cat	Shows the duration of present employment
Installment rate (Attribute8)	Int	Represents the installment rate in terms of a percentage of disposable income
Personal status and sex (Attribute9)	Cat	Provides information about personal status and sex
Other debtors/guarantors (Attribute10)	Cat	Indicates the presence of other debtors or guarantors
Present residence since (Attribute11)	Int	Denotes the duration of present residence
Property (Attribute12)	Cat	Describes the type of property owned
Age in years (Attribute13)	Int	Represents the age of individuals
Other installment plans (Attribute14)	Cat	Specifies other installment plans held by individuals
Housing (Attribute15)	Cat	Indicates the housing status
Number of existing credits at this bank (Attribute16)	Int	Denotes the number of existing credits at this bank
Job (Attribute17)	Cat	Describes the job status of individuals
Number of people being liable to provide maintenance for (Attribute18)	Int	Represents the number of dependents
Telephone (Attribute19)	Cat	Indicates the presence of a telephone registered under the customer's name

Foreign worker
(Attribute20)

Cat Specifies whether the individual is a foreign worker

Analysis

The project aimed to develop a predictive model to assess whether an individual represents a good or bad credit risk. To establish a baseline, a dummy model was implemented initially. In our analysis, we initially turned to logistic regression, a well-established method renowned for its interpretability in binary classification tasks. Logistic regression allowed us to discern the influence of individual features on credit risk prediction, providing insights into the driving factors behind our model's decisions. However, logistic regression is a linear model and may not capture complex relationships between features. To address this limitation, we introduced a random forest model to harness its capacity for capturing intricate feature interactions and handling non-linear relationships. Random forests are an ensemble learning method that constructs multiple decision trees to improve predictive performance and reduce overfitting. By leveraging the strengths of both models, we aimed to develop a robust predictive model capable of accurately classifying credit risks.

All variables in the dataset were used to fit the model. The dataset was split into training and testing sets using an 80-20 split ratio to facilitate model evaluation. Categorical variables were subjected to one-hot encoding (OHE), while continuous variables were standardized using Standard Scaler to ensure uniformity in scale across features.

Hyperparameter optimization was conducted to fine-tune the models. This process involved exploring various combinations of hyperparameters to identify the optimal settings for maximizing model performance. Additionally, a 5-fold cross-validation (CV) technique was utilized to assess the robustness of the models. Cross-validation aids in estimating the model's performance on unseen data by partitioning the dataset into multiple subsets for training and testing.

The performance of the models was evaluated using key metrics such as precision, recall, accuracy, and F1 scores on the test set. Precision measures the proportion of true positive predictions among all positive predictions, recall measures the proportion of true positive predictions among all actual positive instances, accuracy measures the overall correctness of predictions, and F1 score is the harmonic mean of precision and recall, providing a balanced assessment of the model's performance.


The selection of evaluation metrics in our credit risk assessment model is not only a technical decision but an effort to address the real-world consequences of false positives and false negatives. In the realm of credit risk, a false positive where it incorrectly identifies a viable borrower as a credit risk can have far-reaching implications including unfairly denying individuals access to necessary financial resources. On the other hand, false negatives which is failing to flag a genuine credit risk poses a substantial threat to financial institutions, risking

financial losses and undermining the stability of the credit. The careful balance by precision, recall, accuracy, and the F1 score in our model directly impacts these outcomes. These metrics guide us in fine-tuning our model to not only achieve statistical robustness but also ensure fairness and reliability in credit risk assessment, ultimately contributing to a more equitable and trustworthy model. Through this meticulous approach, we aim to minimize harm and promote positive outcomes for both lenders and borrowers.


By employing these methodologies, the project aimed to develop a reliable predictive model capable of accurately discerning good and bad credit risks.

Results and Discussions


To assess the distribution of the numerical variables and whether they require scaling we plot the histogram of the numerical variables in Figure 3. In doing this we identify that duration, credit amount and age have a right-skewedness.



(a) Duration



(a) Credit_Amount



(a) Age

Figure 3: Histograms for numerical variables




Figure 4: Correlation Heatmap of numeric columns

We see from Figure 4 that the correlation heatmap does not display any high correlation between two given variables which implies that there is no strong linear relationship between them. As a result, no manipulation or adjustment of the variables are required to address issues related to multicollinearity or redundancy in the dataset.

Now in Table 2 we see the performance of the different models on the training set and find their mean train and mean test scores from a 5-fold cross validation.

Table 2: Mean Train and Test scores from a 5 fold cross validation for the different models

Unnamed: 0	fit_time	score_time	test_score	train_score
Dummy	0.000849438	0.000897598	0.69875	0.69875
Logistic Regression	0.00992651	0.00216732	0.7425	0.783125
Random Forest	0.212085	0.0274638	0.75375	1

Both the models are performing better than our baseline model.

- **Logistic Regression:** It has moderate training and prediction times and achieves a decent fit score of 0.742 on the test set, indicating reasonable performance without overfitting.
- **Random Forest:** It takes significantly longer to train compared to logistic regression but achieves a slightly higher fit score on the test set. However, there's a large discrepancy between the training (1.0) and test scores(0.75375), suggesting potential overfitting.

Table 3: Metric Evaluation and Model Performance on unseen Test data

Unnamed: 0	Measures	Random Forest
0	Accuracy	0.77
1	Precision	0.675676
2	Recall	0.423729
3	F1 Score	0.520833

In Table 3 we see both the models are performing well on the test set, with relatively high accuracy, precision, recall, and F1 score. It correctly classifies a majority of instances while maintaining a good balance between false positives and false negatives. Here, in this instance we would want to avoid false negatives where a person at credit risk is not deemed to be at risk, and a high recall score ensures the model is performing well in avoiding false negatives.





Figure 5: ROC Curve


Figure 5 is a plot of our true positive rate/recall against false positive rate. For our case, a False Positive is when we predict someone to be a bad credit risk, when in reality they are a

good credit risk. Therefore, we want to minimize False Positives while still maintaining a decent recall rate. The default predict-proba threshold of 0.5 is our choice for balancing these two goals as it keeps the False Positive Rate quite low.


By Figure 8 we can also see the first 3 trees of the random forest model showing which variables are significant in each tree.



(a) Tree 1



(a) Tree 2



(a) Tree 3

Figure 8: Visualization of first 3 trees in Random Forest

Conclusion

This model could potentially be used by banks to determine who they should loan money to since analyzing credit risks is important to banks (Vossos and Dobby 2024). Even though there are potential benefits to using this logistic regression model, we should keep in mind negative impacts it could have. Using a model such as the one we created could result in un-intentional discrimination. For example, **Age** is an attribute in our data. Our model has the coefficient -0.21 for Age indicating a larger age value will have a better credit prediction, holding other variables constant. If our model was used to determine who should get a bank loan, there would be risk of age discrimination which is unethical and illegal (“Personal Characteristics, Grounds of Discrimination Protected in the BC Human Rights Code” 2023).

The inadvertent biases such as age discrimination identified in our current models, highlight the need for a more nuanced approach to model development that goes beyond traditional performance metrics. Delving deeper into techniques that actively mitigate bias such as differential privacy or synthetic data generation can help ensure our models make fair decisions across all demographics. Ethical frameworks and guidelines can also guide the responsible development and deployment of these models ensuring that they align with both societal values and legal standards. By prioritizing these considerations it can not only enhance the technical robustness of the predictive models but also ensure such a predictive model is not misused.

While we only explored a linear regression model and random forest model, it would be interesting to see if gradient-boosted classifiers have improved accuracy and precision. If we used more complex classifiers such as lightLGBM, we would benefit from using SHAP graphs to understand how the model is making predictions generally, and on an individual basis. In addition, research could be done on how to prevent our model from discriminating based on age, gender, etc. as sometimes simply removing attributes does not lessen discrimination.

References

- Eliana Costa e Silva, Aldina Correia, Isabel Cristina Lopes, and Susana Faria. 2020. “A Logistic Regression Model for Consumer Default Risk.” *Journal of Applied Statistics* 47 (13-15): = 2879–2894. <https://doi.org/10.1080/02664763.2020.1759030>.
- Goraieb, E., S. Kumar, and T. Pepanides. n.d. “Credit Risk | Risk & Resilience | McKinsey & Company.” McKinsey & Company. <https://www.mckinsey.com/capabilities/risk-and-resilience/how-we-help-clients/credit-risk>.
- Hofmann, Hans. 1994. “Statlog (German Credit Data).” UCI Machine Learning Repository. <https://doi.org/10.24432/C5NC77>.
- “Personal Characteristics, Grounds of Discrimination Protected in the BC Human Rights Code.” 2023. BC Human Rights Tribunal. 2023. <https://www.bchrt.bc.ca/human-rights-duties/personal-characteristics/>.

Vossos, Tasos, and Christine Dobby. 2024. “Wall Street to Follow Canada’s Hot Capital-Relief Trade,” February. <https://www.bloomberg.com/news/articles/2024-02-22/wall-street-to-follow-canada-s-hot-capital-relief-trade>.