



Smart Contract Security Audit

<u>TechRate</u> November, 2021

Audit Details



Audited project

WealthSecrets



Deployer address

0xd1e78c9d59746c4f9673038b45faa999e586ab75



Client contacts:

WealthSecrets team



Blockchain

Binance Smart Chain





Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and TechRate and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (TechRate) owe no duty of care towards you or any other person, nor does TechRate make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and TechRate hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, TechRate hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against TechRate, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Background

TechRate was commissioned by WealthSecrets to perform an audit of smart contracts:

https://bscscan.com/address/0xB7DAcf54a54bFea818F21472d3E71a89287841A7#code

The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.

The information in this report should be used to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

101000001

1.0

10111010001100000001111101100101011011

100001000110101

011001000100000

0 100

1000110111011001101110

10001010010001100

THE RESERVE THE RESERVE THE RESERVE THE RESERVE

Contracts Details


Token contract details for 06.11.2021

Contract name	WealthSecrets	
Contract address	0xB7DAcf54a54bFea818F21472d3E71a89287841A7	
Total supply	27,000,000,000	
Token ticker	WSC	
Decimals	18	
Token holders	1	
Transactions count	1	
Top 100 holders dominance	100.00%	
Liquidity fee	3	
Tax fee	2	
Total fees	0	
PCS V2 pair	0xb1e626349b326efb7f52cef9880732951a1650c7	
Contract deployer address	0xd1e78c9d59746c4f9673038b45faa999e586ab75	
Contract's current owner address	0x9f1392151fbcdf16c10b64754a28ebfd1b6b1934	

WealthSecrets Token Distribution


The top 100 holders collectively own 100.00% (27,000,000,000.00 Tokens) of WealthSecret

▼ Token Total Supply: 27,000,000,000.00 Token | Total Token Holders: 1



(A total of 27,000,000,000.000 tokens held by the top 100 accounts from the total supply of 27,000,000,000.000 token)

WealthSecrets Contract Interaction Details



WealthSecrets Top 10 Token Holders

Rank	Address	Quantity (Token)	Percentage
1	0x9f1392151fhcdf16c10h64754a28ehfd1h6h1934	27.000.000.000	100.0000%



Contract functions details

+ [Int] IERC20 - [Ext] totalSupply - [Ext] balanceOf - [Ext] transfer # - [Ext] allowance - [Ext] approve # - [Ext] transferFrom # + [Lib] SafeMath - [Int] add - [Int] sub - [Int] sub - [Int] mul - [Int] div - [Int] div - [Int] mod - [Int] mod + Context - [Int] _msgSender - [Int] _msgData + [Lib] Address - [Int] isContract - [Int] sendValue # - [Int] functionCall # - [Int] functionCall # - [Int] functionCallWithValue # - [Int] functionCallWithValue # - [Prv] functionCallWithValue # + [Lib] SafeERC20 - [Int] safeTransfer # - [Int] safeTransferFrom # - [Int] safeApprove # - [Int] safeIncreaseAllowance # - [Int] safeDecreaseAllowance # - [Prv] callOptionalReturn # + Ownable (Context) - [Pub] <Constructor> # - [Pub] owner - [Pub] renounceOwnership # - modifiers: onlyOwner - [Pub] transferOwnership # - modifiers: onlyOwner - [Pub] geUnlockTime - [Pub] lock # - modifiers: onlyOwner

- [Pub] unlock #

+ [Int] | UniswapV2Factory - [Ext] feeTo - [Ext] feeToSetter - [Ext] getPair - [Ext] allPairs - [Ext] allPairsLength - [Ext] createPair # - [Ext] setFeeTo # - [Ext] setFeeToSetter # + [Int] IUniswapV2Router01 - [Ext] factory - [Ext] WETH - [Ext] addLiquidity # - [Ext] addLiquidityETH (\$) - [Ext] removeLiquidity # - [Ext] removeLiquidityETH # - [Ext] removeLiquidityWithPermit # - [Ext] removeLiquidityETHWithPermit # - [Ext] swapExactTokensForTokens # - [Ext] swapTokensForExactTokens # - [Ext] swapExactETHForTokens (\$) - [Ext] swapTokensForExactETH # - [Ext] swapExactTokensForETH # - [Ext] swapETHForExactTokens (\$) - [Ext] quote - [Ext] getAmountOut - [Ext] getAmountIn - [Ext] getAmountsOut - [Ext] getAmountsIn + [Int] IUniswapV2Router02 (IUniswapV2Router01) - [Ext] removeLiquidityETHSupportingFeeOnTransferTokens # - [Ext] removeLiquidityETHWithPermitSupportingFeeOnTransferTokens # - [Ext] swapExactTokensForTokensSupportingFeeOnTransferTokens # - [Ext] swapExactETHForTokensSupportingFeeOnTransferTokens (\$) - [Ext] swapExactTokensForETHSupportingFeeOnTransferTokens # + Token (Context, IERC20, Ownable) - [Pub] <Constructor># - [Pub] name - [Pub] symbol - [Pub] decimals - [Pub] totalSupply - [Pub] balanceOf - [Pub] transfer # - [Pub] allowance - [Pub] approve # - [Pub] transferFrom # - [Pub] increaseAllowance # - [Pub] decreaseAllowance # - [Pub] isExcludedFromReward - [Pub] totalFees

- [Pub] deliver #

- [Pub] reflectionFromToken

```
- [Pub] tokenFromReflection
- [Pub] excludeFromReward #
 - modifiers: onlyOwner
- [Ext] includeInReward #
 - modifiers: onlyOwner
- [Pub] excludeFromFee #
 - modifiers: onlyOwner
- [Pub] includeInFee #
 - modifiers: onlyOwner
- [Ext] setAllFeePercent #
 - modifiers: onlyOwner
- [Pub] buyBackUpperLimitAmount
- [Ext] setBuybackUpperLimit #
 - modifiers: onlyOwner
- [Ext] setMaxTxPercent #
 - modifiers: onlyOwner
- [Ext] setMaxWalletPercent #
 - modifiers: onlyOwner
- [Pub] setSwapAndLiquifyEnabled #
 - modifiers: onlyOwner
- [Ext] setFeeWallet#
 - modifiers: onlyOwner
- [Ext] <Fallback> ($)
- [Prv] _reflectFee #
- [Prv] _getValues
- [Prv] _getTValues
- [Prv] getRValues
- [Prv] _getRate
- [Prv] _getCurrentSupply
- [Prv] takeLiquidity #
- [Prv] calculateTaxFee
- [Prv] calculateLiquidityFee
- [Prv] removeAllFee #
- [Prv] restoreAllFee #
- [Pub] isExcludedFromFee
- [Prv] _approve #
- [Prv] _transfer #
- [Prv] swapAndLiquify #
 - modifiers: lockTheSwap
- [Prv] buyBackTokens #
 - modifiers: lockTheSwap
- [Prv] swapTokensForBNB #
- [Prv] swapBNBForTokens #
- [Prv] addLiquidity #
- [Prv] _tokenTransfer #
- [Prv] transferStandard #
- [Prv] _transferToExcluded #
- [Prv] transferFromExcluded #
- [Prv] _transferBothExcluded #
- [Prv] tokenTransferNoFee #
- [Pub] recoverBEP20 #
 - modifiers: onlyOwner
```

(\$) = payable function # = non-constant function

Issues Checking Status

Issue description	Checking status
1. Compiler errors.	Passed
2. Race conditions and Reentrancy. Cross-function race conditions.	Passed
3. Possible delays in data delivery.	Passed
4. Oracle calls.	Passed
5. Front running.	Passed
6. Timestamp dependence.	Passed
7. Integer Overflow and Underflow.	Passed
8. DoS with Revert.	Passed
9. DoS with block gas limit.	Low issues
10. Methods execution permissions.	Passed
11. Economy model of the contract.	Passed
12. The impact of the exchange rate on the logic.	Passed
13. Private user data leaks.	Passed
14. Malicious Event log.	Passed
15. Scoping and Declarations.	Passed
16. Uninitialized storage pointers.	Passed
17. Arithmetic accuracy.	Passed
18. Design Logic.	Passed
19. Cross-function race conditions.	Passed
20. Safe Open Zeppelin contracts implementation and usage.	Passed
21. Fallback function security.	Passed

Security Issues

High Severity Issues

No high severity issues found.

Medium Severity Issues

No medium severity issues found.

- Low Severity Issues
 - 1. Out of gas

Issue:

 The function includeInReward() uses the loop to find and remove addresses from the _excluded list. Function will be aborted with OUT_OF_GAS exception if there will be a long excluded addresses list.

 The function _getCurrentSupply also uses the loop for evaluating total supply. It also could be aborted with OUT_OF_GAS exception if there will be a long excluded addresses list.

Recommendation:

Check that the excluded array length is not too big.

Notes:

 There is sending contract balance to dead address instead of real burn, using decreasing total supply.

Owner privileges (In the period when the owner is not renounced)

Owner can change fees.

```
ftrace | function setAllFeePercent(uint8 taxFee↑, uint8 liquidityFee↑, uint8 burnFee↑, uint8 walletFee↑, uint8 buybackFee↑) external onlyOwner() {
    require(taxFee↑ >= 0 && taxFee↑ <=maxTaxFee,"TF err");
    require(liquidityFee↑ >= 0 && liquidityFee↑ <=maxLiqFee,"LF err");
    require(burnFee↑ >= 0 && walletFee↑ <=maxBurnFee,"BF err");
    require(walletFee↑ >= 0 && walletFee↑ <=maxWalletFee,"WF err");
    require(buybackFee↑ >= 0 && buybackFee↑ <=maxBuybackFee,"BBF err");
    taxFee = taxFee↑;
    liquidityFee = liquidityFee↑;
    burnFee = burnFee↑;
    buybackFee = buybackFee↑;
    walletFee = walletFee↑;
}</pre>
```

Owner can change the maximum transaction amount and maximum wallet amount.

Owner can change buyBackUpperLimit.

```
ftrace|funcSig
function setBuybackUpperLimit(uint256 buyBackLimit 1) external onlyOwner() {
    buyBackUpperLimit = buyBackLimit 1 * 10**18;
}
```

Owner can exclude from the fee.

```
function excludeFromFee(address account1) public onlyOwner {
        isExcludedFromFee[account1] = true;
}
```

Owner can change fee wallet.

```
ftrace|funcSig
function setFeeWallet(address payable newFeeWallet1) external onlyOwner {
    require(newFeeWallet1 != address(0), "ZERO ADDRESS");
    feeWallet = newFeeWallet1;
}
```

Owner can withdraw ERC tokens except native.

```
ftrace|funcSig
function recoverBEP20(address tokenAddress1, uint256 tokenAmount1) public onlyOwner {
    // do not allow recovering self token
    require(tokenAddress1 != address(this), "Self withdraw");
    IERC20(tokenAddress1).transfer(owner(), tokenAmount1);
}
```

 Owner can lock and unlock. By the way, using these functions the owner could retake privileges even after the ownership was renounced.

```
//Locks the contract for owner for the amount of time provided
function lock(uint256 time) public virtual onlyOwner {
    _previousOwner = _owner;
    _owner = address(0);
    _lockTime = now + time;
    emit OwnershipTransferred(_owner, address(0));
}

//Unlocks the contract for owner when _lockTime is exceeds
function unlock() public virtual {
    require(_previousOwner == msg.sender, "You don't have permission to unlock");
    require(now > _lockTime , "Contract is locked until 7 days");
    emit OwnershipTransferred(_owner, _previousOwner);
    _owner = _previousOwner;
}
```

Conclusion

Smart contracts contain low severity issues! Liquidity pair contract's security is not checked due to out of scope.

Liquidity locking details are NOT provided by the team.

TechRate note:

Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.

